STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4

04-SF-80-13.2/13.9

SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-1	10-25-06 M T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~50°FT MAX

WEATHER

CLEAR, COLD A/M!

* 0730 (NL) + 1°36' ⇒ 1607 ⇒ + 1°03'

(1216 - 1585 = 1°19'), (8811 - 8819 = 8'), (0903 - 0905 = 2'), (1015 - 1018 = 3'), (1055 - 1056 = 1'), (1137 - 1139 = 2'), (1201 - 1203 = 2'), (1208 - 1212 = 4'), (1441 - 1445 = 4'), (1447 - 1452 = 4'), (1502 - 1509 = 7'), (1510 - 1512 = 2'), (1522 - 1527 = 5'), (1540 - 1541 = 1'), (1546 - 1549 = 3'),

⇒ Σ(+) = 1°26' " { 30' (= 2 BRKS) + 8'' (1°21') + 196' (+1°36')

* SAS TR: "W/ PRV." MISC. CONTRACT ADMIN, ETC.) <0734

* G/M: JBR, + TTL (W); * SAN FM: 0800 @ SKYWAY

⇔ DPT'S "MISSION, VISION & GOAL" ETC.)

<0738

G/M: GR;

* TAV: "J + # ..." W. MUG, MK (12?) C POT; → STOW PREV.) <0745

* IDG IN) → E/M: L/N = 9R W/R, +5 W/ <0753

* PRE-GP: NEED TO GO TO PE PES'S 0800 PRESENTATION NOW (⇔ "GOALS") ?!; "NO NEED"!: PE PES TO USE SKYWAY MTGS MTG GRP AS PER CROSS-SECTION OF ALL EMPLOYEES...) "NOT MANDATORY")

→ JBR: NO NEED TO GO! <0755

SIGNATURE	TITLE
	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-21	10 25 06 M T (W) T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

*(W/D RPT.) → DMG'V: NO NEED TO GO TO MTG..) LATE NOTICE!)

<084

(CALLS[2]; <081?/(CALLS'D); <0819/* 49.11/.23 E/MS..) <0837
* E-R's FILE?; <0840

* 49.11/49.23 E/MS, R&S.)
→ TIL..) NO 0800 MTG REQ'D AFTER-ALL..!: PER REGP-PE PES TO JUST USE SKYWAY'S "AFTER MTG AS REP. CROSS-SECTION" OF US FIELD STAFF..;

2) HOWE-STRUX STAFF MTG YEST'Y. W/ DEPARTING ROB RSR;
3) 49.19 MANILA FOLDER (<ROB RSR); RSR WAS HOPING TO GIVE REV'D PLANS SHTS PER TO SAS CCO GROUP @ (INT'L.) CCO MTG TMRW..) DOES DS E/M YEST. P/M CANCELLING, THOUGH..?! (DIFF'T DAY/TIME..)
NO NEWS FROM TIL'(C)ALEX'S. — TIL HASN'T CALLED HIM TO SET W/DC.)
4) TIL-(C)NAS/(C)= 408-386-9915; <0847

SIGNATURE	TITLE
	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -3	DATE 10 25 06 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'D.)

A TIL (CONT'D): 5) (c) AS COMMUTES <S.J. AREA' DAUGHTHC e P. ALTO SCHOOL..; ISABY-ROUET: (CAL/AMAN)

b) I'D YET TO CHECK W/ M. VAN TE: RFI'S 1-150 TABULATION (3 CATEG'S PER VEN'S MTG W/BJB: (1) "NOT SURE. AS ~~THAT~~ OF THIS CCO" -?/ (2) "THIS CCO" (N/C - N/C -?) (3) "LATER CCO"...)*

7) SAW GOT R/A <MS ALREADY! (I'M NOT CC'D);

8) WILL GO THRU TO CA MS'S (LAT...?)...;

9) TO CA TYL'S (25-?) REV'D PLAN SHEETS...; (ONCE WE GET); MTG - NOT MONDAY...- WED! (LAT WK.);

10) REDUCED PLAN SETS?; < ADCOLOR...; D.B. REPRO-GRAPHICS CAN ONLY DO 5/WK..!; LOOSE-LEAF TENDER TYPE AS I HAVE: TCA GP DIDN'T TAKE SO NOW "BOUND" (IN TWO VOLS: "DEFECT" & "STRUC"); WE'D GO ASK ADC FOR SET FOR TIL NOW I SAID MY SPARE-BOUND SET TO (c) WSC: NEED TO HAVE A "CONF'D" SET ASAP!; [V.S. BACKLOG RCK REPS]. 0853

SIGNATURE — TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 41	DATE 10 25 06 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

*ADC: 1) AWAY FR DESK; 2) SAMPLE OF ROUND - "DOTTED" PLANS ON DESK - NO "EXTRAS" SEEN...)

→TL: "EXCUSED" < T. DUTY...)

<0855
F<0917
F<0914

*UP DATE RPT.; <0903 / *(CALL 1); <0905 / *RES. E/M's (9:11 9:13)

*U/D RPT.) → SERVER REC.) → P/OS...) <1000

*U/D RPT.) → MGV: F2/F1 PMEV SNAFU - ERROR MSG...) WORD DOC'T. ("IN" PMEV...) - [FROZEN] / LOCKED OUT.) GOOGLE - EARTH POP-UP: RMV. w/ ALT - F4 ?!) <1007

*SHIFT - F4 (< G/E...): → MGV - DIDN'T WORK...) <1010

*U/D RPT.; <1015 / *(CALL 1) 1017 / *(CALL 2) 1018 / *99:21 (C) 1023

*GR: 1) VAR. "V.P.I.'s"; WILL CHECK PB's DATA; IF √R) 1ST FOR HER (TO DEMO CALC w/ GRADE 1); √ "CLOSE" - WILL ASK PB TO ADJ. AS WELL...) 2) SPREADSHEET < TECH ASK (PROPOSAL → 1991?!) 3) DAYS NOT BUSY...)

SIGNATURE	TITLE
	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 51	DATE 10 25 04 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

)(CONT'N.)
SPREADSHEET ON HER DESKTOP/ CAN PUT ON "X"-DR./
I WANT TO E/M (AS PDF) TO DR./(L) M.G.; UNDERST.
NO "RESOLUTION" ON THIS YEST'Y...; SPREADSHEET
ONLY VS FIELDS ON P.G. ITEM ⇒ i.e. NOT ON
V.P.I.S...; JBR WANTED TO ✓ HER #'S VS
HIS SPDSHT...)

+G HART: 1) H/WEEN... — CONT.?! 2) >35... (42)...;
+ ADC: TLC LOOKING FOR HIM!/
+(c) AB + ADC...: "ALEXIS"...)

<10F1

* J/D RPT.; <1055/ *(CALLS ?!) <105C/ * J/D RPT.) <1059
* RB.: MES L/N (ETC.?!) NOT WORKING...; → POWER
PLUG IN?!)

<1101

* GR: 1) COMPLETED OTHER TWO FIELD. ✓'S (@ VPI.);
AGREEMENT W/ PB'S...; 2) TO PUT HER SPREADSHEET

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	-6/	DATE	10 25 06	M T (W) T F S S (Circle Day
SHIFT HOUR: START	— STOP —	TEMPERATURE MIN	— MAX	
WEATHER				

(CONT'N)

→ INTO "X" OR; 49.23? → (RE-)CREATE CAT. & FOLDER;

→ † TIL: 1) NOT 49.11 EITHER...; 2) STARTED GOING THROUGH MS's SPREADSHEET - REST: WAIT FOR TIL (L) AS's REV'D PLAN SHTS. [49.19]; 3) I'M TO CALL TIL (d) AS FOR STATUS - J/D...; 4) OTHERWISE, DONE-WORK; HE THANKS...;

<1109

✗ MESSE./ (?!);

<1111

✗ J/D RPT; C1115 / ✗ GR: 1) BCE SK w/; 2) LET. 49.11/49.23 DATA w/ HER...;

<1117

✗ E/M (cont'd);

<1122

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -7	DATE 10 25 05 M T (W) T F S S (Circle Day)
SHIFT HOUR: START ___ STOP ___	TEMPERATURE MIN ___ MAX ___
WEATHER ___	

* P. SILVA ~1122 - 1137

1) ET & V/M TRACK...; 2) BCBS @ 1112; BCB RET TURNED DOWN ST'L. ST'L. (COMMITTED - 8?)!;

3) C.J.C. — BCBS GJL & SK TOLD HIM MAY BE A FEW MOS B-F THEY CAN EVEN MAKE AN OFFER...(?); I WASN'T HEARD...)

4) USCG E/M; JOB COMPLETED...; OLD T/S CREW HERE...)

5) FLAT. CRIT'L E/M...)

6) SPBR SNAFU...) BLK RSP: TOM DIDN'T GET NOTICE UNTIL DAY BEFORE!)

→ GR: I'D COME SEE...) (<1135)

* GR: DO DND ✓ ON V.P.I. STA ≤ (⇔ EVEN ≤) CAN'T DO "BACK-CALC" USING FWD GR...) LOOK UP V.C. FORMULAS FOR V.P.I. STA CALC.) <1136

* END RPT.) 1157 / *CALL); <1139

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	-81	DATE	10 25 06	M T W T F S S (Circle Day)
SHIFT HOUR: START	—	STOP	—	TEMPERATURE MIN — MAX —
WEATHER				

A) J/D RPT. → (C) TP / JH: 1) PMEV NOT WORKING?! : NO!! [HGV'S PASS.]; 3) COULDN'T ACCESS "J" - OR ?!" TOWER BANDING - N/I → COULDN'T "MAP" IT...; 4) ~~XX~~ HP OR ~~DIST~~ I.T. FOOTING, W/OUR SERVICE?; 5) SAW MY E/M TO DCTS RE: P/CS → NEED WELDING CONT. CAPPED... / PDFs → ↑ MEMORY;

4) RA W/ IN PASS) + LARRY G. (< (C) TP)

<1145

A J/D RPT.) → [DCE: RS - GO HOME!: P/Cs NOT WORK ½...] → HYI: L/N - WASN'T WORK ½ FOR HIM...;

<1201

A (CALLS TJ) <1203 / L/N → JH: + P/Cs (⇒ S = P/Cs); <1208 / ACCEPT; 1212

A LV. SAS (W/POV) <1216 / A RT.: (VIA RTE 1); <1335

~~A~~ UNLOCK WORK AREA <1358 / A E/M (RELAY) (RT.); <1405

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	— 91	DATE	10 25 06	M T (W) T F S S (Circle Day
SHIFT HOUR: START	— STOP —	TEMPERATURE MIN	— MAX	—
WEATHER	—			

* CONT R.: VPI ≡ ½ (BVC + EVC). STA Σ −!?! RAD M.: "ASYMMETRICAL" VCs? ⇒ TRACK & FND. TANGENTS NOT EQUAL Ls ...?! LOOKED @ EQS IN MB P.E. TEXTBK MANUAL; STD CALC'D. "m" (MIDDLE ORDINATE), TO APPLY PROPERLY CALC P.G ELEV @ V.P.I STA — THEN ADD "m"...)

1407

* (CAL(V)) LIGHT / * GR: (CONT) JRR: THANKS V.P.I. ALWAYS "C / CL" ...) WILL CALC ELEVS OFF "m" ⟷ INDEPEND CALC / VERIFN OF V.P.I. ...)

1415

* E/M (CONT)
→ TIL: TYL (C ALAS UPDATE?) I'D YET TO CALL: WILL DO SR NOW ...)

1432

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 10	DATE 10 25 06 M T W T F S S (Circle Day)
SHIFT HOUR: START ____ STOP ____	TEMPERATURE MIN ____ MAX ____
WEATHER ____	

1554

A MEX SO, TYL (C) 9-1-415-291-5470 1432-
1) TYL RACE IN OFC.: CLEANING-UP, DRAWG-CHECKING, CLOSING TS, DOTTING T.S..)
2) HAD PREDICTED RY COR TODAY - SO LOOKING FOR; 3) WAS SENDING E/M..)
1) CAN CAL US TMRW. - WE CAN P/U OR HE COULD FT W/, SAY, (C) JAMES D.. (IF HAS TO WDC ANYWAY..)

A W/D PPT.) <1438 / A TYL: 1) WORK) 2) HAD THEN REVIEW PLANS + SPRDSHT. TH/SLEATTER) 3) HAS ALL NEW WK 2-DOWN ~1 WK.; RE-MAPPED "J" DR; I DID TOO (YEST'Y - ?)

→ SPOT ✓ E/M <1441

A W/D RPT.; <1442 / A (CALLS T.) <1443

A PYL: 1) RICK SK OFC.?) & WDC..) 2) POINTED OUT WNDCHK TO WDC TRAILER..) 3) CALL OTHER-DAY? ⇔

SIGNATURE ____ TITLE Assistant Structure Representative/ Leadworker

CEM450

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-11	102506 M T W T F S S (Circle Day)
SHIFT HOUR: START ___ STOP ___	TEMPERATURE MIN ___ MAX ___
WEATHER	

(CONTN.)
ARCH TTM'S W/M.. (SP...)

<1445

A/D RPT.; <1448 / A (CALL); <1452 / A/D RPT.; <1502
A (CALL); <1504 / A/D RPT.) <1510 / A (PROP'S) <1522
(CALL) <1512 JAV - MISC. C/O
A (PROP'S) <1527

A (C/O) → DCE WS: SAW ~~HS~~ S/M (⇔ SUBM #10); I'D BRKN OUT OF LOOP— HE'D SPOKEN TO THEM...) PB (C)S V. V. RUSH...!" PB (C) MG HAS "+" ~ 1→2 ON MECH'L ≠ REL'L...) REL PROB WON'T LET UP...; SUR.: BLAYCO (S) (N) ARE A.T. OFF — ALL WEEK!;

<1533

A/D RPT.) <1538 / A (CALL); <1541 / A/D RPT.) <1546
A (CALL); <1549 / A/D RPT.; <1550 & <1602
A (CALL) <1603 / A (CALLS); <1604 / A (CALLS); <1605

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM450

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

A S/D: (N...) PC) <1606 / A E/D: (S) WIRE S/N: (S) SF, W/DCE_DS; <1607