STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4

04-SF-80-13.2/13.9

SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 1 /

DATE 11-08-06 M T W T F S S (Circle Da

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE MIN ~ 50°FT MAX

WEATHER CLEAR, RAIN ONIGHT / COLD - AM

0700~; 0738 / 1606 +36' T693 +66' = 1749

1815~ +46'

(0824 − 0675 = 11), (0827 − 0828 = 1), (0843 − 0848 = 5~), (0856 − 0905 = 7), (0947 − 1021 = 4), (1035 − 1057 = 21), (1307 − 1317 = 5'), (1327 − 1314 = 24), (1503 − 1511 = 8'), (1538 − 1550 = 12), (1601 − 1620 = 19), (1627 − 1626 = 31), (1629 − 1635 = 6), (1642 − 1653 = 11'), (1713 − 1716 = 3'); ⇒ Σ(hr) = 66'

SAF TR: 1) W/PW 2) MISC - CONTRACT ADMIN; ETC.) <0736~

G/M: TLC) → JRB; → T/O P/C; <0738

SET UP & UP/DATE REPORT; → LOG IN; → E/M: 1/N=792 W/B, +7W <0742.

SPOT W E/M; <0744

(a) WSC FR. 715-2973 0744-0746

1) UNABLE TO REACH TCR BJB: KEEPS GOING TO V/M..

2) I'M EXCHANGING E/M W/ — VE STANDING UP TO GO TALK TO EA OTHER...; 3) ON LAN BUSINESS IN S.J. (1); TRAINING; EXPECTS BACK ~NOON..; 4) I'LL TRY AT...

RCE ISSUE AWAY FR. OKSK; → JRB: YES - IN KITCHEN) <0747

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-21	11-08-06 M T (W) T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* JBR: 1) ICE DR BACK TO OFC.; 2) LAN CREW AWAY @ S.J. 'TIL NOON~...;

→ BCE RJR: 1) 'BEATERS' AWAY @ S.J. 'TIL NOON...; THOUGHT WEREN'T COMING IN @ ALL...; 2) YET TO T/O MES (N)...; 3) ELECTIONS...; LETTERHEAD...; 4) SAW HER/EM; MY CONCERNS (↔ 9.23/N): 1) DIRECT TY/...; 2) DISSEMINATE INFO. TO ALL INVOLVED... (GL, CH, WS, ETC., ETC.)...; YES— SAME PB INFO. AS BEFORE...;

<0758

* E/M T: CORR
* TL: 1) LV'S TO GO P/U (N) CLEAN-FUEL OFC...; + JBR; MTG...; 3) TO DX; NOT VHOP-T...;

→ DJC: PRODUCT (LAST NIGHT - MISSED HER; MADE IT TO WORK
→ ~~JOANNA~~ PROV~...; → JAV.: 1) W. MUG; 3) + *1 V;
→ CMR: ADDICTED... (MUG~); → + (6) AR: 1) FAX'N; 2) OFFERS TO MEET W/ US TO PRESENT SCHED.; ~1→2 HRS.;

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	31	DATE	11-DEC	M T W T F S S (Circle Da
SHIFT HOUR: START	STOP	TEMPERATURE MIN	MAX	
WEATHER				

(CONT'N)

→ 3) CURRENT SCHED FAILS TO REFLECT +7 DAY RETURN TIME WHEN MULTIPLE / SEVERAL Σ SUBM Σ ...) I RECALL THEY MENTIONED THAT LAST TIME...)

4) TOLD HIM IBR TRACKED SUBM. INFO INTO BAR CHARTS ⟷ # & TYPE(S) OF SUBM Σ/MO...)

5) SAYS C# HAS TRACKING CHART...)

→ + RD: G/M...) → SPOT ✓ E/M)

<0824

* (CALL ↑); <0825 / * MISC. W/U <0827 / * (CALL ↑); <0828

* SPOT ✓ E/M's) <0836 / + <0843 / * (CALL 9); → PMIV W/U; <0848

* (CALL 9); <0905 / * W/D RPT.) → E/N: GOOD Σ...)

→ ADC: ORANGE (NEW) CAL/OSHA POCKETBOOK - I DON'T HAVE; I-SSUED ONE - SIGNED HIS CUTBOARD...)

<0929

* W/D RPT.) → GR: SKYWAY PLANS ?!; TL HAD PLAN ?!)

→ FOUND THEM on (2) SET'S BACKCARDS!)

<0931

SIGNATURE

TITLE: Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

1671

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
- 91	11-08-06 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* W/D RPT. / T (E/M) <1091 / * (E/M); <1021

T.) M. PEAVEY: 1) NEED HELP W/ BOXES @ N. SIDE DOOR...; + (2) MTC & FB...) <1029

* (E/M N); <1029 / * W/D RPT.; 4031 & <1035 / * (CMS); <1037

* STATUS: 1) READY TO CAST; 2) W/ 49.24 — NO; 3) 1ST: SHT. #5 FOR 49.19 & 49.22...) 4) ILL P/O E/M...) <1040

* W/D RPT.) <1041 / * P/O TYL (2) AFS WORK EXTRA; <1043

* (1) RE: ON "ADD. #8" CCOS...) ARTJV & AMERICAN STAR... <1045

* TYL: "ROD" OF 49.22 & 49.19...; "RECONSTRUCT" CCO PKG'S...) "PRECEDENCE" OF CCOs & SUBSTITUTE (& WHICH ONE "WILL" IN SYSTEM...)

→ RT 1) P/O ADMIN?; CALLED PATTY...; 2) FB NOW THERE! <1158

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 51	DATE 11-08-06 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

JBR: L.P.; <1159
" 111,915" ↑ ("1202"): CHG. # 152 MT.; +LV. BAG | w/ JBR
" 111,925" ↑ ("1202"): ↓ ↓ ↓ → PT. SACH
JBR: 1) 4914 E-MS; 2) MS LV 2-; 3) MBAR PWS.; 4) TOM S;
5) INDEX-PWS PHT LIBRARY PROJECT?;
→ B.Y.: 1) COMFORT-TILL!; 2) TAN. CLUB: BACK ON BLACK (PROB.) | PERT S..; 3) ARMY RESERVE!
→ JBR: 1) TIL w/; 2) 07 CALENDAR UP FRONT;
<1207

(CALLS); V/D RPT.) → DMB: "S/M"; <1312 / (CALLS ↑) <1314
V/D RPT.) <1315 → (1) FB: "STOWED (N) SUPPLIES!"; 2) "TAL", "WALE-N-TWR", "EALETREN", ETC., "TEXNE"...) <1320
(CALLS ↑) <1322 / V/D RPT.) <1325

TIL: 1) CONT. w/ 4922 SHT. RENUMBERING..) VAR P/OS <MY PMIN ACCT.) PUTTING INTO BINDER...) SEP. < SAS' CCO DESK'S BINDER—TOOK APART OUR STUFF!; 2) GOT CAKE...; 3) PHE: P/O WORD DOC...) <1502

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 11-06-06 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —

WEATHER

* VD RPT.: C150③ / ~~CALST~~ C150 / ~~CALST~~ C151 / ~~CALST~~ 15

* INSP.: 1) 99.22 - ~~KICKING~~ HIMSELF: RATHER THAN REV. NOTE #9 & DEL. U.T. @ VAR. WELDS, SIMPLY DEL. PARA "a)" = "+5 mm" WELD ~~&~~ WATCH AREA STATED @ LAST MTG THEY WOULDN'T FIELD DO... PART "b)" REQUIRES MT OF ROOT PASS ~~&~~ ALREADY! - AND OF COMPLETED WELD!!! (WHOEVER STARTED TO REWRITE SPECS. FOR CCO ?!) BACK IN OR STATE...)

2) ALREADY RANCKED OFF REF ~~DSB~~; THEN ABCM RTM; ALSO DSV (C) MNAGER ~~&~~ INITIALLY BALKED @ LOSS OF "+5 mm" ~~&~~ RFI CCO #22 ALREADY DELETES!)

3) NO NEED FOR SUPPLS...!; NO NEED TO WAIT FOR ERNC & MOCK UPS, NOR ABSV (RE: TOWER FIELD WELDS...)

4) ALREADY IN CONTRACT TO DO 100% MT OF ROOT!; IF ABSV BALKS, CAN OFFER CREDIT...;

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	7	DATE	11-18-09	M T (W) T F S S (Circle Da
SHIFT HOUR: START	STOP	TEMPERATURE MIN	MAX	
WEATHER				

(CONT'D):

5) TIL & D JUSY w/ "RIRD" STUFF...)

+ CM: KITCH - CAL!)

<1527

A) 1) CM: IN KITCH / + JASON T'S R/D - NEXT W/E!)
2) "STEVE" - DON'T E...; 3) ← w/ BACK RIL?; S/E "PANCH"...)
→ + JBR: 1) CAL!) 2) NO NEED TO MAKE 2ND PIT AFTER ~1100 HRS...)

<1529

* TYL (L) JD FR. 915 215 8934 1529-1537
WE'RE WORKING ON TRANSITION BENT TO (L) ASD E/M SPLICE
RE: SHT #5; ESP. CCOS #19 & 22; TIL + I'VE BEEN WORKING ON TODAY...; YET TO CROSS PATHS RE. ABFT RAILING WHEN RE-ISSUE "FINAL" CCO SHTS (W/ CAPACITY "R") ...; UPROAR OVER 4973 RE-ISSUE...)

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE	
-2/	11-28-06	M T (W) T F S S (Circle Da
SHIFT HOUR: START — STOP	TEMPERATURE MIN —	MAX —
WEATHER —		

(CONT'D.)

→ EXTRA STEP / OPERATION: WILL NEED TO SEE HOW IT PLAYS OUT...;

(<1535)

* SPOT ✓ E/M'S <1538~ / * (CALLS T); <1540 / * (CALL'G); <1544 <1601
* (CALLS T); <1550 — ↑ → W. DIGNITARIES / VIPS... <1559 / W/D RPT.)
* (CALL); <1621 / * SPOT ✓ E/M, <1623 / * (CALL'G); <1626
* CALL-IT <1622 DOCS <TALLY AREA) <1629 / * E/N) <1635
* W/D RPT.) → TOM & B/B'S TMPW.; W1130; 40 TH/4 ST...) <1642
* (E/M'T); <1653 / * (c) WSC:) DP W/ [redacted] ?!) ↑
→ (c) WSC:) CERRO...; WEB/B...) 1/2) OSC...; <1713
* (CALLS T); <1716 / * W/D RPT.) <1739 * <1745 * <1751
* E/M'S T) <1806 * <1811 * <1829 / * RMV: PL #222 <1832
* E/M T) * [redacted] (CALLS T)) <1833 / * S/D: L/N...) → P/C) <1834

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.