STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-1	11 09 06 M T W T F S S (Circle Da
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~57°F± MAX
WEATHER CLEAR, COLD - A/M)	

* 0659 - 0700 = 1'; 0755 - 0756 = 1'; 0758 ~~(801)~~ -> 1624, "1" = 2' = 1626 1656 MAX.

W: (1608 - 1611 = 3'), (1624 - 1634 = 10'); Σ(W) = 13'.

-> 1559 + 13' = 1612. -> [illegible]

~~(0710 - 0715 = 5')~~, (0805 - 0811 = 7'), (0922 - 0932 = 10'), (1017 - 1019 = 2'), (1254 - 1300 = 10'), (1313 - 1318 = 5'), (1505 - 1508 = 3'); -> Σ(W) = 37' "-" 30' (= 2 BRKS.) = +8'.

* SAS TR[illegible] 1) w/ PCV 2) MTCL. CONTRACT ADMIN, ETC.) <0758

* T/O P/C) -> G/M: PK; <0801

* BCE BJB 622-5191 0659-0700

LFT. W/M: ETA ~0800 (> 0730 STAFF MTG);

* BCE BJB 622-5191 0755-0756

W/M: @ [6 MTG ??]

* WEEKLY STRUX STAFF MTG "0730" ~/0801-0806

-> SEE FILE FOR ROSTER & NOTES.

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE	
-21	11 09 06	M T W (T) F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —	
WEATHER —		

* WRAP UP —
→ (-) WPC: RFIS, RMEN ACTIONS: CLOSE OUT.)
→ + RCE, ROB:
→ + TLC: SETTING UP SPREADSHEET TO TRACK SAT. #s; STARTING w/ 99.22; ~ 3→4 TIMES TO ARCH!?
4 GOT DOCS OFF MY ROWING CART.) 3) I'D RETURN..)

<0814

* LOG IN; → S/U + U/D RPT.; → E/M: L/N = 795 W/B, +10 L; <0814
* SPOT ✓ E/M; <0818 / * U/D RPT, → RMEN ✓; <0824

* [JAN; <0901 → (-) SF) → MAG; RT; (-) VT]; [(-) STL; → RON; <0910 TLC]; [<0915 TLC ✓ (-) ✓ E/M; <0922 <0927 <0935 <0944 <0954 <0958 <1008 <1007 <1019 <1026 E/M; → TLC) + RON]; [TLC; RON; RON; RON]; [TLC; (-) CR]; [(-) ✓ E/M; KT]

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 2. - 31	DATE 11 09 06 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* DIV (1) TYL AS 9-1-415-291-5740 10:51 10:52 -
1) E/M..., "JUST SENT", 2)
3)
. "REVISION TABLE" — COL. CCO...)
. "REVISION STAMP" — P.E. ↔ ANGLE @ TOP RIGHT
↔ LTR — UP TO DATE
. E.g., MN — 07, Δ — CCO #25: BY: MN
V: AS
. GB — WEDDINGER @ 1ST; WEDDINGER REP.
— BUT GB NO LONGER W/
— METHOD TO MADNESS...)

DELIVERABLE: I RAN (E-MAILED) CALDER TRX + SUM.
→ SAMPLE. CAN OUT
HYDRAULIC
+ CD-R W/ DGN + PDFs...

SIGNATURE [signature] TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — ? 9 /	DATE 11 09 06 M T W (T) F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* RCE NOT PICKED UP ON FACT THAT (C) GR NOT DIRECTING DIV (C) TYL'S AS ON — 2ND !— E/M EITHER !)

* PIL TO (N) 4505 [20]
UNABLE TO TALK — MTS; THEN T/V MTS...)
NEED TO "PASS" TODAY.

* RCE ROMP (4505 ?) CALLED ME ?) <> TYL (C) AS E/M YESTY. — I'D

SIGNATURE	TITLE
	Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 75

DATE 11 09 06 M T W T F S S (Circle Da

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

(CONT'N.)

→ 1) REPLIED (& CC'D HLM); RE: "R2D2", ON 9.25 / 3) W/ (C) KD & WSC...) ⟺ SRM. TRIED IN SNAFU../

→ 9.19 PLAN SHTS.: < (C) SF'S → TIL'S CHART.../

<1205

✱ J/D RPT. / → MGV: ARE DIDN'T GO TO MB'S 6/AWAY! <1208

<1220

✱ E/M T/

→ RE ISR: 1) KAND'L KFM 3) / WITH NIGHT..) 2) I'M TRYING TO LV. N150.0 TODAY; ⟺ (C) AP: WANTS "R2D2" ON 9.22 & .19 ASAP 4) ⟺ MOST OF US NOT IN TMRW. (VET'S HOLIDAY...) 5) CC I WON'T ATTEND TCO HPS MTG (FYI); 6) WILL SOAK FOR TIL (C) TO'S SCENARIO ON R2D2"..) HAD CAL ME FOR WHEN TO ROUNDUP (C) SF AS WELL..)

ARE TIL'S SIMILAR & JSM D.) PLAS / 2) W-2 SHOT RE: / 3) TOWING CAT-HOUD / <1220 ↳ TMRW.)

✱ J/D TPT. <1223 / 1 - (L: PROC.) → "VETS"(?): 1) SAN) N500 H.S / 2) V-8) <1237

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-6	11 Aug 06 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

*A/D RPT.; <1234 / → (L); / → (E/M) / → (T.N);
→ JBR:) RPT.; I WAS BUSY WRAPPING UP W/ CCO MTG'S SO I NEED 2ND "ENERJ" AT WK'L..; 3) I'D STOP BY MTG (W/TL); → TL:) STOP BY MTG'S; 4) PREP: 49.19 <1259
*(E/M:), <1310 / *A/D RPT.)
→ TL:) WANT TO WORK ON 49.19 TOGETHER); I'D NEED TO: ① CALL TYL (C) AS; ② COMPLETE 49.22 ("ROD"); THEN I'LL JOIN HIM..)

→ A/D RPT.) <1313

*(CALS'D); <1315 / *(CALD'D); <1318 / *SPOT ✓ E/M; <1321

*TYL (C) AS 9-1-415-291-3740 1320
V/M: FULLY CHG. - SENT B/M "1 HR AGO"

*TYL (C) AS 9-1-408-386-9915 1322
~~LFT V/M: PG. (N).~~

*E/M SIGNED <1330

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -7	DATE 11 09 06 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER C	

ATTL

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 2-8	DATE 11 09 06 M T W T F S S (Circle Da
SHIFT HOUR: START / STOP	TEMPERATURE MIN MAX
WEATHER	

* TLL:

* 1) OBD DSV (d) T/L AS FR 915 291 3TO 1352-1359 GOT MY E/M (+ V/MS..) IN JF4 PE STAM RQID..

2) REV. DELTAS..) ONLY 8T W/ CLOUD (~ PR..))

3) (d) JD: MTG AFTER PTE MTG (CPTM) ⇐ "R202"..

* TRANSMTG P) → GR: 99.73..)

* MTG)

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 11/02/04 M T W (T) F S S (Circle Da
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

* BCE [illegible] 7F-7OT 1430-1931
DISCUSS W/ [illegible] ASFSR'S MDF...) → TOU 17:60 hr)

* MTG (CWT'S)

< 1505

* (CALL...) < 1508

* WRAP UP:

→ TL: DCE DS - KURSTENS...)

→ MR: H HR - NOT L. TOMMY: OK...)

→ PROV S.)

→ SPOT ✓ E/MJ → J/D RPT.; → DRL: CALL(...)

< 1530

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
~~-16~~ 17	11 07 06 M T W (T) F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

1540
1500

* ARTS'S SC 9-308-9577
1) "NEED" FOR BURNING...;

ENG'G & OPS DPT - START W/ BRIDGE P.J. (OPS)
ENG'G - REV C

RE NDT: REV'R COMMENT TIME - NDT TIME NL (NO TIME IN ORG, IN CCO #23...;

2) #17 K → TOWER...;

#20 K → #20 K → ∅...;

→ REMARKS...;

FROM #1 - FAB / ERECT PLAN SHTS;
#2 - TIME NDT (J) TEST FOR ORG;

→

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 11	DATE 4 MAY 16 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N.)

3) 99.7-3 — CUT # YSTY; TN E/M → POR../ CUT #; MUST RE

4) #21 — STILL STRUGGLING W/ ZRMC; "TMBR";

5) HAULOFF/...;

(C1591)

* RCE RDS 714-70A 1544-1546
OFF? LFT. V/M: NO WAY FORWARD/RESOLUTION — NO RETRACT ME "TURNING DOR "RDD2"...!) ARCH PTS ETC "ATP" ⟹ "R"...!)

(C1591)

* ALEX S.
1595-1597
(C) JD AMONT CALLED HIM...; NOW CALLING!; TO CALL BACK

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. ~~1~~ ? 1/2

DATE 11 09 06 M T W T F S S (Circle Da

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER

* "1545 FT" ↑ (2) ("1548"): DJV (c) TYL'S AS... < 1549

* ARCM TT MARROW 774-6283 (1) 1597-1550
1) I SPOKE TO ARFJV'S SAM C.) FOR IFM: JO NEED TO TROUBLE — "A" FINE [HAD JUST GONE THROUGH CCO #21] BUT SAYS TO CHECK W/ "OPS" (= BRIAN P.) & "ENGI" (= RON C.)... / ARCM TOM: "NO";
2) TYL'S (c) AS TO CALL ME BACK; 3) [I'VE LEFT V/M FOR JACK RE W/ U/DATE...]

(< 1551)

* DJV (c) TYL'S ALEX G. FR 415-291-8790 1550-1558
1) GOT CONT'E FR DJV (c) TYL'S SD TK: "R2D2"...;
2) DIDN'T GET TO DAVE'S "A" NEXT TO CCO PE STAMP...;
3) ALREADY MOVED: 49.22, .19; NOT 23 — "A1" (AWAY!)
HAM &) "TOP" < 49.75; .25 < ...)

(< 1559)

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
~~13~~ 13?	11 09 06 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —

WEATHER —

* DSV (1) TYL JAMES D. 925-292-1057 1608-1611
LFT. V/M: 1) TONGA BASE TR: "A" NEXT TO CCO RE STMP, ETC.; 2) ID RE C [DSC.], 1630-1800 W;

(< 1642)

† DSV (1) TLY JD FR 415-(292-1057?) 1624-1634
SPOKE W/ ALEX S.

§ "INDEX TO PLANS", NO CONFLICT W/ 49.24 & 49.19...
MY IDEA: SINGLE CCO (VS. SEPS FOR EA CCO.)

(< 1675)

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.