STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-4L

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4

04-SF-80-13.2/13.9

SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -1

DATE 11 13 06

M T W T F S S (Circle Da

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE MIN ~ 55°F ± MAX

WEATHER O'CAST (RAIN O/NIGHT), COLD - A/M

* 0713 ~; 0744 → 1813

~:

* SAS TR: 1) W/PAV; 2) MISC CONTRACT ADMIN, ETC.) < 0713

* G/M: JRR; / → (CALL); → TO P/C) < 0716

* S/O & U/D RPT; → LOG IN; → E/M: L/N = "788" U/R (1); +3 ↓; → SPOT CHECK E/MS) → E/M ↑; < 0758

* SPOT ✓ E/MS; < 0800

* (C) WSC: 1) OLD CARB Z RFIS "OPEN"; 2) I'D YET TO ✓ WEBLOG, SINCE HE'D TOLD ME BGH HAD "RE-LINKED" DOCS TO IT; 3) WAS RESEARCHING FOR RFI; HE SEEMS TO RECALL RE: TEMP EXT^N (~4 HR) RE: RSPD^R CABLE PAINTING (⇐ OLD)

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-21	4 13 04 (M) T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'D):

→ (WELDER ?) PAINT SPEC. ?); CHECKED ~200 RFIs, FROM TOWER CRANE FOR START OF PAINT OPS ... ONE BY ONE ... — OPENED PAINT-RELATED ONES; I DON'T RECALL ONE, RIGHT OFF, THOUGH [BOB IR WAS] MAY NOT'VE BEEN IN FOR LOOP RE: PAINT, SAYS WE'VE SEEN PAINT SPEC. HERE ...)

→ JHV: 1) + #2⁻ ↓ + #2⁻ ↓ (Σ = #5 + #200);

→ BOB TOB: 1) GOT MY E/M; HAS 0820 W/ KLL MTG ⇒ MEET ~0930 ...;
2) SAYS "TOUCH BASE" ...; ARCH TEAM: WHAT HAD HE JUST SAID ?! < TH P/M MTG;
3) NO RETROACTIVE CCO MAT. "BUBBLING";
4) TYL (C) (DELAWARE ?) "VAL" — AUDIBLY RELIEVED RE: ¶9.23 - NO BUBBLING ...)
5) ARFJV ¶9.23 SC ⇔ "NOPC" ... !)

→ + PAV ; → + ANY FOLLOW: R2O2 ; → PRN E: < 0824

SIGNATURE

TITLE: Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -3/	DATE 11 13 06 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —

WEATHER

* ~~95~~ / + ~~92 60~~ ; Excell CDWS...) C-0834

* PROV 5) C-0838

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 84/	DATE 11 13 96 (M T W T F S S) (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —

WEATHER

* J/D RPT; <0846 / * (CALLS T); <0849 / * J/D RPT (2) (STL); <0857
* (E/M); <0859 / * (L/N); <0902 / * J/D RPT (1) (CONT'N); < 0913
* J/D RPT (2) (CONT'N). ~~<0914~~ → PREP FOR T/S INPUT.
* PREP FOR T/S (CONT'N); <0918 / * C/C: INPUT, SAVE, P/O, SUBMIT, P/O...) <0942
* BCB RMB: (NOT YET BACK IN OFC < 0930 MTG) / E/M ↑: ↖ — T/S IN...) → J/D RPT) <0947
* ✓ PMEN (RFI #30) → P/O (S) <0951
* J/D RPT (S); <0954 / * SNAFU: APPL 2) <0955
* ALEX S. 9-1-415-291-3740 (W) 0955 ~~0954~~
BUSY ?! (X: 111 ~)
* A.S. 9-1-408-386-9915 (C) 0957
LFT. V/M TO WANTED TO TOUCH BASE RE: CLO PLAN SHT. ~~FOR~~ W.R.T. TH PM) DISC N.G. WILL TRY (C) JD
3) PROB @ MUN. MTG ?!

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
- 5	11 13 06 (M T W T F S S) (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* DJV (c), TYL'S JAMES, D. 9-1-415-291-3846 1000
LFT. V/M: I'LL TRY (c); CONF CALL w/ (c) AS, KCE KTB JBR + TLL...

* DJV (c) TYL'S J.D 9-1-415-992-1047 1002
LFT. V/M: w/ PLJ;

* J/D RPT; → CALD 6, < 1008 / * J/D RPT.) < 1016
* (CALLS Y) < 1018 / * (CALD 6) < 1021 / * (CALLS Y); < 1027
* PMLV: ABFSV SL ⇐ 7923 + RFLS..) < 1036

* PMLV: ABFSV SL ÷ P/O; < 1040 / * PMLV: P/O RFLS 133, 163, 205 + 213; < 1049

* PMLV: "ACTION OUT" P/CRS; < 1055 → SNAFU: RFI # ≠ "DOC NO" ...) < 1057

* PMLV: "ACTION OUT" - NEED TO REF. DOC NO" FOR RFI [S] ...!) - NOT V. USER-FRIENDLY...) < 1105

* PMLV: RFI 311, ETC; ACTIONS) < 1127

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
— 6 /	11 13 04 (M T W T F S S) (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

★ PMCV: BCE "GOL" EM ADDR SNATU...) → E/M1) <1130
→ E/M1, <1139 / A(CAMS1)) <1140 / AAA

~~<1142~~
★ BCE ISSUES: AVAIL TO MEET ?!; YES AFTER L.)
HAS MD APP I TMRW. ⇒ WON'T BE IN;

~~WORK PM:~~ →) → BCE OB.") W/ KB; ←W. BACK!)
→ "MISC."

<1148

★ "ALL-STAFF" MTG AGENDA (CR. U/D FILE...)
→ (6) MISC: (OSC...);

<1211

★ "ALL STAFF" (CONT'D) <1211
★ "MISC."; → GR: D 49.23 X-REF. SNATU (PLANS)
MEET AFTER "ALL-STAFF"...?! NO NEED — JUST PROCEED FURTHER TO E/M...) TU HAS "OOT"

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
- 7	11 13 06 (M T W T F S S) (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N)

→ 49.23 PLANS; "R25" SET - NO HARDCOPIES?! NEED TO P/O...; NEED TO TALK W/ DJV (C/ TYL'S ASSIGNEES) — LET HIM K/M ALREADY...; (+ (C) JO) "X-REF." STATUS ON ORIG'L/ASBUILT PLANS, OK AS PER 49.23 PLANS? (1ST &/OR 2ND ISSUE...)

2) CEO "SUBMITTALS" & ["R202"] STATUS; TIME SPENT TA JUST ON 49.22 PMEV RES.!

3) "LOGISTICS"/"ORGANIZATION" ISSUES...;

4) "NOPC" <#> 49.23...!? D'D FWD E/MS PMEV..;

5) "rldi" IDEAS; ARCH RTM: IF "ATP" GIVEN "R"...!

<1231

→ (PASC. W) → DCT'S RT. MY PMEV ACTION (↔ ABTJV SL) ⇔ "GF" K/N E/M ADDRESS...;

<1242

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 88 /

DATE 11 13 06 (M) T W T F S S (Circle Da

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

(W) → PM: FUN VERSION ABOVE? (PLR... < SAS) CUT-N-PASTE TIL REPS OFF PDFs; JUMP DR)

2) MS — WE @ END OF MO; 3) FOLM TO COMEXM ⟺ CUT-N-PASTE WORK?!)

< 1311

→ CM: 1) (GM REPLIES); 2) (TO CWCR TH); 3) (TO LA TRO); 4) I'VE 84-7 < THA ...)

→ CM: 84-78 TI)

< 1315

A MOVE (ROLLER) < 1319 / A (CHIEF TI) < 1322 / A W/D RPT. < 1339 A W/D RPT. < 1346 / A (CALP 2) / 4 TIL

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 91	DATE 11 13 06 (M T W T F S S) (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* WEEKLY "ALL-STAFF" MTG "1400" / 1412 – 1512
→ SEE FOR FOR NOTES; → "SHOW-N-TELL": (c) MSTONE – CM (B/L)...

* TLL (c) ALEX & TH. 415 291 3470 1505-1507
RE CALL W/ (c) JD; IM @ STAFF MTG; CALL @ ~~1515~~ HRS. 1530 W;

* ~~EF~~ SAS W: 1/2 CL – S/O SAFE PHISNAFU..!)
→ BCE RJB: KEY TO NETWORK ROOM..)
→ N/W RM: VAR. CONNS...
→ BCE RJB: MEET W H&R OFC.) → JRL: VTC RM – BUSY...; → SAS E. 1/2 CL – ALSO BUSY...) <1533
→ FEDEX?! (⇐ FAX); SAY ~ 1615 HRS.)..)

* BCE RJB, + JRL + TLL: PRE-MEET – REVIEW CD PLAN SHT. STATUS ~~MTG~~ PRESENTATIONS..)

→ SEE NOTES..)
→ ~~RYAN FEDEX~~ SAY <1547

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION

QUANTITY CALCULATIONS

DC-CEM-4801 (OLD HC-52 REV. 11/92)7541-3520-0 SHEET 1 OF

JOB STAMP

ITEM CLO PLAN SHTS	FILE NO.
LOCATION BLK BRKS F.O.	SEGREGATION ☐ YES ☐ NO
CALC BY AAJ SCHMOTT	DATE 11-13-06 TH
CHK. BY	DATE "1533" - 1604

1) BUBBLING - NO RETROACTIVE

2) "REVD2"

3) INDEX TO PLAN SHTS - RW. PR 49.19 & .24

4)

~~A~~ F15-291-5724 1551

(P) 22 22 23 24

→ CAME BACK TO BUBBLES

→ DELTA / RW. "Δ"

~~A~~ (C) I.D. 1600

1) "FOR REVISIONS ONLY"

2) SPREADSHEET.

~~A~~ (a) AS: ~~A~~

· 21 22 23 24 → "P1"

· PR 49.19 - r2(d1...

"S1r1d1"

→ F923

— 4977S1

POSTED BY DATE POSTED TO

STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION

QUANTITY CALCULATIONS

DC-CEM-4801 (OLD HC-52 REV. 11/92)7541-3520-0 SHEET 2 OF

JOB STAMP	ITEM	FILE NO.
	LOCATION	SEGREGATION ☐ YES ☐ NO
	CALC. BY	DATE
	CHK. BY	DATE

3) ~~XXXX~~ UNDER TO PLAN GRADE - HOLD

→ CO JD: APPL TO EA CCO, OR,
1 CCO FOR "JD TO UNDER TO PLAN GRADE"

21+25: "R"

.PE STAKES...

CCO #22 — (1622)

→ SEND ~~TO~~ TABLE TO THEM...

→ "GREEN LIGHT": → MN, JD, AS...

< LEFT

POSTED BY DATE POSTED TO

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -10	DATE 11 13 06 (M) T W T F S S (Circle Da
SHIFT HOUR: START / STOP —	TEMPERATURE MIN — MAX \
WEATHER —	

* TYL (c) AS ~~TR~~ 415-291-3724 1547-1548 TECH'L SNAFU W/ C.R SPERPA..; WS/LL CALL FROM BCA ISSUES OFC. DN NS; (c) JD STILL THERE...;

(< 1549)

* CONT. W/ PRE-MEET W/ BCA COR & JBR+TYL (< 1551)

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.