STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4

04-SF-80-13.2/13.9

SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE	
-1	12-01-06	M T W T F S S (Circle Da
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~42°F± MAX	
WEATHER CLEAR, COLD — A/M)		

* 0810~; 0813~; 1610 (NL)~; 1210 MAX; 1510 (2-4 ~)

(0838-0846=8') (0848-0903=15') (0904-0906=2') (0914-0935=21') (1022 40~ ")
(1111-1141=30') (1141-1149=8') (1222-1225=3') (1230-1302=12') (1302-1305=3')
⇒ Σ(-)=98'. ~"38' (=2 SRKS.) ⇒ "+"68'.

* SA & TR: i) W/ RV; ii) MISC CONTRACT ADMIN, ETC) <0810~
* G/M: TLL & JSR'S) → T/O W/O) <0813
* S/U & U/D EPT.) → LOG IN) <0815

* TLL: i) 49.19 VS. 49.24 STATUS — SHT. "1130rld1 (49.19); TEST "BELONGS W/" 49.24...!?!) NEED TO BE CONSISTENT...!; HAVE r2d2 W/ "N" CEO "24-SO-R1"!?!)

ii) COMPLETED 49.24 PLAN SHT. - MARK UP) WE CAN REVIEW TOGETHER — OR, ME ALONE...)

<0831

* E/M: L/N/F) 802 V/R, +8 L; <0831~

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -2	DATE 12-01-06 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

A SPOT ✓ E/M;
TLL: 49.25 - BORROWED LATEST PLAN SHTS. (TYL USING FOR "NEXT DRAFT" FOR REVS..);

<0838

A (CC:S); <0846 / A TLL: ~~MAY~~ 49.19 & VAR. CCO'S HAVE REV & IN 49.19 (⇔ 49.21, .22, .23, .24..); TO DEVELOP EXCEL TO TRACK STATUS OF EA SHT..) TRL (& HE & GR?) HAD DONE ONE MONTHS AGO - BUT ONLY TRACKED [MNT. EXCL.] CCO SHTS)

<0858

A (CC:S); <0855 / A (MISC.); <0903 / A SPOT ✓ E/M; <0907
A (CALSTA); <0906

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice: For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 3	DATE 12-01-06 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

A JAV.: 1) +1.80 ...; 2) I=0.80; 0944 <0944

A (PROV.'S); → (LN) <0935 / A PMEV: "J" DR. SNAFU; <0944
A "J" DR. FLX (CONT-); <0952 / A JBR: PMEV OK.;
→ NOW O.K.; HAD TO REMAP "J" DR. — WOULDN'T TAKE @ 1ST...) <0954

A 1015 RE-MAPPED "J" DR. (OFF DCT'S RT E/M 07-24)
→ F/NAME SNAFU...)

→ HP: HIS LN V-65...) ADDR BOOK SNAFU...) SLOW...)
SHOWED HOW TO TURN OFF V-SCAN E/M SCANNER
(2DAY TO HP/SAC. LN SERVER...) MANY MORE MT...)

<1025

A V/D TAPE → E/M ↑; <1025 / A V/D RPT.; <1033 / A (CAMP 1); <1035
A (CAMP 2); <1040 / A PMEV: PAZ SET...; <1046

A (M: NOV. DEC. 06); <1051 / A ~ < 1104

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-#1	12/01/06 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —

WEATHER

& ✓ VMS: (N): +3↓ (+N); <1111 / ✓(CMS T.); <1113

✓ VMS: MPCS: +5↓ (+6 +8~SK.); ACC (3~5, 7SK~); < 1141

TS: NO C...

(MOSC W/O: VMS...); <1149 / ✓(D PPT.) <1151~

(c) WSC: RFI #364 - "MTS"?; SAW RCE IN ATTN AVAIL ANYTIME...; GR's RESP. WENT OUT!?!; →NOT "UP" WHEN I ACTIONED...!; RESP LOOKS INCOMPLETE...; "CYCLOID" CURVE - "ON PLANS" ⇒ NO CCO REQ'D; RCE SK's COMMENT; (C'D) RCE VMS LOOKS... I'D GET LATER (<1154)

(c) WSC (CONT'D): WE'D GO SEE TSJR...; I'M OFF THIS P/M - AND MONDAY...!

+ GR:) HERE RESP WENT OUT!; SAW MY COMMENTS AFTER I'D GONE...; RESP. NOT "UP" WHEN I CHECKED!; TYL'S RESP. NOT YET ATTACHED...!?; NO HOLD UP TO CCO #19...; SAW MY NOTE RE: (c) JD...)

2) TO DO: SAW TRUCKS...! <1211~

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 54

DATE 12-01-06 M T W T F S S (Circle Da

SHIFT HOUR: START STOP

TEMPERATURE MIN MAX

WEATHER

*U/D RPT.) <1222 / *(CALLS↑) (CALLS↓) <1225

*(C) KHT 9-1-909-721-5640, (C) PTR CALL <1019 1234 1228

1) EMPL. EVAL. FOR (C) WSC's & KO...)

2) 3-WK VACN.; EUROPE / LONDON, VEN.,
3) & CORDOVA / PR (N) OFC...)

4) PRIME NOW IS HNTB...

5) NON-RAY ER CONTRACT +4: NON-TOLL...;
→ HANA GROUP...; NECK-TALKER...;

6) BCE TJB...;

7) SACTO. MGR.— RECRUIT (P. HEALY...)

<1251

*U/D RPT. / (N) CALL LOG (S); <1301 / *(CALLS↑) <1302
*(CC:S) <1305 / *U/D RPT.) →ST. S/C (T/O) 1314
*U/D RPT.) <1318 / *PREP FOR T/S...) <1326
1325 1330

*(C) JZM; FULL TRUNK TO SOLVE DOC #575 LAT

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -01	DATE 12 01 06 M T W T F S S (Circle Da
SHIFT HOUR: START / STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N.)

→ ACTIONS...) TO ✓ BACK UP OFF SERVER...) DOT'S TCT + (L) FB SAY "DON'T REMEMBER" WHAT THEY DID...) THEY TRIED RE-IMPORTING - DIDN'T WORK OUT PREV. ACTIONS...) I SAID DATA ON CD AS WELL (<TYL) - WILL FOLLOW UP ON THAT...) ANS TO ISOLATE + FIX PROB...)

X ?) (N) (FR 925-798-9057)(1330-1331): WR. # / X ?) (N) (FR 925-798-9057) <1326 (1330-1331) WR #

N) → JAN: + # ✓ <1330 / X U/D RPT. <1335 / X (CALL ↑) <1336 / X (CALL ↑); <1338 / X U/D RPT (S) → MGN: 1) MSG) 2) REPL DOOR <1353

X CONT. W/ U/D RPT (S) → RMN (4919 TRX.) → B/M (JT) <1417

X MISC.: L/N, S/C, RMN...) <1422 / X U/D RPT.) <1429

X S/C: INPT, P/O, NUMBOT) P/O → SPOT ✓ E/M) <1433

X P/Os) <1434 / X E/M A; DARA NOW...) → (C) WC: "NO" <1447

X (CALS TO) <1444

X RCE ROD) (VE.) OFF MON.) MTS IN...) STOP BY OFF.)

SIGNATURE — TITLE Assistant Structure Representative/ Leadworker

→ VT.) RCE E/M: (L) LN + RCE RO W/ <1446

X BCE BOLT AWAY FROM OFF <1452 / X BSE: NOTE <1454

X BCE BSE: "BCM" (CSP.) → AREA NOW (CONT.) <1508

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.