~~(↑): 1006 – 1007~~ ~~(↓) FA < 1253~~ ~~(↑) < 1531~~
~~(↓) GB < 1259~~ ~~OV < 143~~
~~75, 131 < 1009~~

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9

SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

~~(↑) < 1414~~
~~(↓), OV < 1427 + < 1422~~

REPORT NO. -1	DATE 12 27 06 M T (W) T F S S (Circle Da
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN 52°F ± MAX

WEATHER

(1) CLEAR, COLD – A/M;

* 0749 (0756–0758 = 2'); ~~(0946–0948 = 2')~~ ~~0947~~ ~~1000 – (0947–0949 = 2')~~, (0946–0949 = 3'), (0949–0952 ~ = 3'); ⇒ Σ(W) = 9'. 1000 – 1830; "–" 9' = (1821) ~~1751 (NL)~~ ~~1251 MAX.~~ ⇒ V5?
1711 ~ ⇒ "–" 1°5 ← +47' 1908

(1324–1356 = 32'), (1006–1007 = 1'), (1100–1121 = 21'), ~~(1131–1135 = 4')~~, ~~(1135–1139 = 4')~~
(1139–1144 = 5'), (1237–1246 = 9'), (1428–1431 = 3'), (1504–1505 = 1'), (1512–1517 = 5')
⇒ Σ(W) = 77'. "–" 30' (= 2 BRKS) ⇒ "+" 47'.

* BCE BJB FR. 714–7074 0749
→ : → V/M;

* ✓ (N) V/M: +2 ↓; 0756–0758

* "0749" ↑ (N) ("0947"): (BCE BJB's CALL);

* BCE BJB 714–7074 0946–0948
LFT. V/M: MISSED CALL – "B/D B/F"!; LV'D @ 1330 ~;
* BCE BJB / FR. 714–7074 : ~0946 : LV'D HM V/M!)
* BCE BJB ~~FR~~ TO 714–7074 0947–0949
~~LV'D HM V/M~~ → (CUT OFF)

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

12 DEC 5 AM 10:22 22265

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE	
-21	12 27 06	M T (W) T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —	
WEATHER —		

BCE BJB TR. (#?) ~0949 – 0952~
1) HIS BATT. WENT OUT!; 2) "B/D B/F"!; 3) CALLED TLL;
4) 49.23 CPA → (c) GB ((c) SF OUT THIS WK.);
5) 49.23 E/M → ARFJVS SC; CC'D YEST'Y.; FOR DISC^N
6) HAS COUGH) LFT. V/M FOR ABCM RTM YEST'Y.)

<0953

* SAS TR^R: 1) W/ PRV; 2) MISC CONTRACT ADMIN, ETC.) <1000
* T/O P/C) → S/V & V/D IP'T.; → LOG IN; <1006 / A(CALL↑); <1007
* E/M: L/N = 75 V/R, +3 ↓; <1009 / * V/D IP'T.; <1029
* ~~JAV.~~ <1003 * PRV.) <1031
* TLL: 1) BCE BJB CALL (P) – I'D CALLED BACK; HIS STR.
2) I'D BEEN ILL TH, F, SA "+" ...; 3) I'M LV^G ~1330 HRS. (ORTHO.);

→ JAV.; → MT TOP CARATE; H2O RINSE; DIDN'T MAKE...)
→ + (c) IA; → + (c) JPL: QUIET X/M...)

<1043

SIGNATURE	TITLE
[signature]	Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -3/	DATE 12 27 06 M T (W) T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* U/D RPT.; <1051 / * 49.23 CPA; <1100 / * (CALLS ↑); <1103
* (CALD ↓); <1107 & <1110 / * (CALLS ↑); <1121 / * 49.23 CPA; <1131
* (CALL ↓); → E/M; <1135 / * (CALD ↓); → U/D RPT.; <1139
* (CALLS ↑); <1142 / * (CALD ↓); <1144 / * 49.23 CPA; → P/OV; <1233

* CR 171 (@ 01) E/M...; <1237 / * (CALL ↓); <1243
* (CALD ↓); <1244 / * (CALLS ↑); <1246 /

~~<1248~~
* ~~TXX~~ (a) GB: 1) 49.23 CPA; "THANKS!"; LOOK OVER & LET ME KNOW WHAT'S NEEDED...; → RT^R CR BINDER...;
// 2) WHY NO MORE FOR K. SIGN @ BOTT. ?! — DIDN'T WANT IT ON; "ABOVE" O.K. ...;
⋮
→ TLL: 0801 E/M ?!; TO FW^D ME!;
⋮

<1247

* U/D RPT.; → E/M FW^D (ST.); <1250

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -4/	DATE 12 27 06 M T (W) T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* E/M FWR (CONT'D)
→ (c) DA: 1) ARCM TCTM ?; I'D SEEN IN CALENDAR YEST'Y. - TO'VE BEEN IN THEN (BUT DIDN'T SEE) BUT OFF REST OF WEEK...)
2) RCE RJB OUT YEST'Y.; TO'VE BEEN IN TODAY, BUT (SEZ); SHOULD BE IN TMRW.
3) RCE MPW AROUND...) 4) LKE FOR TEMP-TOWER CCO WRITE-UP ARCM RTM HAD PROMISED - I HADN'T BEEN COPIED...;

<1253

* E/M FWR (CONT'N.);
→ (c) GB: QUESTIONS 49.23 COST EST. [~$453K] - VS. THEIR SPREADSHEET (~$275K) ← BASED ON ABFJVS...) CPA INTERNAL, SO OK TO STAY W/ FIGURE IM USING...) COST NEGO. STILL IN FLUX W/ ABFJV...) OUR # SHOULD REMAIN CONFID TOLD HIM MANAGEMENT DECISIONS PENDING...)

<1259

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -5	DATE 12-27-06 M T (W) T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* E/M FWR (CONT.) <1309 / * E/M ↑; <1320 / * P/O; <1321
* ↑; <1324 / * LV. SAS / * RTN SAS; <1356
* SPOT ✓ E/M; <1400 / ↑, ↑ (L: PREP); <1416
↑ (L); / → SPOT ✓ E/M; <1427 / <1428 / * (CALLS ↑); <1431
* SPOT ✓ E/M; <1433

* O/D RPT.)
TLL: 1) I CAME BACK < MD...; 2) FUNL TMRW.; 3) WON'T COME IN FRI...; 4) 49.19 - (N) RFI "ADMIN. STATI" CODES (< RCE BJB)...; I HADN'T KEPT UP W/ ALL E/MS...!; "NC/NC" ONE SHOULD GO INTO "NC/NC CLO" !?!; DEFN: "MINOR," "MAJOR," ETC...; "PDL ABFJV"...; @ LEAST DISCN STARTED...; HE'LL SHOW HIS LATEST SPDSHT. TO RCE BJB - SHOULD BE BACK TMRW.;

4) IDPS DUE; MINE IN YEST'Y; I TYPED < CT FORMS; SHOWED HIM WHERE I GOT: CAN'T SAVE NOR E/MAIL...; "SIMPLE" FILL-IN...!)

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -6/	DATE 12 27 06 M T (W) T F S S (Circle Da
SHIFT HOUR: START ✓ STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'D.)

5) HAD TOLD (C) KD THAT BCE BJB OUT TODAY...)

<1441

* V/D RP'T) <1504 / * (CALLS ↑); <1505 / * V/D RP'T.) <1512
* (CALD ↓); <1517 / * V/D RP'T.) <1523

* E/MS ↑; <1551 + <1557 / * SPOT ✓ E/M; <1600
→ W/V UTS) <1612 / * (CALLS ↑); <1614 / * E/M; <1614
* (CALL ↓) ~~<1620~~ / → (CALD ↓) <1620 / * E/M ↑) <1647

* S/C: INPUT T/(S..) → SAVES) → P/OS) → SUBMITS)
→ P/OS) → EXIT <165

* L/N: MTS INVS) <1701 / * E/M ↑; <1705
* E/M ↑) <1708 / * S/D: (L/N..., P/C...) <1709
* E/N: BCE MPH TJ) <1711

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.