STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -1

DATE 01 17 07 M T W T F S S (Circle Da

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE MIN ~32°FT MAX

WEATHER CLEAR, COLD — A/M

A 1547 (NL) → 16064 ⇒ +19/44

V: (0918-0919=1'), (0956-1005=7'), (1007-1008=1'), (1314-1325=9'), (1342-1345=3'), (1509-1505=1'), (1327-1328=1'), (1355-1356=1'), (1436-1438=1'), (1509-1505=1'), (1529-1530=1');

⇒ Σ(V) = 27'. ⇒ 44 %.

A SF/OBB SAS F.O. TR.B.1) w/ PW j 2) MISC. CONTRACT ADMIN; ETC.j <0793

A G/M: TBR; → T/O P/C; <0745

A S/O RPT.j → (c) WSC: [OSC: SAMMIE FJ. CARDS; J WANTS TO SEND COND CARD — TO GET ADDR.]j

→ + JAV.: 1) NO DISH SOAP...j 2) + 4.7 + 100 ¢; [⇒ Σ = $31 + 32 ¢.]

→ + ~~DAVE~~ TEM D.: 1) D.T. DIDN'T MAKE!j

→ + DAVE T. (DIDN'T REPLACE GARAGE HE EMPTIED!)°

→ RCE GK: 0800 MTG.?) c WDC (NOT ARRIVE) 2) FUEL YEST'Y...j 3) SOCIAL COMMENTARY...j

→ JAV.; <0801

A LOG DWN TO RPT.j → S/M: L/N = 64 U/R, +22 W/j <0802

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-21	01 17 07 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* (CALL'D); 0803
* WKLY. TEAM CONCRETE MTG — "0800" / 0807 - 0949
→ SEE FILE FOR POSTED & NOTES.

* WRAP-UP:
1) DIV (C/S JD, AES [+ DERRICK HARSCHFELD]; WILL HAVE MEET W/ MK — SAS ⇔ 49.23...)
2) RCE GK: ① / ② RON M. HAS PIC OF ALL REAR...
→ RON M.: 1) NOT @ 0800 MTG?! / "DIDN'T KNOW" / "WASN'T TOLD"... / NOW RCE GK DID... / 2) WK (E) COL REAR PIC / 3) TODAY'S MTG: AS-BUILT TOP SLAB ELEVS / SOUTH ANTI... / DIV (C TO 2D MODEL... / 4) ISD: CONFLICTS RESOLVING / MINOR... / 5) ISD MTG - THRU.?)

<0954

* (CALL'D); <0957 & <1003 / * PLS. ANTY FR. DESK / → GH WAS AT S/W TR R TOO...)

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 3	DATE 01 17 07 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

→ IAW) → (c) KP: 1) DSH SOAP-STRIPES..) 2) PLC DFL PRESENT & LAST WK; 3) FINE AMS..) 4) MST. CH, ETC.: IE FORMS..)

<1025

→ M MIREADIL! NEXT TO PM.; 3) FW G's FRE..)

* (CAL-OSHA); 4 OSHA / * U/P; RPT.)

→ + TLL: 1) DJV (c)s AES + DERRICK A. W/; 2) AVAIL TO MEET NOW; 3) ID TRY TO FIND BCK GK..) 3) + MKV: Lg CONF RMs. AVBY — ID ✓ SMALL ONE..)

→ + VJC CONF RM — AVAIL.!;

→ BCK GK: NOTE ⟹ DASH AM!: WILL JOIN..)

<1045

→ JBL: 1) BCK FOR?: NO E/M..) (c) WSC: PROB @ S.O. W/ (c) KD..) 2) DJV (c)s AKL + 2 GK's FOR TLL CEO #19 / FTF (450)..) 3) OUT OF HAND @ LAST FRI's CEO MTG W/ ABE A's (c?) "OK" + SAY..) NO WORD..)

<1105

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 4	DATE 01 17 07 M T (W) T F S S (Circle Da
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

49.23 "SCOPE" MTG "1045~" → 1215
→ SEE FILE FOR FOTER & NOTES

(CALLS 1); <1224 /; <1242 /A(CALL); → RIK BK: 1) NEEDS ME @ 1300 ARE MTGS? HELP GO; W/ SURVEYORS (TONZI "JUST W-Z") "PRE-SURVEY MTGS", 2) FIGURES DIV (@ AES KNOWS WHAT WE NEED. . .); [⇔ 49.23] <1246

V/D RPT.; <1245 /A(CALLS 1); <1247 /A(MISC.); <1253
/ (PROC. PROVE); ⇔ (@ JR.: 1) DID / PREV ATTENS/ 2) SNACK ≠ L. . .!) 1312

ARRIVS JAN D. 9~808-4583 1253
1) HAS SURVEY MTG.;
2) SHT. S22/120F, SYM. FF: "CABLE ANCHOR BRG PL".
→ DET. F: DRAW PIPE. .; SIZE? ↑; WILL ASK (LTO-VP?) [TMRW.]; T/D SHOP DWG "ON HOLD"
⇔ "CREDIT ISSUE" [⇔ ?!.]

V/D RPT.; <1259 /A(CALLS); #51305 <1301 /A(CALLS 1); <1306
A(CALLS); <1308 / A PL (1312) /A(E/M); <1358

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 15	DATE 01 17 07 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX
WEATHER	

* CAR TAGS: V / ETC / MISC.) <1320

* <1338 EDNA R.: D 49.23: E-2 REAR QTY. "4 60" KS ?! DOESN'T RECALL... "WHY") ⟺ ADD. #5 SHEAR KEYS INFILL VOID W/ PEA RT NO REAR DETS TAEN?

2) FINALLY MET UP W/ DSV (C) AES - WATERSP. SINCE ~11-20-06
3) W-2 (TT...) MOVED TO DALY CITY: LKG FOR OT F.O. OR OTER STAFF... GOT HER TO - OLD - T.B. WEB PAGE ⟹ FIELD OFCS... ID HAVE HER TALK TO SCOTT M. (@ DS CLERK...)

→ * SCOTT M. 9-1-650-778-3812. R/SY W/ PLAGE...
2) WILL TALK W/ GR RE: PKG...) <1338

<1357

* FN: FIELD OFCS, EMR. SEARCH...) <1355 * (CALLS) * (MISC.) <1359 * V/D RPT.) <1405 * SPOT V E/M <1412 * V/D RPT.) → SPOT V E/M <1427 * V/D RPT.) <1437 FCSTAFF HEALTH <1438

* PLL FR (W) 4505 1439-1447
1) GOT SUB-HR DATA ED D/D 2) 4 GNT, a MIS. THIS A/M:

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 01 17 07 M T (W) T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(WT/W):

"OK" - WILL JUST PLACE EOT. MAT PER PLAN...
3) 80 mm CLEAR TO STRUTS, (85 mm ? TO MAIN);
SEES MAX +35 mm OFF, 4) RUNOFF (CART?
WAS 200 mm —?!)

< 1447

* V/D RPT. → SPOT ✓ E/M → IN < 1446 / * V/D RPT. < 1455
→ DCT RT: 1) BUSY... 2) TEAM MTGS... 3) PMIN ⇔
MONITORS ⇔ C.H.; 4) PMIN TRNG TODAY ⇔
TRS (ASD) DIARY SYSTEM...; PDAS - W/ PHOTO CAL.

+ ERTC: (MGV ON PH.)

< 1453

* V/D RPT. < 1506 / * ~~V/D RPT~~ (CALS 11) < 1506 / IN < 1511
* V/D RPT. < 1550 / * (CALS 11) < 1532 — IN < 1517

* MISC → STEVE B. 1) BACK < TRAINING →

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE	
-7/	01 17 07	M T (W) T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN —	MAX —

WEATHER —

(CONT'D)

→ IW 20s... (OH:) NO SNOW...) 2) DEL 02: ~44K MT (?)

3) U/D 44.22: MET W/ DESIGNER TODAY (FW.)

⇐ SCOPING: DRAW PIPE (NTD. BY FRIDAY!)

REBAR (E-2: "4 60K YS — ALREADY IN ASBUILT PLANS?! ⇒ NOT DOUBLE-DIPPING?!; W-2: ~21K YS

⇐ LAP's (NOT "TOG" BARS — SEE FC STEEL...)

(GOT CALL...)

→ U/D RPT.

<1543

*MISC. W/U <1556 / *(CALL 2) <1559

*U/D RPT. <1605 / *(CALL 1) <1605

*S/D: O/L CAT. U/N... → P/C...) <1606

*G/N: SB (?), TS, TL (!) <1607

*REF TSR

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.