• JBR, GP < 0802 • (↓): (0827 – 0838) ~~< 1453~~
~~(↑) < 0805~~ • GP < 0827 ~~WAPE < 1500~~
• RTN ~~(↑) < 1502~~
~~V/D, REBOLT < 1533~~
• 4 < 1338
• < 1343

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. – 1	DATE 01-23-07 M (T) W T F S S (Circle Da
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~32°F ± MAX

WEATHER
CLEAR, COLD – A/M)

* 0745/~~0747~~ → 1615 → 164 → "+" ?

* SF/OBB SAS: 1) W/POV; 2) MISC. CONTRACT ADMIN, ETC.) < 0745~
* G/M: MGV – OR 1 JKT...!) → T/O P/C) < 0747~

* S/U & U/D RPT.) → LOG IN; → E/M: L/N = 58 U/R, + 5 ↓) < 0749

* P.L. LATASA FR. 385-7179 ↓PL (R/O...) ≤ 0708
→ V/M.

* P.L.L. TO 385-7179 ↑PL 0711-0713~
EN RTE JACKSON – ALL WK.: CAN'T MEET FRI – O.K.) NO NEED TO COME IN SAT'Y. "JUST FOR"!

SIGNATURE [signature]

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 3	DATE 01-23-07 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

*(CALLS ↑)) <8805 / * RES E/M ~~EX~~ SAVINGS PLUS; <8814

* E/M P/O)

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 3	DATE 01 23 07 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

*(CALL ↓); <0838 / *SPOT ✓ E/M; <0846

*GREG SAV'N SABIN 9-1-916-324-0532 0846
→ LFT. V/M: SESSION 1 RSVP TODAY.

*V/D RP'T.; <0849

*JAV.; ~~<0904~~ → DJC: 1) ~~DJC~~ (c) ROB H'S G/A - MAY CHANGE..!;
2) ALSO, MAY NOT GO: SAVINGS PLUS SEMINAR @ D.O.;
SHE'S THINKING TO GO AS WELL [PM SESSION];
3) + BCE DW: ① VK'L FOR (c) TP, OR, SA SSEM..;
② E/M ⇔ DEC'D. '06...)

<0904
<0917 SLOW

*V/D RP'T.; → SUPP'S.; <0916 / *V/D RP'T.; → REBOOT P/C: H.N.;
*(CALD'L); <0922 / *(CALLS ↑); <0924 /

*JBR: ~~<0928~~ 1) ETHICS CLASS TMRW - ALL DAY! ⇒ NO 49.21 MT'L;
TH'S N/G...; FRI PM N/G FOR S. BONNETT...;

SIGNATURE [signature] TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 4 ?

DATE 01 23 07 M T W T F S S (Circle Da

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

(CONT'N.):

→ 1 MT'E FOR "ALL" TEST: INTROS, ETC. ⇔ FUTURE WORK...)

2) I'VE TOET^I SEM^R TODAY...)

<0928

* V/D TOP'T → SPOT ✓ E/M) <0939

* ✓ V/M: SAS = + 1↓, (1S)) → REPLY TOC E.) <0946

* E/M T (ST) <0948

<1002 (1) <1003 E/M T <1005 TS <1006 ~ <1011

*

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

REPORT NO. 5	DATE 01 23 07 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* "A111,790" ↑ ("1015"): CHC #0152 MI.) → LV. SAS;

→ AWAIT DJC;

→ EN RTE D.O.; → NO PK'G @ D.O...! (KD BLD'G CONSTR'G ACR FR D.O. + @ CATHEDRAL...); → D/O DJC...;

→ PARK ~2 BLOCKS AWAY (#3);

<1037

* (CALLS ↑); <1039

* ~~[illegible]~~ S.P.P. SEMINAR "1030"/104X~1145

→ W/ DJC;

* WRAP UP:

→ ARCM R. CRAIN: 1) W/ E. DEL; 2) "SPONSOR"

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 6 ?	DATE 07 23 07 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* V/D RPT. / → (I/N: SNAFU...) < 1359 ~~[illegible]~~

* (1402) JBRS BACK FR. MTG... 2) LESS CROWDED ?! — MORE MANAGEABLE — ALL AROUND TABLE... !) ISSUE NOT BROUGHT UP... 3) OSCM'S J. SHEN & W.Y. LONG BOTH THERE... !) BCE BJB — I'D MENTIONED LAST WK; HE WAS TO RAISE TO ARCM RTM & RE GP LEVEL TO ADDRESS W/ SACTO. COUNTERPART...;

< 1402

* V/D RPT. / → (I/N: SNAFU...) < 1408 / * (CALLS) < 1410
* (CALD) < 1416

* (1436 I/N: SNAFU) → MGV: 1) RE GP W/ 2) TOWER BASE PL: E2/T1 TO RELOCATE REBAR CAGE DOWN HOLE TUBE @ PILE #B (CTR)...; SAS PLANS SHT. #528/1207 SHOWS RECTR HOLE @ CTR... DIMS ?!: NOT V. CLEAR THOUGH PROB. O.K.; I'D LOOK FOR CLEARER, DIMD SHEETS...

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 7 ?	DATE 01 23 07 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N.):

→ SEARCHED TLL'S DESK FOR "GRAPHIC"; → NOT IN?!;
→ JBR: HAS "CLEAR" / "DIM'R" TOWER BASE TO SK.?; SUGG'S SUBM. #2 — I'D ✓ PMIV...; THOUGH MAYBE JUST IND'L. SUB TOS...;
→ PMIV: SUBM. #2 — NO CONCISE "PLAN"...; <1430

X → TLL'S AREA: R.E. PD'S FILES — SHT. #593/1204

→ JBR: 1) NO LUCK — I'D WAIT FOR TLL TO RT'N...;
2) I'D ✓ 11X17S; ANY FULL SIZE?!;
3) WE'D ✓ WAREHOUSE (P. #7); TO'VE BEEN CLEANED OUT...; NOW CONFORMED PLANS + SPECS. SETS TO BE MOSTLY DISCARDED [RECYCLED?]...; WE'D GO CHECK...;

<1453

X P. #7 WASH (W/JBR): 1) DOORS LOCKED — BUT GAINED

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — ? 3/	DATE 01 23 07 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'D):

→ ACCESS THRU SIDE DOOR (REAR ONE USED BEFORE LED TO LOCKED HALLWAY DOORS THIS TIME); LUCKILY I'D SALVAGED HP B WALL GRAPHICS B-4!)

2) (c) DR ⟷ "STRAY" SADDLE MODEL — PROJECT APPV'L STUCK ON DESK IN SACTO...!) (c) WSC'S IDEA, BCE BTR'S SUPPORT... BUT JBR DOGS...!)

→ RT'L SAS...)

<1500

*(CALLS!) <1502 / *U/D RPT.) → T2 TS PLANS RES.) → E/MST; <1519 + <1530 / *REBOOT P/C) <1533

*U/D RPT.) → PLAN SAT'E RES.) <1539 / *(CALLS!); <1541

*CC: SAT #528/120F, → (c) KD: HAS GOOD GRAPHIC OF T2 BASE TO P/C → ABCM PTM MAY'VE GIVEN HIM ONE - TO LOOK)

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — ?	DATE 01 23 07 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N):

→ WOULD ASK (c) WSC ← AWAY FR. DESK..)

→ (c) KO: HAS KOS TEMPLATE INFO. — SHOWS CIRCULAR CT^R CUT OUT...)

→ V/D RP'T.)

<1547

* MARK-UP DIM^S ON CT^R CUT OUT (SHT. #528/1204)
→ CC:) → MGV'S CHAIR) <1553

* E/M ↑ (ST.)) <1603 / * (CALLS ↑)) <1605 / * E/M ↑) <1611
* TLL: NOTE (SHT. #528/1204)) <1613 / → DJC: TIME!) (NALLS..)) <1617

* SPOT ✓ E/M; <1619

<1629

* MGV:) T1 BASE FL DIM^S — VS KOS: CIRC^R CUT OUT / STEEL DOWN HOLE CASING..) I'VE LFT. NOTE FOR TLL TO CHECK FOR CHANGES..)

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 10 ?	DATE 01 23 07 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX
WEATHER	

(CONT'N):
MPW THERE NOW...)

V/D RPT.) <1632

MTFC WRAP UP) <1635 / 4(CALLS↑) →(CALD↑); <1637 / V/D RPT.) →SPOT ✓ F/M) <1639

S/D L/N, P/C...) <1640

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.