STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

JOB STAMP

04-0120F4

04-SF-80-13.2/13.9

SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

REPORT NO. 1

DATE 01-31-07 M T (W) T F S S (Circle Da

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE MIN ~ 46°F ± MAX

WEATHER

CLEAR (FOG), COLD — A/M

* 0119N/0721 → 1549 + 3' = 1552 → 1907 ⇒ 4+4 = 30 16'

N: (0755-0758 = 3), (1036-1045 = 7), (1158-1164 = 6), (1243-1255 = 12), (1901-1906 = 5) Σ (N) = 33.

* SF/OBB SAS TRE: 1) W/ PDV 2) MISC. CONTRACT ADMIN, ETC.) <0719
* E/M: JBR & (1) WSC (W/D) → T/O P/C) <0721

* S/V & V/D RPT.) → LOG IN) → E/M: L/N = 65 JR, +5V) <0724
* SPOT V E/M) ⇒
→ BCE OK: 1) CT SL OK — SEND —!) SHOW DRAFT TO ARE JV IT?!) MEET B4?!, I REMINDED HIM WELD STATED LAST WK'S MTG WELD HAVE COMMENTS BY THIS WK'S (TODAY);

2) C. GRED FACTOR & 5 cm ISSUE) LONG-STANDING NOT AN ISSUE...) MOT ANYMORE...) CT'S CT. VOG. SAID TOWER'S RANDY SMITH SAYS SO TOO...)

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

'12 DEC-14 AM11:10 23635

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

E/M <1700
(M) <1703 (M) <1705
M, BJB(49,24, SD) <1715
E/M BAUG <1725
E/M (C) <1730
V/M <1733
HPK <1734
(M) <1736

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 07-31-07	M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —	
WEATHER —		

(CONT'D):

3) TOWER OUT TODAY - SURVEYING THEY'D FORGOT..)
4) MTCE W/ FERROUS DETECTOR (PACHOMETER - 2) TO LOCATE MECH'L EMBEDS) DCE W SHED TO SHOW UP @ 0900N;

5) I'M TO ATTEND 0800 MTG)

<0720

* U/D RPT.) <0735 / * (CALLS ↑); <0738 / * PMIV: SUB. #42) <0742
<0802
* [JAV.; RE GP) MDH.) RTM (WRY)

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 3 /

DATE 01 31 07 — M T (W) T F S S (Circle Da

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER

* MILC WPAP UP (← VAR MTGS) <1036 / * (CALL ⅓) <1047
* (CALL ⅓); <1053 / * PM IV ✓; <1046 / ~, → JAV.: * 4 ⅓ <1052

* PREP. FOR W-2 SITE VISIT; <1057

* "111,801" ⅓ (1058): CHC # 0152 MT.) → LV. SAS) "<1059"

* W-2 SITE: 1) ARFJV'S S. LARKO: ① NOT @ T. CAUSE MTG ⇒ COULD'T MANLIFT / TOWER / CT ACCESS TODAY...) "CT LATE..."; ② LADDERS @ W-2 SO. ("W"?) - NEEDS OUT ~ APRIL...)

→ + BCR (K: 1) W/ DCR WS; 3) + ANGEL T. (GENE K.-!?); 3) + CT TRANSLAB FOLKS (← SKYWAY?) "SARY" + (~2 → 3?) ⅓ GOT CAM. ← DCR WS...; 5) SHAFT ACCESS LADDER - UNSAFE: NEED CAGE / EXT^N - WILL TELL ARFJV...; 6) LOCATED TOP "MEP EMBEDS" (MTG ⅓) TO LOOK @ CRACK...;

ATT^N SAS TR^E) → V/L W/ (S) <147 / * (CALL ⅓) 1151

→ ARFJV'S CHRIS B. + ETC: TRADE BACK TO SAS CAMP
* "111,8B" ⅓ (1145): CHC # 0152 MT) → TO^E SAS "<1156"

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. ? -4/	DATE 01 31 07 M T (W) T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* U/D RPT.) < 1200

* TAI-LAN L.: ID FORROW CHG # 0

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

530 - 227 - 6615

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. ? -5	DATE 01 31 07 M T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

1548

* DERRIK H. 9-1-415-291-3881 (W) 1537 —
· GOT E/M...; OFF THE SIDE...)
· PVC...?)
· CONT. TENDONS (FED LOAD)...)

<1800
* STEVE B.

1605-1612
* DERRIK

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -6 ?	DATE 01 31 07 M T (W) T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX
WEATHER	

1748
1737-

* ARTIV'S S. CHAY 9-808-4577
1) MR. RADO W/...!
2) ISD CLO: "S-Ø": P-T) "S-1": REBAR (+12 MOS) GOT MY E/M / WAS BUSY W/ CPM CREW...) 49.24
3) #1.3M - #1.5M ...) NEXT WK ~; WON'T HANG IN CHINA / CRADLES, TEMP. SUPPORTS ...) CHINA ?) NOT PLAN...) (NOW) CAN WALK DOWN HALL... → INP'T TAKE OFF...) BIKE PATH...) → NO CHANGE!) → TOTAL QTT. ...) B.V. SXN ↑ I'LL E/M MECH'L DESIGNER...) "7" RFI #312 (ORG. X BMS)
4) CLO #23 / #16 ...) JIM D. APPRISED HIM...

* U/D TOP'T / <1750

* JIM D. 9-808-4583 1750
LFT. V/M: WANTED TO DISC. SUBM. #42) RESP REWORKING) COMMENTS FEEDBACK?) PROB. OUT TMR W.)

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. ?/ -7	DATE 01 31 07 M T (W) T F S S (Circle Da
SHIFT HOUR: START ___ STOP ___	TEMPERATURE MIN ___ MAX ___
WEATHER ___	

* V/D RPT: <1754

* (c) JDUXB: 9-1-415-992-1047 (c) 1754
V/M: I'VE NO ANS'R FOR ATM ON CLO FOR ISD PLAN VAT (YET TO TALK TO ARCM RTM) ABFJV OK W/ 2 CLOS (PT "+" REBAR...)

* V/D RPT: <1758 / * (CALL ↑) <1801 / * (CALD ↓) <1802
* (CALLS ↑) <1804 / * E/M ↑ (ST) (4924) → TS: DELEGATE JVALLAS.. WRITING STYLE, ETC...) <1815

→ W/ → TS: W/E) <1821 / * SUBM. #42 - PROOF RE-GR'S RE-DRAFT) → PMIV REMINDER.. / <1842

* OTSL DRAFT → RE GR'S DOOR JAMB (OLD); <1843
* (CALLS ↑) <1845 / * (E/M) <1855 / * E/MS ↑ <1901
* (CALLS ↑) <1902 & <1906 / * S/D: V/N P/C...) <1907

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.