~~564, 1520 < 1035~~
~~OL 42 < M 1038/1041 & 1039/1042~~
~~L/N CRASH < 1047~~
~~(LWD) < 1203~~
~~L/N < 1213~~
~~(T) < 1217 < E/M < 1223~~
~~(E/M) < 1234~~
~~R/BOOT, E/M < 1059~~
~~L/N < 1102 & < 1104~~
~~(T) < 1108~~
~~ARCH, GR 4255~~
~~ARCH DEL 4258~~
~~L/N < 1301~~
~~E/M < 1307~~
~~L/N RPLT < 1309~~
~~E/M (T) < 1312~~
~~RT < 1322~~
~~E/M < 1129~~
~~E/M < 1136~~
~~E/M < 1144~~
~~(T) < 1147~~
~~E/M 4159~~

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-1/	03 05 07 (M) T W T F S S (Circle Da
SHIFT HOUR: START 0700 STOP 1530.	TEMPERATURE MIN ~ 66°F MAX

WEATHER

CLEAR, COLD — A/M/

* (0637 - 0639~ = 2'~); (0930 - 0932~ = 2'~); 1028~; ~~1031~~ → 1858; "–" 4' = ~~1854~~
→ 1824 (NL)
+13'
1837 ~~1707~~
~~1/2 HR~~ ~~1807~~
12' ← 1825

~~1707 = "–" 1/2~~
~~1746 = "–" 5'~~

~~L~~: (1102 - 1108 = 6'), (1144 - 1147 = 3'), (1159 - 1203 = 4'), (1213 - 1217 = 4'), (1223 - 1234 = 11'), (1301 - 1309 = 3'), (1338 - 1340 = 2'), (1401 - 1403 = 2'), (1438 - 1440 = 2'), (1511 - 1513 = 2'), (1537 - 1539 = 2'),
⇒ Σ(L/N) = 41'. ~~(1553 - 1605 = 12')~~, (1605 - 1607 = 2'); Σ(L/N) = 43'. "–" 30' (= 2 BRKS) ⇒ +13'.

* BCE BJB: 622-5191 0637
LFT. L/M: G^E TO SCH(S) ⇒ ETA ~ 0900.

* BCE BJB 622-5191 0930
LFT. L/M: ~~BUSY~~ WORKING @ SCH. (TAG); ETA ~1000

* SAS TRB: 1) W/ PN; 2) MISC CONTRACT ADMIN, ETC.; <1028

* G/M: DCE WS & (FEB?);
* T/O P/C; <1031 / * LOG IN; → S/V & V/D RP'T.; ~~AM~~
→ E/M: L/N = 564 V/R, +52↓ (!); <1035

* SPOT V E/M (42 EA); → E/M (ST.); < "1038/1041" & < "1039/1042"
* L/N CRASH! (SAVE SCREEN SHOTS); <1047

SIGNATURE [signature]

TITLE
Assistant Structure Representative/ Leadworker

12 DEC 14 AM11:18 23656

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-21	03 05 07 (M) T W T F S S (Circle Da
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

*REBOOT P/C; → E/M's) <1059 / * L/N INVT'Y; <1102
*(CALS-T's) <1108 / * SAV: 1) 300 ¢; 2) MT POT
→ + BCE TSR: 1) YET TO ✓ MY V/MS...; 2) IM HERE!; 3) RAFFETTE...)

→ DJC: 1) 03-07-07 W CONF RM. 10-12 → 1430-1630...)
2) (FRE...)(W/E...)

<1118

* E/M (CONT'N) <1121 / * CONF RM. COORD'N) <1130 / * E/M) <1144
* (CALS-T's) <1147 / * E/M, (CONT'N) <1159 / * (CALPE's) <1203
* L/N (MT'S) <1213 SNAFU / * (CALS-T's) <1217 / * E/M) <1223
* (E/M) <1234 / * ARCH NOW (L/N)
→ + CAWA R: 1) TRACK - OFF 3 DAYS LATE LAST WK (SB CAL: L/A, O/C, S/D...) SNOW (TEHACHAPI)
2) RE GARY P. TRACK NEXT MONDAY (<CHAWA), REL L/N E/M INTO REBY; NO DLE E.BOAZ (NOR BEK SKY ← SAW TODAY); + ARCH RTM, J TOM, DONL B. C.?, PETE E.S, TONY A, Cl PAT ← SAW TODAY...)

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM450

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -3)	DATE 03 05 07 (M T) W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'D)

3) SHE'D PUT HER NAME IN HAT FOR CHINA — NOT HOPE-FULL & LACK OF EXPERIENCE...; I FIGURE PLENTY OF WORK + OPPORTUNITY TO LEARN/GROW...)

4) HSB ~~"TRAINING"~~ → "DISCUSSION"... — DID HAPPEN LAST WEEK WEDS — ALMOST - DIDN'T...)

5) SAVINGS PLUS — DAD ENCOURAGED!)

6) GGBR BOOK (< WES...)

7) 49.24 ACTIVITY LAST WK.) → SNAFU...)

<1255

* ARCHIVE "SELECTED" (~356?)) <1258 / * L/N (CONT'D) <1301
* (CALLS ↑)) < 1304 / * J/D RPT.; < 1309 / * E/M ↑) < 1312

* "42,448" ("1316"): CHC #0152 MT.; → LV. SAS) <1317

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-41	03 05 07 (M) T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

A 1245a ↑ P/L (1325) : CME # 152 MD / → FT N SAS) <1326
A U/L WK (STA #) <1322 / A U/D RPT <1328 / A (CALLS) <1340
L/<1347 / A PREP FOR T/S INPUT → SPOT V E/M <1401
A (CALLS N) <1403 / A L (CAW N) MD <1438 / A (CALLS M) <1440
A E/M) <1442 / A U/D O/L O/T LOG/ → PHE: DVD? <1451
→ DJC: CONFIDENTIAL...) → SPOT V EM <1455
A (CALLS N) <1513
A U/D O/L O/T LOG) <1520 / → FLG → FLE GTL K.S JOMBANES WALKED AWAY FR FLOODED W/C) → S PUT CONE DOWN + PAPER TOWELS TO ALERT (VS. SLIP/FALL) → U/D RPT.) <1528

A COMPLETE O/L O/T LOG) <1533 / A O/L T/S: LOG W) 1537
A (CALLS L) <1539 / A O/L M/M T/S - SAFU...) → PROVE) <1548

A O/L T/S: DURT, SAS, P/U SUBMOT P/O) <1553
A U/D RPT) → (E/M) 1605 / A (CALLS N) <1607
A RES X (SI) INT W PLANNING) <1644 / A (CALLS) <1654
A RES X) <1657

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -5/	DATE 03 05 07 (M) T W T F S S (Circle Da
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* B/W HCD^A HOTEL (VD) 9-1-800-888-1991 1651
· 0700-2200; ~4 MI; (5' → 20'); EA. 1/2-HR; (TO LV)
→ "COMO" (?) CALL FOR P/U! CAN PRE-SCHEDULE.
→ SAN DIEGO INT'L → LINDBERGH

* V/D RPT / → RES X / <1659

* RES X / EC HELP DESK 9-1-866-299-7374 1659/ (1708)
→ TECH^L SUPPORT DESK → RES^E: 800-860-3984
"X": 1) SEAT N/A | VS. S/W
2) SEAT TAKEN | OPEN
3) EXIT ROW

— OFC CLOSED: "1" — AFTER HOURS E/R SRVC.
* (CALLS IN) <1716
* BCE TO POWELL 9-714-7088 1716
ON PG

* V/D RPT / <1720 / * RES X (CONT'D) → P/O <1732
~~<1739~~ → (C) DON R: 1" H2O IN M'S R/R; MOPPED; FLUNGED
LAST W/C ("CLEAR"); I'D PUT CONE; SLOW LK? — S/O...
SIGNATURE [signature] TITLE Assistant Structure Representative/ Leadworker <1739
→ STOW SUPP'S

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -61

DATE 03-05-07 (M) T W T F S S (Circle Da

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER

(CALLS M) <1740
* U/D TOP'T <1742 / * E/MT <1744
* S/D: L/N, P/C <1745 / * G/N: MGV <1746

* RIC. M. "1748" — 1807
JUST GOT OFF PHONE W/ GLENN - STATE OF CONFUSION...
CAN'T/SHOULD?! PLACE ORDER...
CAL/OSHA CERT^N - DON'T BUY NOW...?!
$100^K/YR; SOLE SOURCE... - EXPERTS?!: S. MARGARIS, MIKE W.
• CONSEQUENCES OF FAB^G NOW?; PURCHASING VS NOT.
• REZA V. — THOUGHT ALL O.K.
• GLENN E.F. ...
• "W" SYN^S @ SKYWAY...
• DIFF'T. TROLLEY TRAINS...
• KEN BROWN - "V"... - DIDN'T NEED
• T.Y. LIN...; GET 'EM GOING...; PAY CLAUSE...
"CRATING"; MOH - QUALIFIES...; "STORED PROPERLY..."
• CONCRETE? — BCE GK, JK BEEDE

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 7/	DATE 03 05 07 (M) T W T F S S (Circle Da
SHIFT HOUR: START — ~~STOP~~	TEMPERATURE MIN — MAX
WEATHER	

*(CALLS ↑); < 1809 / *(CALL ↑); < 1816

* RTC M. 1816 - 1824
- OFF PH. W/ GLENN E.F.; 2 ANSWERS IN 5...;
- GEF - GOT SPECIAL DISPENSATION;
- "ABFJV HAS" - ?; NOT "MATERIALS HAND OUT"...;
- WARRANTY DOESN'T APPLY ⟺ MODIFY PART... !?!;
- PG. 361, CSPS: CA ADMIN. CODE, TITLE 8 D.I.C
→ E/M TMR W;
- "D" DR. - ENCRYPTED P/C - CRASHED...; LOST MYR'S STUFF; LAPTOP...;

* O/D RPT; < 1825

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.