STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4

04-SF-80-13.2/13.9

SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 1	DATE 03 30 07 M T W T (F) S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN HI 40s ~~MAX~~
WEATHER CLEAR, COLD — A/M	

* 0755 ~~0756~~ ⇒ 1425. ~~MAX~~ + 1°38' ⇒ ~~1403.~~ 1621 ⇒ "-" 1°50' A
+ 0°08'
1629

~ (L): (1316 – 1342 = 26') ⇒ "-" 4'.

~: (0800 – 0803 = 2') (0818 – 0816 = 18') (1047 – 1045 = 2') (1056 – 1106 = 10') (1164 – 1172 = 8') (1132 – 1143 = 11') (1200 – 1209 = 9') ~~(1245 – 1246 = 1')~~ (1233 – 1234 = 1') (1241 – 1251 = 10') (1252 – 1301 = 9') (1353 – 1355 = 2') (1402 – 1412 = 10') (1417 – 1418 = 1') (1481 – 1513 = 42') ~~(1514 – 1522 = 8')~~ (1537 – 1539 = 2') (1609 – 1617 = 8').

⇒ Σ(↓) = 132'. "-" 30' (= 2 BRKS) ⇒ "+" 102'. "-" 4' ⇒ "+" 98' (⇒ "+" 1°38')

* SAS TR: 1) W/P(N) 2) MISC CONTRACT ADMIN, ETC.

* G/M: REB M (G3) → T/O P/C! <0756 / * S/N + U/D TRT.) → LOG IN <0755 <0759

* E/M: L/N = 11 U/P, + 2 D) <0800 "0758" / * SPLT ✓ E/M) <0801

* CALLS D/<0803 * MONICA G.: "OUTFALL 1"; <0804

* JN.: MK PAT)

→ RCE GIL K.: 1) WOULD TELL RCE MY WORDS OF DENSO TAPE REP. HERE [NEXT WK WEDS @ 0800]? DIDN'T RECALL NEEDING TO DO THAT; EZ/TI MAY HAVE APPLICATION FOR PRODUCT AS WELL...; TO ALSO NOTIFY TAB (TOBBE — SP?))

2) CAN TAKE SAMPLE TO SACTO. IN APRIL; TWICE TO BE THERE: DISCT RE MTG & MONI RCE MTG...;

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 2	DATE 03 30 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'D)

→ (a) DCT'S RERA T.: 1) (G'S O/N NEXT W ?!)) 2) + (d) JPLYONS...)

→ (d) MARTA T.C.: TRUSTWORTHY ⇔ # ⇔ WEIGH-IN ...) $25...)

→ (d) E PAUL J.: 1) (OSC); 2) YBIT/TBP/SSD POLITICS...)

→ + (d) SCOTT F.: 1) PROC'D CLUB SUPPLIES (WGAR, CREAMER, CUPS); NO FILTERS @ (S. RAMON - ?) C/C...) 2) OP'R SUG'D;

→ + BEHZAD #;

<0825

* MARK G.V.: 1) G/M; 2) DENSO REP. NEXT WEDS. @ 0800 (0900?) ⇔ E2/T1 A. RODS...)

→ U/D RPT.) <0828

* (E/M); <0841 / * (CALLS ↑); <0843 / * (CALD ↓) <0846 / * E/M ↑; <0857

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 3	DATE 03 30 07 M T W T (F) S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* (c) KEITH D.: AWAY FR DESK;
→ RCE BRAIL: ARCH TOMORROW w/;
→ JIM TSR: WBS INPUT?; DIDN'T RECALL MY E/M FROM LAST WEEK... [?!]; TOWER COMMENTS...; IM HDQ INTO MTG...; WE'RE ALL BEEN JUST THAT WK...;
⋮
→ TAI-LIN L.: HAD BEEN ON VACN — YET TO GET INVOLVED...;
⋮
→ (c) WARREN S.C.: (c) LYNN W. w/; WBS INPUT? — IM HDQ INTO MTG NOW; HAD SEEN MY E/M COPIED FILE...; WILL WORK ON NEXT WEEK...;
⋮

<0905

* WBS CONTINUUM MTG "0800"/0905 — 1017
→ SEE FILE FOR ROSTER & NOTES.

* SPOT w/ E/M; <"1016"/

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 4/	DATE 03 30 07 M T W T (F) S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* (c) KEITH D.: 1) ICE ISSUAL OUT?! — OFC. LT^E OUT..; 2) PROB. MT^G W/ WALTER A G...; 3) (c) KEITH D. NOT W/!?!; 4) ← IF NOT HIM, THEN NOT ME...!; 5) HEADS UP: (N) WBS — NOW HAS FAB^N...; I'LL SHARE EXCEL WHEN I GET IT...; 6) OSM (c) MARK W. CONCERN — (c) WARREN ALREADY GAVE ME HEADS UP: CONNECTION SPEED ⟺ HOURS TO DO REPORTS...; R/SR F.O. VS. RFO SNAFUS...; ⟺ SERVER PROXIMITY...;

→ DORIS J.C.: GOT MY E/M...; (YEST'Y.)

<1023

→ (c) SCOTT F.: "NETWORK" EXPERIENCE?; "PERMISSIONS" SNAFU; "S"-DR...; (c) TRIEN P. UNABLE TO FIX SO FAR...; SUGG^E MOVING TO "X"-DR...;

→ + (c) GEORGE B.: 1) 2 CABLY SYSTEM CCO ISSUES — WANTS TO COMBINE INTO SINGLE CCO #31; 2) (c) SF SAYS HAD ALREADY SPOKE TO ICE ROOM YEST'Y. OK

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -5/	DATE 03 30 07 M T W T (F) S S (Circle Day)
SHIFT HOUR: START ___ STOP ___	TEMPERATURE MIN ___ MAX ___
WEATHER ___	

(CONT'N)

→ TO COMBINE...)

→ (c) SF: @ MY P/C - VERIFIED THAT WHAT (EVER!) HE'D DONE REMOTELY FROM HIS P/C WORKED!)

<1042

*(CALLS ↑)) <1045 / * SERVER "COPY" ETC.) <1056 / *(CALLS ↑)) <1106
* SERVER WORK (CONT'D)) <1114 / * (CALLS ↑)) <1114 / *(CALL 2)) <1119
*(CALLS ↑)) <1122 / * H_2O; → MISC.) <1127 / * U/D RPT.) <1132
*(CALLS ↓)) <1135 / * (CALL 2)) <1137 / *(CALLS ↑)) <1140 / *(CALL ↑)) <1142
* U/D RPT.) <"1142" / $ <1151"

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 2 4 6	DATE 03 30 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* ABFIV DAN R. <1157
REPLY <ZPMC YEST'Y WHILE IN CANADA: NONE OF THE RAIL HAS BEEN ORDERED...; GOOD NEWS; ORIGINAL "S"-RAIL ON CRG CROSS BEAMS TO STAY PER PLAN; ⇒ CAN GO BACK TO PLAN "A" ⇒ RESCOND TFT: CLOSE LOOP ON TFT...; HE'LL HANDLE.

* V/D RPT.; <1201 / * (CALLS ↑); <1203 / * (CALLD ↓); <1204 /
* (CALL ↓); / → DCE WSHED: M/STAL P/O SNAFU...; <1210
* E/M ↑; <1219 / * V/D RPT.; → RW M: L? - NO THX.; <1227
* V/D RPT.; <1233 / * (CALLS ↑); <1234 / ⌐/ <1241 / * (CALLS ↑); <1251
→ QUANG T.P.: 1) BNSY; 2) WORKING TMRW.: LIFTING BOX...; <1252

* (CALD ↓); <1301 / * V/D RPT.; <1316 / ⌐ (L: PREP.); ⌐/ <1323
⌐ (L); / → (EN); <1338 / ⌐ (L); <1342 / * E/M (ST.); <1353
* (CALLS ↑); <1355 / * E/M ↑; <1402 / (EN); <1412 / * E/M (ST.); <1411
* (CALL ↓); <1418

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -7/	DATE 03 30 07 M T W T (F) S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

~~<1428~~

* BCE BJ BOAL: 1) HAD BEEN UNABLE TO MEET W/ ME + TAI-LINL ON CCO #27; SHOWED HIM RFIS EXCEL P/O TAI'D E/MAILED ME; 2) NEED TO CROSS-CHECK WHICH RFIS SHOW NC/NC AGREEMENT BT'X CT & ABCM TOTM. & ABFJV'S RON C.; 3) NEED TO CHECK "YELLOW PAGES" PLANS SET TO ID WHICH RFIS HAVE BEEN INCLUDED IN 4927 REV'D. SHTS; 4) NEED TO SEE IF RFIS MENTIONED BY ABFJV'S SL ARE CAPTURED BY PJV (c) TYL'S ~~SPREADSHE~~ 4927 SHTS...; 5) WE'LL MEET MONDAY; 6) (c) KEITH D. + I WERE WONDERING IF NEEDED US TO JOIN WA GATTI MTG & TODAY — NO: TRYING TO MIN. #S...; 6) ABFJV T. NILSSON REMARKS @ MT & YEST'Y; ALSO, UP FOR 28 HRS — JUST RT'D. < CHINA...; NOT SAME AS C. R/SR...; TOUGH...; 7) APPRISED HIM OF ABFJV D. RADU CALL: NO TRAV. RAIL YET ORDERED BY ZPMC (CHINA), SO EXERCISING RFI RESCIND IDEA...; 8) HAS MT & NON; <1428

+ JIM BR.: 1) (R/BW E/M); 2) HG. "K" REACTIONS? ⇔ CAMBER;

* U/D RST. <1431 / *(CALLS ↑) <1438 / *(CALLS ↑) <1439

* (CALL ↑) <1510 / *(CALLS ↑) <1513

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE	
-81	03 30 07	M T W T (F) S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —	
WEATHER		

* 1) (c) DAN R.: 1) (c) WSC ⟺ O.S.C.) (FORGOT WE'D TALKED)
2) (RE?) GARY (P.?) THOUGHT I'D ENDED UP W/ CHINA CD-!?)
WILL TRY W/ CHANEL...)

<15FT

* U/D RPT.) / → (E/M) <1522 / * U/D RPT.) <1537 / * (CALLS ↑) <1539
* E/M ↑) <1549 / — N; <1555 / * U/D RPT.) <1600 / * (CALD ↓) <1609
* (CALLS ↑); <1617 / * U/D RPT.) <1620 / * S/D: L/N, P/C) <1621

* RTC M FR 916.227 - 8755 (MIX^N - MIX^N)
GOT E/M; MAG LOADS = 225^K (22.5^K?) - SEE PLANS!)
NOT "RESEARCH" - "FOR CONSTRUCTION"!...)

SIGNATURE	TITLE
[signature]	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.