STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -1	DATE 04 02 07 (M) T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~HI 50's MAX
WEATHER CLEAR, COLD - A/M	

* 0838~/ ~~0841~~ => 1708. +791' => 20091 -> 2133 => +1°04'

-> (W): (1305-1311=6'), (1330-1342=12'); => Σ+(-) = 20'. => ~+10'.

(0758-0840=21'), (0854-0907=71'), (0956-0959=3'), (0947-0955=8'), (1003-1001=4'), (1037-1059=21'), (1046-1056=10'), (1119-1120=1'), (1203-1205=21'), (1237-1239=21'), (1301-1303=21'), (1342-1347=5'), (1355-1409=14'), (1407-1409=21'), (1417-1443=26'), (1502-1506=4'), (1537-1546=19'), (1550-1601=31'), (1633-1634=1'), (1700-1702=21'), (1722-1729=71'), (1732-1734=21'), (1750-1752=21'), (1803-1805=21'), (1821-1924~=63'), (1949-2012=23'), (2040-2109=29')

=> Σ(+) = 231' ~+20' (=2 BOLTS) => ~+201'. ~-10 => ~+191' (≈ 30'11').

* SAS TR Bo: 1) W/ PAT 2) MISC CONTRACT ADMIN; ETC, <0838~

* (CALL)' <0846 * G/M: PEB, M. (67)' -> T/O P/C) <0851

* S/U + U/D RPT.' -> M.G. IL CHECK. G/M' -> LIG T-N)

-> P.E. BORJA: 1) (c) ALEX R. W/ 2) NEED FOR MTG / RFI? I'M AWAITING E.M. W/ SPRINT! - TCE K.O. (c) JLM); STRUX TO DENVER OTT'S..) I JUST CHECK W/ TCE W. SHOULD BE CANCELING RFI - (c) ALEX R.: NO ONE'S S/N FORM..)

<0843

* E/M: L/N = 13 U/R, 14 U/ <0854

* U/D RPT.' -> LIG: PMTN, LN SAFE); M/W PMTN "HELP" FREEZING..) <0856

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE	
-21	04-02-07	(M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN —	MAX —
WEATHER —		

*(CAL 2); <0902 / *(CAL 5); <0905 / * F/MS/ <0907
Σ0910
* JAV.; MK. (W) POT)
→ STCW PRNS.) → PREP.)
→ +BCK GIL K.: 1) PRNS.; 2) W. APPR. DELO. TAF W/END;
3) LAST YR. TSEG EFFORT; TEM. SUPPORTS ⇔ OLD P-T PNL.).
FULL- ER CLOSURE...)

→ + (i) MRTA T.C.: 1) MS 2, MV 3) / 2) TAKING GRS FOR B. YOUNG
3) DJC'S PLATES (< X/M); 4) WEIGHTIN (200); > (i) FR...)

→ ≠ B. HALALI: 1) TO WORK 12-HR SHIFT ON "J" DR. SCAN
2) TO FROM D; STORE MEARN A.) ARCM A. BATA
3) STAFF TAKEN TO OAK. TOUCHDOWN JOB) TOWING GOOD)

→ L MATTHEW: 1) + DAVE Y.; 2) ~FR JAN.)

→ PORTS T.C.: 1) KEYS LEFT BEHIND — CURVES, ETC.)
2) LUCKY...)

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. —31	DATE 04 02 07 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX
WEATHER	

* U/D RPT. / → PROV C. / → (E/M); < 0939 / * U/D RPT. < 0947
* (CALLS ↑); < 0948 / * (E/M); < 0955 / * PREP. FOR T/S ... / < 1003
* (E/M); < 1005 / * (CALLS ↑); < 1007 / * T/S PREP / < 1000 / * U/D RPT E; < * PMTV SNAFU → E/M; < 1016
* T/S (CONT E): U/D RPT E; < 1037 / * (CALLS ↑); < 1039
* " " " " ; ↔ (C) W. LOVELL: PEN; < 1046
* (P/O); < 1050 / * (IN); → (P/O); < 1056

~~< 1109 + < 1112 P/O < 1119~~

* RCE RT ROAL: FAST RAK FORM - "SWITCH-OUT" ?!
TRANSPONDER - I'VE OLD-STYLE: STILL WORKS..!
ALEX D.C. E/M ← NOT @ DEST (P/O OFF = NOT IN?!)

2) DJV (C) M. NADER - TRAV R CCO: DJV (C) T. HO - DELIVERY SLIPPED TO 09-01-07..; RTC M & I NEED SCHEDULE REPORT / UPDATE, ON GLENN E.F. & DJV (C) J. OTTER INTERNAL PROGRESS..;

→ (P/O); < 1109

* U/D RPT. / APPROP FOR T/S INPUT; → RCE RTR. M TALENO'S E/M: "FIT IF DON'T HAVE"...! < 1112

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE	
-41	04 02 07	M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —	
WEATHER		

* U/D RPT.) → PR ANTH SNATCH (CONT.) → P/O) <1119
* PR= SNATCH (CONT.) → U/D RPT.; <1127 // * (CALLS) <1120 //
* U/D RPT., <1134 * PREP FOR T/C) <1143
* U/D LL LOCKS...) → LOST LAST WEEKS?)
→ RESTORE LL LOCKS...) <1203 / * (CALLS) <1205

* O/L T/S: P/S P/W) → P/O) <1207 / PR= ANY...) <1214 CHAIR
* E/M ↑) <1216 / * S/C P/O) <1218 → MR: HI!
* O/L T/S: INPUT JANE, P/O, INPUT, P/O), → E/M ↑) <1225
* SERVER RES...) <1227

→ W/ → (C) PAUL C.: 1) TOP POT "TURNING"!) 2) TOASTER OVEN LFT. ON!)
→ DOR # T.C.: 1) (L/L2 LETTER) 1 WK. LEAK...) 2) WANTS L.?)
3) WEIGH-IN...)

<1237

* (CALLS) <1239 / * SERVER...) <1242 / * SERVER REORG / DESKTOP <1255
→ CABLE TV DOWN CCO...) → MA (CONT.)
* C TV CCO CPA (CONT.) <1259 / * TAPE LFT. → RENDERED) #386 680?) <130

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -5/	DATE 04-02-07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* (CALL ST) / <1303 / → (L: PREP) / <1311 / * DESKTOP ORG ☺ / <1317
* (I/N) / → (L) / → BCE BJB: GK LUI #2; HIS I/N FAILED; "GONE" FROM P/C...!; → MINE FROZE NOW TOO!
:
→ FINALLY GOT...!; → BCE BJB: 1) MARTIN W/ 2) TU ALSO SEARCHING!

<1330

→ (L); / → (I/N) / <1342 / * (I/N); <1345 / * (CALL ST); <1347
* PMIV: CHECK - SNAFU...!
→ ~~BCE~~ <1355 BJB: 1) IN ICON - CAME ON!: 10' LATER...! ... WHILE HAD GK LUI ON PHONE!
2) MY PMIV STILL DOWN...!
3) HAS ~1+2 # JAV.! WILL BRING! JUST PUT IN FREEZER - FOR MEETINGS; NAME...!
:

<1355

* PMIV / → E/M / → (I/N) / <1407 / * (CALL ST) / <1409 / * E/M ↑ / <1414
* DORIS J.C. / STILL HERE...! / <1417 / * (I/N) / <1435 / * (CALL ST) / <1439

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	-61	DATE	04 OCT 07	M T W T F S S (Circle Day)
SHIFT HOUR: START	—	STOP	—	TEMPERATURE MIN — MAX —
WEATHER	—			

~~(+/N)~~ <1445 / *PMT: PLANS SHT. LAY.) <1450

* (C) SCOTT F.: 2. HOW TO VIEW "HIST." OF SHT. (#520, JAY); → CLICK ON "+"..)

→ I/D RPT.) <1452

* (C) ~~SCOTT~~ F.: 1) NAVIGATING PMT SHT. LAY.) 2) HISTORY ON SHT #521..) 3) SHOWED ME "CCO" "FUNCTION" — CAN PULL UP ALL CCO-GROUPED MTG.! (BUT STILL MUST GO TO ~~HISTORY~~ "LIBRARY" TO VIEW HISTORY..) 4) JUST RECENTLY POPULATED..) 5) (MIKE-UP) CLASS NEED — I HADN'T BEEN INFORMED..) <1459

*I/D RPT.) <1502 / *(CALLS T) <1506 / *E/M T <1527

*RIC M. 9-1-916-227-8755 1527

LFT. I/M: SENT

*(CALL 1) ~~<1546~~ <1547 / *(CALLS T) <1544 / *(CALL 2) <1547

→ DAV (@ JPDWR:) (LV2 MTG) 2) CCO #7) GETTING IT..) <1551

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-7/	04-02-07 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

* PMEV; < 1559 / *(CALL 1) / 1602 / *(CALL 2) / 1604 / *(CALL 3) / < 1607
* PMEV: PFT #880 @ 1 - P/O / < 1608 / * PFT #880 @ 1612

* PTC M TR 916.227-8755 1612-1615
GOT E/M; → @ BENMART TURN. ⇒ PROB AINT COME... HQ (OSD's-?) PAT H. MAINT CALLED/CONTACTED IF MAINT CAPED HIM ON E/M..) WE'LL PROB LEAVE P. #7 (SAT) @ 1400 HRS - RIGS..) IF NOT HERE BY 1400 HRS, WON'T BE GOING..)

* J/D TCPT. < 1620 / * PFT #880 @ 2) → E/M 1) < 1624
* PFT #600 / 593...) → P/O) < 1625 / *(CALL 1) / 1624
* COMPLETE TENSIONED PFT #'S 880's, 593 & 600 / < 1695

* DJV (d) TALKED P.D.) W/ E.E./TI's MAPS-to V.) 2) @ ARE PROCEEDING 3) AGREES + SHOULD MENTION PFT #593...) ← WILL-CAPTURE CHANGES ON TDD CCO..) 4) N-2 WTS. FROM 880 TEPORT (FOR N-2)) 5) MGN: 2½ YRS FOR TWO FOREMEN 6) "LESSONS LEARNED" - AS DID FOR TDD'S IN ADVANCE..) 7) NON-CONTACT CAPS ON #4 FM...) 8) TCP - CAN "WEAVE"..)

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -91	DATE 04-02-07 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N)
9) N'DIFFT" PLAYERS ON TOD WORK TSK. JOB(S) 10) DOT (C) JPD: MEET W/ FVC ONCE TOD DONE../ 11) MAX OF 10 VERTS CAN CUT (COLS); 12) "POTENTIAL" CUTS: PSC MTX NOT HAVE TO../

→ W/D EPT.) 0654

W/ <1700/ *(CALLS)/<1702/ *PRNS) → TECH: REPAIRING STORAGE ROOM FOR KEY READER../ <1705

* TIE DOWN "CA") (CONT'N)/<1722/ *(CALLS)/<1729
* " " ")/<1732/ *(CALLS)/<1739/ *PRNS)/<1738
* " " ")/<1750/ *(CALLS)/<1752
* " " ")/<1803/ *(CALLS)/<1805
* " " ")/<1821/ *(CALLS)/<1923/ *(CALLS)/<1925
* LTE OUT/<"1724"/ W/<1949/ *(CALLS)/<1951/ *(CALLS)/<1955
*(CALLS)/<2009 *<2012 * TIE DOWN "CA" OFF (CONT'N)/<2040
(CALLS)/<2043/(CALLS)/<2103/*(CALLS)/<2107/W/<2109
W/D EPT.)/2125/(CALLS)/<2128/*PRNS)→TECH/2130

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

*(CALLS)/<2132/*STD'L/N.../PC/<2133

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.