STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 1

DATE 05 24 07 — M (T) W T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE MIN MID 50s MAX

WEATHER: O'CAST, COLD — A/M

* 0807 W/ ~~0810~~ → 1637 "→" 1' = 1636. → 2209 ⇒ "+" ~~[illegible]~~?
W: (0742–0741 = 1') +0443' 1719' "+" 4050' ⇒ SAY "+" 4 3/4
L(L): (1341 – [illegible] = [illegible]); ⇒ "NL" ⇒ SAY "–" of THAT.
(0822–0819 = 3'), (1415–1420 = 5'), (1430–1434 = 4'), (1503–1506 = 3'), (1524–1530 = 6'), (1530–1537 = 7'), (1609–1611 = 2'), (1673–1675 = 2'), (1715–1716 = 1'), (1753–1754 = 1'), (1811–1813 = 2'), (1853–1854 = 2'), (1935–1936 = 1'), (1956–2003 = 7'), (2033–2034 = 2'), (2035–2036 = 1'), (2153–2155 = 2'), (2207–2208 = 1');
⇒ Σ(L): 73'. "–" 30' (= 2 [illegible]) ⇒ "+" 43'.

* SAF.: 1) W/ FOR 2) MISC CONTRACT ADMIN, ETC. <0807
* G/M: MG, REB → T/O P/C; ASK + V/D RPT.; <0813
* LOG IN; → MISC.; → G/M: L/N = 585 V/B + 4 V.; <0813
* SPOT V E/M; <0816

* JAN.; <0820 → + RICH D.: 1) MADE POT; 2) LIEBHERR; ETC.;
→ DOLS J.C.: OK // → MOHANDER (?) + _____ (UNAY);
→ (C) SCOTT F.: INCANNY — SYNCHRONIZED!;
<0826

* V/D RPT.; <0828 / * (CALD 4); ~~* (CALS 1)~~; <0830 / * (CALD 4); <0835

* (C) WARREN S.C. TO 715 2977 0710–OFF!
EN RT. E; FOUND. SUB. #58 DOLS.; REPD. WDL @0900;

SIGNATURE

TITLE: Assistant Structure Representative/ Leadworker

12 DEC-14 AM11:18 23686

ADA Notice: For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -2/	DATE 04-24-07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

*U/D RPT/ <0836/ *PMIV/ (SUBM #58)/ → P/O/ <0837

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 3 ?	DATE 04-24-07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

~1008-1148/1322

* MTG W/ DOS OF CLAYMS SUPPORT'S SB WHIPPLE
+ W/ HQ LEGAL'S MS CHERYL PORTLE;

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 73	DATE 04 24 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* V/L WK STAN) → E/M: +11 ↓) → SPOT ✓ E/M) <1347
→ (L); / → SPOT ✓ E/M) <1348
~~<1403~~
→ (L); → I/N: MM&P WEBSITE...;
→ (C) WARREN S.C.: 1) "PLAN"?; 2) HAD TOLD (C) SCOTT F. HE & I BUSY W/ [SUBM #58]; 3) ⇒ NO NEED TO GO TO CLO MTG (ONTL); 4) TAI LON L, JOM B.R. ATTENDING?; 5) SENT E/M: SUB. #58 MTG TMRW — @ 1100!) NO TOWER MTG → TH) 6) SENT E/M → CAROL C.: HAD NOTIFIED (C) MARWAN N.; (C) G. BAKER NOT ATTD G...;
7) ~3½ HR MTG! (I COVERED R/SR PROJECT TOO...)
:
:
:

<1403

* V/D RPT.) <1413 / * (CALLS ↑!) <1416 / * (CALL G); <1420
* SPOT ✓ E/M) <1423 / * PMT (SUB. #58) → MISC.) <1427
* (C) WARREN S.C.: CABLE ANCHOR MODEL PICS.) → DISAPS. LAST WK...; <1430
* (CALL ↓) <1435 / * R/S P/C CLOCK) <1437

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — ?

DATE 04-24-07 M T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER

<1524

* (c) WARREN S.C.: SUB. #58 DISC^N — WAY FORWARD; USE ADOBE WRITER...;

(CALL ↓: 1503-1506);

→ + JIM B.R.: LVE FOR JSW MT^E;

→ + (c) JOHN P.L.: STATUS SUB. #58...) IN LOOP RE: VAR. MTG^S...)

→ 1) (c) JAMES P. D.: CCO #37 — FLUSHED...) CLEAN HOUSE/
2) YELLOWS: RCE BJ BOAT ASSENT — JIM BR HANDLES/ ANYHOW...) I'D HAND OVER;
3) SEE HE + (c) ALEX ES ATTENDING CCO MTG^S...)

→ V/D RPT.) <1524

V/D RPT.) <1535

* V/D RPT.) (CALL ↓) <1570 / * (CALL ↑) <1533 / * YLW. SHT. → JBR's/
* SUBM. #58 <1543 / * ADOBE WRITER < PMOV PDF...) 4609
* (CALL ↑) <1611 / * SUBM. #58 <1623 / * (CALL ↓) <1631

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. ? 5	DATE 04 24 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* SUBM. #58; <1715 / *(CALLS ↑)) <1716 / *SUBM #58) <1721
* (c) WARREN S.C.: <1753

*(CALLS ↓)) <1754 / ~~1806~~

* (c) WARREN S.C.: 1) ARCM RT MORROW ?; 2)

<1806

* SUB #58 <1811 / *(CALLS ↑)) <1813

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 6

DATE 04 24 07 M T W T F S S (Circle Day)

SHIFT HOUR: START STOP

TEMPERATURE MIN MAX

WEATHER

* SUB. #58 (CONT.) → (C) WARREN SC: LV 2 <1828
* " " <1833 / * (CALLS ↑) <1836
* SUBM. #58 → A YAW: LV 2 ? T/O LT S <1935
* (CALLS ↑) <1936 / * SUBM #58 <1956 / * (CALL ↓) <2003 <2036
* SUBM #58 <2013 / * (CALL ↓) <2034 / * U/D RPT. <2035 / * (CALLS ↑) <2133
↓ <2040 / * SUBM. #58 - COMPLETE PDF
* (CALLS ↑) <2135 / * P/O: SNAFU (JAMS: ~3!) <2142

* E/M (ST.) <2152 / * PMTV: SUBM #58 CT PL → P/O <2204
* DOES TO (C) WSC'S DESK <2207 / * (CALLS ↑) <2208

* E/M ↑ <2209 / * S/D: L/N..., P/C <2209

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501