STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

REPORT NO.

DATE 05-29-07 M T W T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE MIN ~ 58°F MAX

WEATHER 0' CAST (FOG), COLD - A/M, CLEAR, WARM - P/M

X (0800 - 0802~ = 2'~); 0810; 0813~ ▷ 1640; "-" 2' = 1638 1608 ("N"L)

+3°24'
19°32' → 2228 → 2228 ⇒ "+" 2°56', SAY 42 3/4~

-"-(L): [(1253-1311 = 18'), "-" (1302-1304 = 2')] →

-"-: (1544-1545 = 1'), (1553? - 1604 = 11'?), (1604? - 1616 = 12'?), (1619-1633 = 14'), (1658-1713 = 15'), (1108-1116 = 8'), (1136-1137 = 1'), (1151-1205 = 14'), (1206-1207 = 1'), (1209-1223 = 14'), (1246-1251 = 5'), (1253-1311 = 18'; "-" 2' = 16'), (1320-1324 = 4'), (1324-1354 = 30'?), (1402-1404 = 2'), (1727-1740 = 13'), (1744-1758 = 14'?), (1858-1900 = 2'), (1929-1936 = 7'), (1958-2018 = 20'), (2028-2040 = 12'), (2104-2105 = 1'), (2202-2204 = 2'), (1543-1545 = 2'), (1647-1649 = 2'), (1801-1803 = 2'), (2141-2143 = 2'), (1518-1525~ = 7'~), ~~1553~~

⇒ Σ(W) = 204'. +30'? = 234'. "-" 30' (= 2 BRKS) ⇒ "+" 204' (= "+" 3°24')

X ~~[illegible]~~ BJ 4041 627-5191 0800-0802

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

'12 DEC-14 AM11:31 23711

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION
QUANTITY CALCULATIONS
DC-CEM-4801 (OLD HC-52 REV. 11/92)7541-3520-0

SHEET 1 OF

JOB STAMP
P: TLL, JBR, (c) WSC; AAJS; BCE BJR; ABCM RTM.

ITEM: WKLY. STRUX STAFF MT 6
LOCATION: SAS E 1/2 CR.
CALC. BY: AAJ SCHMITT
CHK. BY:
FILE NO.
SEGREGATION ☐ YES ☐ NO
DATE: 0529-07 TU
DATE: ~~0850~~ ~~0800~~ 0830 / 0840 – 0928...

① K. MEADOWS – B. SCOUTS
⋮

(0812) ② 1300 TOWER FAB. PROCED.
→ BCE MPW ATTENDS?
→ C. HAVEL + SANNY K.
→ BCE MPW: ASSG^T STARTS FRI
→ JIM BR: "TOWER, OR, OBG?"; INDIFF.

③ NO CABLE MT^G TODAY (TYP. @ 1300).

④ PAD EYES – CCO #? : K1
→ MEMO? < RTM
→ HAS BINDER
→ KEN BROWN

(0848) ⑤ TLL –
1) → RFI #710 : CCO #24 "LISTING" "05-25"
– NO SHTS.
2) SCRM #139 + #140 (OBG) –
+ ABCM RTM: → COMPLETENESS REVIEW
* → REFR SHTS HAVE BEEN REVIEWED BY?!
→ CONSISTENT SMALL #
→ FEDLINE...
· NO PE STAMP
→ OBG + TOWER
→ MACALLOY – BAD SPEC...
→ NO SOLE SOURCE
≈ GRINOD...

POSTED BY DATE POSTED TO

CEM-4801 (HC-52 REV. 11/92) 98-17258

STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION

QUANTITY CALCULATIONS

DC-CEM-4801 (OLD HC-52 REV. 11/92)7541-3520-0

SHEET 2 OF

JOB STAMP	ITEM	FILE NO.
	LOCATION	SEGREGATION ☐ YES ☐ NO
	CALC. BY	DATE
	CHK. BY	DATE

(6) JIM BR. — TOWER TO SLOW..

→ BCE MPW: N1 MO. TRAN^S

. HG-K — R KICK: FAB^N

(7) (c) WSC — (0913)

→ QUOTE + BOT RFIS, SUBM^S

→ NO

(8) — SHANCHA PUDANG MFSCA

AAJS (8) HG-A...

→

→ MONS @ 1400 — OM MT^G @ WDC..

→ (c) KEITH D.

→ 2100/2300 CHINA LUNCHTOME..

(9) A.A.J.S. — OFF TURNS

(10) BCE RJB: HOUSE PLANS..

<0929

* W/U: SUBM #, 79, 198

* BCE GJL / TO (N)/4375: ≤0936 (~2X + AL^I)

POSTED BY DATE POSTED TO

CEM-4801 (HC-52 REV 11/92) 98-17258

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -21	DATE 05-29-07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* BCR GARY LAT 9-808-9542 0971
LFT. V/M: TRYING TO TRACK DOWN

* BCR GJL 9-1-650-222-7520 0973
1)
2) 1000 MEP

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION

QUANTITY CALCULATIONS

DC-CEM-4801 (OLD HC-52 REV. 11/92)7541-3520-0

HPBs (HG-"K"): "ESW & OLD?"

JOB STAMP

P: OSM (c) SE RTS & RM; BOE BJB.

ITEM: MT 4 w/ OSM (c) FMERTZ & RI SMITH

LOCATION: WDC OSM OFC

CALC. BY: AAJ SCHMITT

CHK. BY:

SHEET

FILE NO.

SEGREGATION ☐ YES ☐ NO

DATE: 05 29 07 TU

DATE

- 314, 325 — ESW..
- ESW — OVERLAY vs. ST- ST-

ESW
- NO PREHEAT
- 1 WELD PASS (!)
- ~ "CASTING" / "FILLING"
- SQ. GROOVE
- CUSTOM SHOES...

(1030) RFC #28

<1033

POSTED BY

DATE

POSTED TO

STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION

QUANTITY CALCULATIONS

DC-CEM-4801 (OLD HC-52 REV. 11/92)7541-3520-0 SHEET ____ OF ____

JOB STAMP	ITEM	FILE NO.
	LOCATION	SEGREGATION ☐ YES ☐ NO
	CALC. BY	DATE
	CHK. BY	DATE

POSTED BY DATE POSTED TO

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. —	DATE 05 29 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* CC: SJ < 1108
S: BONNETT:

* (CALDS) / < 1112 / DAMON MB: EORP...
* (CALCST) / < 1116 / * PMIV; < 1118 / * MISC. W/V; + SPOT ✓ E/M / < 1127
* E/LIT; < 1134 / * SPOT ✓ E/M / < 1135 / * V/D TPIT / < 1136

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. —	DATE 05 29 07 M (T) W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

*(CALL?) < 1137 / * SPOT ✓ E/M < 1139
* SUPPLIES → (MISC.) → DAV: +#2 + 145 ¢
→ (1) GEORGE B.: 1) 3-D W/E 2) MT @ 1400...)

< 1149

* (L/N) < 1205 / * SPOT ✓ E/M < 1206 / * (CALL?) < 1207
* SUPPS. < 1151 / * (CALL?) < 1223 / * SPOT ✓ E/M < 1209

< 1245 E/M:
* PHIL L.L. AD. COLOMA:

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — ? 5 /

DATE 05 29 07 M T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER

* U/D RPT / < 1246 / * (CALL ↑) / < 1247 / * (CALD ↓) / < 1251 / * CALD ↓ / < 1252

* P. LATASA FR. 4505 << 1253
~~CAN'T OPEN ATT I (?) BCE D~~ SAMAN S. # ? ; I'D CALL BACK

* PLL TO 4505 < 1253
385-7242

* "* 112,925" ↑ ("1253"): CHL # 0152 MI / → LV SAS / < 1254

* PLL FR 4505 ≤ 1302-1304
CAN'T OPEN E/M ATT I (?) WILL ✓ W/ BCE D WU, CR, CALL AGAIN.

* "112,926" ↑ ("1311"): CHL # 0152 MI / → RI^N SAS / < 1312

* PRON^S / → R.E. GARY S: 1) M/D W/E / 2) (SONO GRAD^M) 3) (OAKL^D COMM) / 4) C.H.: BIKE TO WORK... / < 1319
* U/D RPT / < 1320 N
* (CALLS ↑) / < 1322 / * (CALD ↓) / < 1324
↓ (L) / SPOT ✓ E/M / < 1354 /

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 6 ?	DATE 05 29 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* C/1) → JAV.: + 43-1) <1400/ * JAV.: ← ...) <1402
* (CALLST!) <1404/

* BCE BJ BOAL: 1) SHT - SDE - STAINS: "PD-5"!)

2) P/O...)

→ DORIS J.C.: TO BORROW CHC TMPW.) I'M OUT...) <1408

* V/D RPT.) <1409/

* BINEERLY CLO MTE

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. ?	DATE 05 29 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

*RCE GARY J. LAI 1608 - 1609
PFT #710 - SEES II WASN'T ACTIONED; REMINDED HOM
HE'D FORWARDED BOOTLEG E/M; ABFJV REQ. DATE IS
06-08 - ?; => HAVE TIME..;

SIGNATURE	TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 8 /	DATE 05 29 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

1727 — <1744

* (CALD?) <1738 / * (CALLS ↑) <1740 / * O/L T/S PREP: U/D RPT^S / * (E/N) / → U/D RPT^S <1758 / * U/D RPT^S → (C) KTEA: LV^S <1822

* CONT.) → (C) D. ROSS: TIME FOR OBG (?) <1825

<1858

* (C) DAN R.: OBG QUESTIONS ⇔ CPM: ① TRAVELLERS: ① FAILS S → W...; CROSS BEAM) PROCUREMENT, INITIALLY TO'VE BEEN "HUNG" @ ZPMC CHINA / LAST WK'S OBG MT^S "NOT ALLOWED BY SPEC"!) ⇔ LOGIC...) TODAY: "S" FAIL IS AVAILABLE...! (EUROPE)

* (CALLS ↑) <1900 / * LT^S OUT) ↑ ~) ~~<1900~~ → LT^S OUT) <1908 / * H_2O PROV^S <1912

* U/D RPT.) ⇔ RES C/N: 1923 - PT.) <1929 / * (CALLS ↑) <1933 & <1934

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 9	DATE 05 29 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

<2018

* O/L T/S PREP (CONT'N) / <1958 / * (CALL ↑) / <2016 / * (CALL S↑)
* ✓ V/M: SA-S = +1 ↓ (E/S) / <2023 / * O/L T/S: INPUT / <2028
* (CALL ↓) → (MOSC) / <2033 / * (CALL S↑) / <2034 / * (CALL ↑) / <2035
* (CALL ↑) / <2040 / * O/L T/S: INPUT, SAVE / CORRECT, SUBMIT, P/O / <2049

* PR^E SNAFU... (⇔ FRAMES) / <2102 / * O/L T/S: L/O / <2104
* (CALL S↑) / <2105 / * U/D OT & LU LOG / <2109 / * E/MS (CONT) / <2113

* E/MS↑ / <2155 / * PMIV → E/MS / <2202 / * (CALL ↑) / <2204
* PMIV... / <2222 / * E/MS ↑ (~10) / <2227
* S/D: PMIV... / → L/N... / → E/N / <2228

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501