STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4

04-SF-80-13.2/13.9

SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 1

DATE 07 09 07 (M) T W T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE MIN ~58°F+ MAX

WEATHER

COAST (FOG), COLD — 4/M)

* 0755; 0758 → ~~1625~~ 1555 (WL) "+1.5'.21' ⇒ 21'26'. → 1742 ⇒ "−" 3°44'

W: (1730−1733=3'), (1735−1738=1'), (1748−1757=4'), (1398'−1399'=1'), (1410−1418=8'), (1398'−1410'=12'), (1557−1600=3'), ⇒ Σ (W) = 26'.

(0826−0829=3'), (0928−0929=1'), (0934−0936=2'), (1052−1054=2'), (1103−1651=5°48'), (1706−1739=28'), (1757−1760=3')

⇒ Σ (W) = 6°27' "−" 30' (= 2 BRKS.) ⇒ "+" 5°57'.

"−" 0°26'

"+" 5°31'

* OHAD H. FR 415-823-2141 0736 0738

8000 MT & ? / NOT TODAY — TMRW: MAYBE / I'LL GET BACK ON NZ HRS. / ⇔ DSV (C) TYLER PARTICIPATION.. /

* SAF: 1) W/PW / 2) MISC CONTRACT ADMIN, ETC. / <0755

* E/M: REB! → T/O P/C; <0758 / #5/6 + 1/D RPT. → LOG IN /

→ E/M: L/N = 344 1/R, + 42 1/; ~~XXXX~~ → MARK G.V.: 1) 6/M; 2) P/C GONE? — NO: JUST REARRANGED DECKS AT N... /

<0805

~~<0805~~

* SAF.; → RICH D.: 1) MADE FR PCT — + MARK G.V.: BURNED PCT LAST WEEK (THU?); 2) OWN SAFETY MTG.; @ SKYWAY / 3RD ON WEDN.; 3) (N) M/W...; 3 @ SKYWAY ALSO... /

<0815

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

'12 DEC-14 PM11:38 23740

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -21	DATE 070907 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

*W/D RPT.; < 0818

*S.A. S. SEM.: LIGHT OUT; I'D SEEN MEINS LATE (TIE?) - JUST TOOK TAB MLR.; 2) "ALL" PRINTERS OUT...; < 0822

→ + GINA R.: RFI #775 - MTG @ 1100; CAE'S FINDING CONF RM.; I'D PREP MESS. MTG.: (M.D.); ALSO, NOT FAM. W/ ? - DIDN'T KNOW WAS ASSIG'D. !? - NO...;

→ RCE BJ ROAT: [MTG TMRW RE: HLB ALIGNMENT - BEST TIME ?]; → ANA FR. DESK;

→ G/M: RCE MPW, DCE WS; < 0822

*W/D RPT.; < 0826; *(CALLS ↑); < 0829 → NO LN. F/M NOTIFIED < 0839
*PMIV (DOW...) RFI # 765, 769; CLOSED BY RCE GIL FPH;
~~*IN LANE~~ < 0848
*F/M (ST.) → MARK GV.: DARREN ~~KOMEXAMA~~ @ HLB STRUX; MORETA GANG; RAB'T "34" R.F...; →

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -3/	DATE 07 09 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N):

→ DIABLES, WEEKLY NEWSLETTERS TO HQ STRUX...; CHUCK MERTES, FET. STRUX; ~20 YRS AGO...;

<0878

* E/M (CONT) → WAQAR A: 1) STILL W/O P/C...; [(c) TRIEU P.] ON VAC.ⁿ...; 2) SF/OBB "LAYERS"...; 3) CHINA...;

<0901

* E/M (CONT); <0908 / *(CALLS ↑); <0909 / * E/M ↑; <0917

* (c) JP LYONS 9-808-4615 0917
LFT. L/M: RE—

<0922 1)
* C. HAVEL: SUB. # 116 R01 STATUS?; I HADN'T TOUCHED IT ONCE I REALIZED NOT DNE 06-25 BUT 07-25!; I'D SEEN RESPONSES IN; SAYS P.HE COMPLIANT

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 4/	DATE 07 09 07 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX
WEATHER —	

(CONT'N)

→ DIV (c) TYL'S RESPONSES (FEW) INTO OSM (c) MALTEC'S (MANY) (TYP., REVERSE); PDF DOC, ETC.) P. HE NOT YET IN) I'LL CHECK W/ LATER..) TO WAS OFF TH & FRI)

<0922

* U/D RPT) <0924/

0932
0925 -

* P. HE 9-808 4620
1) THANKS FOR HANDLING RFI #769;
2) SUBM. #116-R01) I'LL TAKE OVER) HADN'T DONE PDF WORK C. HAVEL THOUGHT HE WAS WORKING ON..) (c) IPLYONS — NOT C DESK) USL IN BY NOW) I'LL WORK ON TMRW.: MD APP'T.)

<0933

* U/D RPT) <0934/ *(CALLS ↑) <0936

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -5/

DATE 07 09 07 (M) T W T F S S (Circle Day)

SHIFT HOUR: START ___ STOP ___

TEMPERATURE MIN ___ MAX ___

WEATHER ___

* BCE BIRCAL: BCE GILAD W/ <0937

* DJV (c) G BAKER *67- 9-1-415-205-8763 (c) 0938
~~LFT~~ V/M: ON: PG → (N).

* DJV (c) J.P. DUXBURY 9-1-415-715-8737 (c) 0940
ON: PG. → (N).

<1001

*

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — ? 6	DATE 07 09 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* P HE FR. 867-6069 1032-1034
S #116 P01 — "2ND" (LATEST DATE...) OSM PDF IS
MOST UPDATED ← I'M TO USE...)

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 7	DATE 07-07-07 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* MISC. W/U <1052 / * (CALLS ↑) <1054
→ (C) N LOOKER

<1059

* "ARCH NOW" <1100 / * LV. SAS <1103

* (N) CALL LOG (S) — (1230-1233 = 3)

1) BCE BJ RCAL FR. 714-7074 06-29 0800-0802 ✓
2) JAMES P. DNYBNRY, DJV (C) FR. 415-215-8434 06-29 0946-0948 ✓
3) PHIL L-L FR. (N)/4505 06-29 ≤1157-1158 ✓
4) "*113,350" ↑ (N) ("0948"): 07-02 ✓
5) "113,375" ↑ (N) ("1031"): ✓ ✓

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — ?

DATE 07 09 07 (M) T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX

WEATHER —

* PHIL L L FR (N)/4505 ≤ 1237
→ UNABLE TO ANNR

* PHIL L L TO (N)/4505 ≤ 1237-1238
→ N/A

* PHIL L L FR 305-7177 (N) 1248-1257
1) HG "A" LOWERING PROC ASAP!!!

2) HG "A" — HPB SURVEY / ALIGNMENT — CHAD PRESENT N

(< 1252)

* BCE TSJ BOAL FR (N) 71F-707F "1358"
— MISSED CALL

* BCE TSJ. BOAL TO (N) 71F-707F 1410 — 1417
1) TRAVEL FORM 257; EMPL TD #?!
2) TO [illegible] DIV (L) TYLON: (1) HG "A" LOWERING PROC

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — ?

DATE 07 09 07 — (M) T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

(cont'd)

(2) (c) CHAD H. HK-"A" HPBS MT^E - TMPLU ~0200?; DIV (c) TYLDN NOT RESPONDING;

(3) (HOS TOSSUE = ?);

(1412)

* (c) CHAD H. FR (c) 415-823-2141 VAR (71348-21410

* (c) CHAD H FR (c) 415-823-2141 1557-1601
1) STUCK IN TRFC.; (680-?); 2) 1100 MT^E WEDS. W/ OSM (c) AM WAHBEH + FYAN T.S.; 3) → MEET 84, OR AFTER?) 4) DIV (c) TYL N/A TUE ITEL >1530...;
5)

(1602)

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

REPORT NO. —	DATE 07 09 07 (M) T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

1708 →
* (CALLS ↑) < 1715 / * (E/M) < 1719 / * (E/N) < 1721 / * (CALLS ↑) < 1728
* (CALL ↓) < 1732 / * (CALLS ↑) < 1734 / * MASC. < 1737 / * (MASC.) < 1740
* E/M ↑ < 1741 / * S/D: L/N, P/C < 1742

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.