STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4

04-SF-80-13.2/13.9

SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -1/	DATE 10 09 07 M T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~~55~~ 50°F MAX
WEATHER O'CAST, COLD - A/M	

~~0830/0832~~ 1700

SAF: D/W/PO/ 2/ MISC CONTRACT ADMIN, ETC./ <0830

T/O P/C/ <0832/ A/S/U FUD RPT; → LOG IN → E/M: L/N=359 W/B +20 W/ <0834

SPOT ✓ E/M <0842/ A/REV: S#281 'ACTION': SWAFU/

→ P/O...; <0856/ A/CALST/ <0858 ~~A/OS~~/ <0900

~~AS~~ S#281 DRFT & S2 P/O + REV ACTION "P/O..." FOR DCE (WSHSDD) <0925

~~<0918~~

SAF: 1) MK FR POT, 2) MISC C/W 3) + ~~4~~ 1 W/

→ S/M: (C) SF; → M/CAN: 1) (LR op N ANG.) 2) N3 MI. AZ DOWN/ BL ANG Σ <OAK: PORT STILL NEEDS PADS..)/

VIEW of M. AR PKS;

A/U RPT.;

~~CALST~~/ ~~0922~~/ A/U RPT. → SPOT ✓ E/M/ <0928/ ~~A/S~~/ <0929

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	21	DATE	10 09 07	M T W T F S S (Circle Day)
SHIFT HOUR: START	STOP	TEMPERATURE MIN	MAX	
WEATHER				

A/D FPT. <0931 / PREV <0932 / CALL 4 <0937 / AE # <0939
SRS ✓ E/M <0940 / EMS 1 <0944 + <0955 / CALS 1 <0959
EN: WEATHER <0959

CARLA M.: 1) #1 - #20 (FOR 3 MO) ⇒ GOOD 'TIL 01-31-08!
2) IS RELUCTANT TO "RUN" C. CLUB 3) I'M THINKING ABOUT IT... 4) C. CLUB CONTRACT PLEDGE SIGN... "WILL TREAT OTHERS W/ RESPECT" / WON'T MAKE / WON'T TAKE FROM BOTTOM / ETC. 5) STILL USING D/C HERE!
6) GH REPN... / <W. APPR. / STRUX. EXT

(6) CHARDAY (<M. BAY TR) NOT DJC! <1009

A/D FPT / <1016 / CALLOT 1 / <1018

GINA R.: 1) BACK < VAC'N (HI...) 2) (HALEAKALA, MOLOKAI, LAHAINA, RAINFOREST, MOMS, WHALES ETC., ETC.) (SCUBA...)
3) CAN'T THINK OFF-THE-TOP ISSUE FOR T-CABLE THO PM/
4) ORG VS. PWS F/U MTG TODAY AFTER (AGAIN), PROB.
5) YET TO READ MONTHLY, ETC. 6) I NEED TO PREP TOO...

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM-4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-4041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 3/	DATE 10 09 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

(CONT'D)

→ 7) (C) WJC'S EMV — MY REPS! / 8) V # 259 SNAFU "II" — ; COMMENTS REPEATED...; ⇔ (C) APRIL'S REFORMATTING SPAN FOUR — DWGS... NO QA/QC BC I SEE GO OUT!;

9) GOT CALL — DIV (C) T-HD WELDS. (P/M?) RE: TRAN-RELS: GALV'D, OR, PAINT?; ⇔ R # 775 — ACCESS PLATFORM COATING ISSUES...; TCE SAYS P. ORIGINATING 492+, @ TOWER; NO DOWNWARD-FLOW OF INFO...; GALV'D VS TRAN-C CLAMP PL DAMAGE/RECESSES... ⇒ PAINT BETTER TEMPORARY THAN N.: PIE FOR METALLIZING...; DOE RELS' — AWAY FR. OFC. (@ T-MRP 3) (C) SCOTT F. — ALSO AWAY <1050 (CALLED); <1052 W/ <1057 A W/D RPT.; → (C) TRENT P.: 1) HAS (2) P/C FOR ME: (THIS P/M!); — OK LVE...; 3) NEEDS DWG FOR F/W V PGM — AGAIN) DIDN'T USE .EXE FILE; E/M DWG...; <1102

★ W/D RPT.; <1103 / & <1116 / A (CALLED) <1117 / APPROV: S # 281) → CT SC DRAFT (RE S # 775) → P&D <1133

★ MS WORD? — PASS (AGAIN): 1) 1200 MTG; 2) SUBJ 3) KEEP ASKING! <1135

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -4/	DATE 10 09 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

*S #273 CT SL (CONT) <1149/ *(CALLS ↑) <4150

N (L: PROC) → [JBR/ BCE GJL] <1205

N) <1209/

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 10 09 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

* P/OS → (c) COURTNEY C. : P/OS? → MG's...?) AF's...?)
→ MG: HER P/O...) → W/D TPT) < 1245

* P/OS – PRES. FOR T. CABLE MT 2) < 1252 / * (CALLS ↑) → TOP LV 2) < 1254
* P/OS) < 1255 / * PRES. FOR MT 2) < 1254

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 6	DATE 10 09 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

*(CALLS ↑) <1449

*

*(c) J.P. LYONS 1453
R #921-01: DUE TODAY; HADN'T LOOKED @ — JUST CAME OUT OF MTG; DJV(c) DEFERRED TO CT ON RESP. — ?!; + BCE GJL: I'M TO ASK (1) HAYATT; I'LL P/O 1ST; ⇒ ECN. PROCESS...

*PMTV: R #921-R1 P/OS → V/D IPT; <1505
*P/OS, STAPLES, REVIEW R #921-01...; <1522/(CALLS ↑); <1525

*(c) J.P. LYONS 9-808-4615 <1526
TYL DOESN'T NEED TO GET INVOLVED; ALREADY OK'D LENGTHENING IN REV. 0; OSM COMMENTS; I'M RECALLING DETAILS...

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. ?	DATE W 09 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX
WEATHER —	

* R #921-1 CONT'D; < 1531
< 1539
* E. PAUL J: BUY AMERICA

* R #921-1 < 1551 / * (CALLS ↑) < 1553 / * R #921-1 DRAFT < 1631
* P/O < 1636 / * P HE: < 1636

* BCE GARY J-L 9-804-9542 1636
LFT. V/M: R #921-R1 - SBNT ACTION

* BCE GJL 9-1-650-222-7520 (C) 1637
R #921-R1 ... LFT. V/M; LEFT CELL @ DESK?
SEE HIM WALKING ACR LOT!

* BCE GJL: FOB SNATU (STORE ROOM) ⇐ P/C SNATU.
R #921-1: OK W/ MY DRAFT RESPONSE; < 1651

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 8/	DATE 10 09 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* R #921-1, → P/OS/ <1654

* P. HE FR. 867-6009 1642-1693
CHC #0152 MI = 115,170.

* R #921-1: SIGN OUT @ (c) FB'S LOG-BOOK (SHE'S NOT IN TODAY); <1655

* (CALLS ↑); → EN RTE WDC; (1659-1701)

* (c) TIM D 808-4616 1655-1656

* I'VE ACTIONED HOM ON R #921-1: READY TO GO/ I'M WALKING OVER TO WDC NOW... // * I U/D R #921-1 STAN <1650

* @ WDC: 1) R #921-1, TO (c) TD; 2) P. HE: FOBS N/G - CAN'T ACCESS FRONT DOOR; 3) BCE GJLAI FIXING P/C..)

* "115,170" ↑ ("1703"): CHC #0152 MI (OFF MKR B); <1704

* SPOT ✓ PMIV; <1708

<1720
W/ → BCE GARY J.L.:

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 29

DATE 10 09 07 M T W T F S S (Circle Day)

SHIFT HOUR: START — STOP

TEMPERATURE MIN — MAX

WEATHER

<740

* R. BOLON: E2/T1 DRB..)

* (CALLS↑) / <1793 / * MISC. (R #s 945, 921-1) / <1755
* MISC W/U <1759 / * H2O → LT & OUT / → C/R WIND W ⇔ IF RAIN) <1807
* PLIN: S# 281 - ON HOLD ⇔ FURS..) S# 273 - DIDN'T GET "ORIG L" H/C..) <1807

* (CALLS↑) / <1813 / * SPOT ✓ E/M / <1815 / * U/D RPT / <1823 / * (CALLS↑) / <1824
* LT & OUT: EM TR R / <1827 / * (CALLS↑) <1828 / * (CALL↑) / <1841
* (E/M) / <1848 / * (E/N) / <1910 / * (CALLS↑) / <1912
* / * RT N SAS / <2236 / * U/L WK / STA N / <2240

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 10	DATE 10 09 07 M (T) W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE — MIN MAX —
WEATHER	

*(CALLS↑) <2243 / *(CALL↓) <2247 / *(CALLS↑) <2248 / *MOSC <2250 / *(CALL↓) <2251
*T/O SCANNER <2253 / *E/M (CONT.) <2305 / *(CALLS↑) <2306
*PREP. FOR SCAN / →SCAN <2313 / *E/M (ATT.) <2322 / *(CALLS↑) <2324
*H2O / →(CALL↑) <2327 / *E/M (CONT.) <2339 / *(CALL↓) <2341 / *(CALLS↑) <2345
*E/M (CONT.)
*DAMON M.B.: WET ON SCTB / →LV(E) <0020 / *(CALLS↑) <0022
*E/MS↑ <0031 / →W <0037 / *S/D: L/N, PMLV / P/C <0042

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.