STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 7/

DATE 10 16 07 M (T) W T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE MIN ~ MAX

WEATHER

O'CAST, COLD - A/M;

* 0918~; ~~0922~~ → 1748; "-"3' = ~~1745~~ 1715 ("N"L)

W: (0834 → 1'), (0902-0904 = 2');

→ W:

* BCE BJBOAL FR 714-704 "0834"

→ V/M.

* ~~BCE~~ ~~BJBOAL~~ ✓ V/M (N) "0902"/0902-0904

[BCE BB.: SL8 TODAY TOO]

* SAP: 1) W/ POV; 2) MISC CONTRACT ADMIN, ETC.; <0918~

* SAMAN S: 1) DONE W. W/ ; 2) EXPLS...; → T/O P/C; <0922

* S/U / U/D RPT.; → RB + SB: MAP; → LOG IN;

→ L/N: F/S P/W; → 383 U/R, +8 U; <0928

* SPOT ✓ E/M; → E/M (ST); <0933 / * PMIN (ST);

✓: S#S 304, 305, 311 → NOT READY. <0943~

→ PB's ✓ → NOT READY;

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

'12 DEC 14 AM 11:51 28PPO

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -2	DATE 10 16 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

* (C) APRIL S

* (C) FB:

→ (C) SF:

→ <0954

* E(MT) <0954

* C HAVEL 9-808 4606 1007
* ~~[illegible]~~ ~~[illegible]~~ ~~[illegible]~~ 9-~~808~~ ~~[illegible]~~ 0958

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 2-3	DATE 10 16 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* [GR, JBR] <1027 (Dr AB, LG)

GR, JBR 1006

364, 305, 371.

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. ?-4	DATE 10 16 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

*(CALLS↑): <1029

* BCE G.J. LAI 9-1-650-222-7520 (c) 1029-1031

* MARK G.V.: 1) SAV.

* BCE GARY JL 1030
PB, E/MAILED, R/LP FRI - NOT POSTED TO PMIV (c) I.D.
TO UPLOAD / POST SOON / DUE TODAY.

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -5/	DATE 10 16 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* U/D RPT; <1040

* JAV.: 1) MISC. C/U; 2) MK. (N) POT; 3) + $5 ↓ + 300 ↓; <1059
→ + RE BORJA: RUNNING OF COFFEE CLUB...; FOLKS T/O TOP...;
→ + MOHANDER C.: JAV.;
→ + BCR GIL K.: RUSS. COMP E; <1059

* U/D RPT; → SPOT ✓, E/M; <1107 / *(CALLS↑); <1109 / *(CALL↑); <1124
* JAV.: Σ $; <1128 / * S# 281: P/O (N) R/LS...; <1129

* GONA R.: COPY OF INFO. H/O?; TRY W/ JOM B.R.; <1131

* S# 281: PMIV P/O;
→ MARTIN C.: HAS PB'S R/LS W/ TOPS CROSSED OUT...; HE'LL FW'D. E/M...; <1134

* P/O; → CALENDAR: SNAFU; <1145

* E/M; <1150

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 2 / 4	DATE 10 16 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* (C) J.P. LYONS >1150 - 1202
1) S #281

2) S #304

3) S #305

4) S #311

(<1203)

* U/D RPT → S #281 E/M → P/OS) <1208/ (CALLS ↑) <1210

* P/OS) → (C) WARREN S.C.:
→ + TALLON L.:

<1215

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 7	DATE 10 16 07 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

* AD RPT / <1216

W / → W (L: RETR) /
→ RLE GARY S.L.: 1) S#281 —

2) #304

3) FORS ... / + MGN /

<1230

* 15/M↑ / <1234 / * ACROBAT: S#281 → PMIN: ATT / <1242
W (L) → S#281 E/M↑ / <1304 / * (CALLS↑) / <1305
W (C/O) → SUPP'S / <1310
* S#281 / → (C) FB: I'M ON IT - "DOUBLE" PLAN
SHTS ... ARE NOTICED TOO / OT SL READY... / <1314

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 2/

DATE 10 16 07 M T W T F S S (Circle Day)

SHIFT HOUR: START STOP

TEMPERATURE MIN MAX

WEATHER

~~1325~~

* (c) FRELL: TOOK S#281 "SPTG L" F/L PACKAGE FR LAST WK MONDAY) I THINK I'VE FIG'D IT OUT: 1) I'LL NEX DUPES/ 2) NEED TO MERGE W/ X'D OUT SAT'S/ 3) I'LL PROB MISS MY MT'G @ 1400...)

→ U/D RPT.)

→ TAI-LIN L: 1) RT'D MY OLD H/T F/O PA LISTS...) 2) SAW HES E/M: GOOD JOB/

<1325

* (CALLS ↑)/ <1328 / * S#281 F/L: <1345 / * SAT. COUNT: <1347
* (CALLS ↑)/ <1348 / * GINA R.: REPF - 3 PHASES (NOT OTT. CALCS))

<1350

~~<1357~~

* TAI-L L: 1) JBR?) 2) CLO MT'G - NOT) 3) I CAN'T)

→ (c) SCOTT F.: 1) CAN'T GO TO CLO MT'G & SUBM'L [#281]) 2) L/N MT'G SNAFU...)

<1357

* JBR: NOTE/ <1400

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — ? 9 /	DATE 10 16 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* S #281 ACROBAT) → MARTIN C. 1) H/C OF MY CT SL + R/LS; 2) CT SL INCOMPLETE?!) ⇒ (C) APRIL S; 3) I'M ON ACROBAT MERGE...)

< 1407

* S #281: ACROBAT) STRIP: OLD "CONSOLIDATED" (20→13) < 1411
* INSERT: (N) REV'D 7 SHTS → ↑) < 1418 / * (CALLS ↑) < 1419

* "A69" ↑) < 1422 / * COMPLETE S #281 ACROBAT MERGE) < 1431
* PMIV: S #281 - UPLOADS (N) (RE-) CONSOLIDATED R/LS (W/ FLPS CROSSED OUT...) < 1439

< 1449
* MARTIN C.:

→ DCE WS:

< 1449
→ + (C) APRIL S.:
→ + (C) F[illegible]:

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -10 ?	DATE 10 16 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

*(CALL T); <1950 / *CT SL REV S / <1501

*LV. SAS) < / *RT N SAS) <1703N / *V/L WK/STA N) <1708
*SPOT ✓ E/M) <1710 / *PMIV: 5th 281 - OUT) <1714
*(CALLS T); <1717 /

*MARK G.V.; 1) "BALANCED" D/C - SLOW @ START-UP & AUT-DOWN...!) 2) LAPTOP ~~&~~ TRAVELS (TRANSBAY, CORPUS) 3) A/V SOFTWARE...; E/M SCANNER "OFF" NOW BUT ON-ACCESS "ON" / CAN'T DISABLE...) <1727

→ + (2) STEVE B.:

*V/D RP 7 <1729

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

~~0955~~
~~(AM) <0959~~

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 11	DATE 10 16 07 M T (W) T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

*(N) → DOR ... J.C.'s → 1730! ≠ 1530...) 2/M (LONDON") SAW JOE W/ S#!) 3) TAO-LIN L → CHINA) TODAY...) E'LL CC: E/M) CHE - I'LL DISC W/ RCK BROTL (528 X2 <CHINA...) → E/M);

<1748

→ DMB: NIGHT SHOT!)

*(CALS↑) <1749 / *E/M↑) <1807 / *E/M (OT) <1819 / *DISC <1821
*(CALS↑) <1823 / *E/N) <1828 / *(CALL↓) <1829 / *(E/N) <1835
*(CALL↓) <1838 / *ROCK WK / STA^N) <1848^N

*LV. SAW) <18 / *RT^R SAW) <2149 / *JL WK / STA^N <2153
*(CALL↓) <2155 / *(CALL↑) <2156 / *(E/M↑) <2159

→) *LT^S OUT) <2210 / *(MPCS) <2215 / *(E/M) *(E/N) <2233
*(MPCS) <2244 / *(CALL↑) <2317 / *CALL (MPCS) <2323
*(CALS↑) <2328 / *CHECK: S #379) <2329 / *S/D: L/N PROV, P/C) <2330

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.