STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4

04-SF-80-13.2/13.9

SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE)

REPORT NO. -1/

DATE 10 26 07 M T W T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE MIN ~56°F MAX

WEATHER O/C ART (FOG), COLD - A/M)

* 0755 ~~0758~~ → 1625 → 1754 ⇒ +1°29'?

* SAS: 1) W/PM; 2) MISC CONTRACT ADMIN; ETC.) <0755

* T/O P/C) <0758~

* S/U & V/O RPTS)

→ ERIC IS: PMEV LOG-IN STATUS?; TELLS HIM HE'S ALREADY LOGGED-IN ELSEWHERE; TOLD HIM ASK L.WOO HELP F/C T.I. VEST'G ⇒ T1 LINE DOWN/ ⇒ SHE PROB. USED (OR USING?) HIS ACCOUNT (HER PMEV LOG-IN ALSO DOWN... [?!]); WE CHECKED DMS BOARDS P/C — WHERE I SAW HER MOST OF DAY: NOT ON ⇒ RULED OUT; MARK G.V. MAY KNOW TSEST...)

→ MARK G.V. (APPRV'G: G/M) 2/1 L; FOUND PMEV ON

SIGNATURE

TITLE Assistant Structures Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-2/	10 26 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'D)

→ AA&N P/T P/C's → SHUT IT OFF... ALL ER'S RUN BACK O.K...!

<0802

★ LOG IN/ → E/M: C/N = 435 #/L, +7 #/ <0803 / ★ SPOT ✓ E/M / <0805
★ (E/M) / <0810 / ★ (CALLS ↑) / <0812 / ★ E/M ↑ / <0820 / ★ (LOC.) → (EXIT) <0830
★ ✓ V/M: SAS = +1 ↓ (≠105) / <0836

★ SAN.: 1) MK. RL. RBT.'s / W. MOLES / 3) C/O HOT PLS / 4) MISC. ✓ / 5) + #1 ↓ (≠50 ¢ C CAN).

→ (6) PHOTO SCANS (AKA SEEK): 1) SD. CAL / S.D.: FILES — SMOKE IN BAY A + SAETD. VERT'L...! 2) WIND VORTEX PLS C/O; ("PLEXIGLASS"-?) → SI = TP WILL INSTALL NON ⇔ N150 # EA.! 3) TRAVELERS TO BE WORKED / 4) 10K LB LL CAP. — ? 5) 20 EA W.V. PLS ≃ 3K LB...! (≃ 4 M) 5) BEWARE: "NO ACCESS" TO TRAVELERS! 6) 5 EA (EXPLANDED VOC ≃): 7) UBET / SNOOPER...! 8) 49-24-S1 ⇔ "MECH" C/O / LTE MONDAY FOR J/C! 9) I'VE SUBMIT PLNS FOR PED LNDNG! 10) TRYING TO →

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -31	DATE 10 26 07 M T W T F S S (Circle Day)
SHIFT HOUR: START ← STOP	TEMPERATURE MIN — MAX
WEATHER	

(CONT'N.)

ISSUE BY. ARTJV PREPS SHOP DRAWINGS..)

11) NEED DAYS FLOAT OFF CPM..) 12) PE GARY P.: WANT C/S (E.G. OCAMP) & STEVE B. TO TACKLE COST EST. FOR CCO..) CAN GET PARTS LISTING FROM CT MECH'L DESIGNER GLENN E.F.) 13) ALSO SOLE-SOURCE ITEMS: TROLLEYS ① MOTORS ② BRAKES NON TWYFLEX (SP.) ③ PLAIN/IDLER/PASSIVE) 14) ~~$2M~~ → $3M PRE BID ITEM (?) 15) CAN GET ST. EXT. OFF DJV (C) TYL ⇔ CUSTOM SHOP, ETC.)

+ (C) EMAIL A: ↑ 4924-S1 COST EST. > $M ⇔ ISATA INVOLVEMENT..)

+ MAHAR A: TRAVELERS'... ⇔ RSR...) <0907

* EMT) <0915 / + <0917 / (CALL) <0919

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -91	DATE 10 26 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* RCE D. WU (!) SKYWAY CONTRACT WILL BE LEAVING ORG, LOWERING TASK TO SAS CONTRACT...!
3) [~ 66K LBS] STEEL MTL TO SHIP TO P. 7 WHSE.
SKYWAY SUBMITTAL SHOWS DJV (C) APPROVED SHIM STACKS & CURRENT CONFIGURATION...! RCE D. WU NOT LOG'D SITE WHILE @ OPEN MEETING (MONDAY) SO DIDN'T CHALLENGE ((ASSD A.; → RCE NOT ENGR'G GROUP ← WONT EVEN DO
4) SWAP BEFORE THEY PUL OFF JOB ["12-10-07"], AS P.E M. TORNER SUGG'D & MTG; 5) ASKED RCE DWU IF CAN LEAVE JACKS REMAIN — SAYS OK TO KFM.
6) SWAP (SHIM STACKS ⇔ JACKS) ⇔ SEISMIC MOVT: ALREADY TESTED LOADS! ABSB, "LOCAL" SHEAR TEST & SLIDING TESTS - ?! ACTUALLY, SELF-SUPPORTING) ALSO, PT @ JOINT TO PCE... / SHEAR KEY CAN HANDLE TRANV. DEFLNS... / DJV (C) OVERLY CONSERVATIVE / KFM TO ISSUE DECLARATION TO [CCO #21] DESIGN / SKYWAY TO SECURE APPROVED SUBMITTAL... /

2092

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-5/	10 26 07 M T W T (F) S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

* S# 305: P/OS/ <0931 / # <0934 / *POT ✓ E/M/ <0939 A(I/N)/ <0947

* MISC.: → (c/ F. BELL:) + #20 ↓ (< (c/ M. CUEVAS)) ↓ TOM S. TO RUN ACCOUNTING (FOR C. CLOR)? ⇄ MARK 'GV. ← BUSY W/ DRS LATELY...) ↓ I'LL PROB. DO...)

<1007

* J/D EAT.) → POT ✓ E/M/ → PMLV/ <1019 / #(CALS↑)/ <1023

* PMLV/

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-6	10 26 07 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

* PMEV: S# 305 CT SL DRAFT → P/O(+ACTION) <1023
* S# 305 DRAFT CT SL: KEYWORDS...) + S# 305 KWS) <1045
→ NO STATUS ("REQ" (≠ "REJ"))

* PMEV) → EM (DRAFTS) <1046 * (CALCT)) 1048

→ (c) F. BELL: 1) (c2) SHELLEY VIC.) 2) S# 305 NK'S IT'S WAY OUT) TODAY: WDC OK'D CT SL) NOW TO (c) APRIL S.) 3) SNAFU W/ DOUT. "SPLIT" YESTY.) USES DAS COMMAND!) 5) STILL FOR N 300 SHT. DOC TAKES N 30" TO "SPLIT") 6) "SPLIT" ⇔ "ITEM DETAIL" (AS REV'D. <ABF3)) 7) YESTY.: FIS SHTS. — SAID "30"!) 8) "RFC" ⇔ "RES" ⇔ "REJ" (⇔ "RES/REJ" ON ITEM DETAIL.)) 9) (c) APRIL S.: "FYI" — VS "REVIEWED", ETC...) 10) S# 311 HOPE? LATER TODAY TOO) ONLY N 32 SHTS.)

→ 1) (c) APRIL S.: 1) FATE OF S# 305 W/ HER ACTIONS = HER ON DRAFT CT SL) 2) GRANDFATHER CLAUSE re: TEMPLATE...) 3) FORMATTING SNAFUS) 4) LEGIBLE ROW IF CONTENT CHANGES) 5) YESTY: CALL TRAINING) * P/O) <1105

TOM M. ACT. (NOT L... IF NOT DESP...) <1107

SIGNATURE [redacted] TITLE Assistant Structure Representative/Leadworker

+SAV.: +$1 (+100 c [redacted])

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMPS

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -7/

DATE 10 26 07 M T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER

* U/D RPT. < 1110 / * < 1118 / * (CALLS ?) < 1119 / * SPOT ✓ PREV / < 1124
* U/D RPT. → SPOT ✓ E/M < 1134 / * E/M (R #991) < 1153
* SPOT ✓ E/M < 1155 / * (CALLS ?) < 1156 / * SPOT ✓ E/M < 1201
* U/D RPT. < 1215 / * S #305 : R #834 / RX PEN'S @ DOUBLER T's — PB LEFT ALONE (DON'T ONOT ALONG W/ FUPs ?!)

→ (1) WELDER S.C.: R #991 — WILL HAND OVER TO ME / SAW MY E/M)

2) S #229-1 : DSV (1) TYLER 8-SHOE/RAM COMPACTOR COMMENT) WE'LL MERGE W/ ABS PR: PRACTICE — HAND-COMPACTING) CAT "C" ANYHOW) FRICTION TEST IS PROOF-OF-PUDDING; DSV (1) TYL/M&N'S (1) PAUL (MUELLER-SP?) — DN #A: BOSMORS — 8/RAM?) AND R. MICRO-STATION GRAPHIC) TO SHOW THE A/M STAFF MTG (IF HAPPENS) TSUNAMI BACK DRAW : +(2 ?) DR WEEKS) C/SHE O.K. NO WELDER ACTIVE W/ COMMENT — PROTRACTED TO ARCH'S DRAW) & POST T. CARLEE... / DUE TODAY / < 12 57

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 82	DATE 10 26 01 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

W/ → J/D RPT. < 1246 * (CALL T) < 1247 * (CALL N) < 1252
* RES. R # 854 - X5 ↔ S # 305 : LOOKS COVERED
→ E/M (ST.) < 1306 * E/M (ST.) < 1314 * SPOT ✓ E/M < 1315
* CAC # 4152 : NO KEYS W/ DOC?
↳ (L: PROC.) < 1326 * CAC # 4152 : STILL NO KEY.
→ TOM S : NO 2 MACH. < 1329

↳ (L) / T(N) → C/J → DOES S.C. : I WAS ABOUT TO CALL HER EARLIER PL : SEE : TOOK (L) C. MILLER OUT : R/D .. ↔ BALLOON EARL ..) WQ 4 PL : JOANNE OT ; DOC : STAY AS A (C) ! < 1358

* J/D RPT < 1400 * (CALL T) < 1401 * S # 229-1 DRAFT OT SL — PROOF, ACTION < 1415 * (L) C. MILLER : H/S CARD ..) < 1426 * (CALL N) < 1427 * (CALL T) < 1428

* (TXT) < 1430 * (CALL) < 1439 * S # < 1442
* SPOT ✓ PM IN E/M ..) < 1445 * S # SH. DRAFT (RS) < 1446
* (CALL SL) < 1450 * SAN. : LOOP (TXT) → W < 1454
* S # SH. DRAFT OT SL (CONT'D) → (C) FR S # 4031 < 1450

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	-91	DATE	10 26 07 M T W T F S (Circle Day)
SHIFT HOUR: START	STOP	TEMPERATURE MIN	MAX
WEATHER			

<1506
* (C) WARREN S.C.) S # 229-1 — RE DRAFT .. 1) ~~RE~~ ON 1ST IT 2) CAT "C" — REWORD;
3) ECE (GARY J-L. WANTS ATTN: (W/ STAMP 2.)
⇒ MAY NOT GO OUT TODAY..)

<1510

* S # 311 DRAFT OF SL/ ~~CHANGE~~ ACTION) <1537
* LD: W/D "DETAIL ITEM" → ACTION TY/ <1543

* S # 311 → DOT../ <1547

* ~~INTERN~~ (U F BELL: 1) S # 311 → LOG../ 2) SAYS ECE GOLATS WDC DOORS CLOSED..=1 GONE FOR THE WEEK..?/ 3) AB'S TRYING TO LV../ 4) (C) APPRVLS STILL HERE..)

→ W/D RPT./ <1550

* (CALS TY)/ <1551
* MARK OUT:

<1552

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -10/	DATE 10 26 07 M T W T F S S (Circle Day) C
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

~~A~~ BEE GJT LFT 9808 — 4572 1552
LFT. V/M: ACTIVITIES HAM ON CT 52 DRAFT TRL STA 3M) F/LS W/ (C/ FB)

~~A~~ BCK GJT 9 1-650 222-7520 (N) 1555
ALREADY OUT OF THE OFC. (~~AB~~ ABOVE) DUE ON 2ND/ WILL LOOK @ ON MONDAY . . .)

~~A~~ W/D RPT.) <1554 / ~~A~~ RES. L/N . . .) ~~AB~~ KEYWORDS) <1601
~~A~~ S~~T~~ 3H P/O) <1604 / ~~A~~ DCE W/S: S~~T~~ 3H DRAFT CT 52 P/O (LEFT on CHAIR) <1608
~~A~~ E/M (ST.) <1615 / ~~A~~ (CALLS T) <1617 / ~~A~~ H20) <1622 / ~~A~~ E/M) <1624
~~A~~ (CALL T) <1628 & <1633 / ~~A~~ E/M) — DAMON M.B. 61 @ 7 am PER QC ? - 0.5 mi) STASH) 3 HIS BACKPACK STOLEN OFF CHC (PK TAX) LOST NOTEBK (N200); LUNCH.) CHECK Q Accts) <1657

~~A~~ W/D RPT.) <1658 / ~~A~~ (CALLS T) <1659 / ~~A~~ E/M (COMP T) <1720
~~A~~ (CALLS T) <1722 / ~~A~~ MEET: S~~T~~ 3H — KEYWORDS/ FW SUB ONLY NOT DRAFT CT 52/ ⇔ LOCK DOOR) <1729

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 11	DATE 10 26 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

*E/MS T/ <1744 ~~<1749~~ W/T: TOWER, DEC'S, ESD, CWD, W/S R/R
(C) WARREN S.C. VEIN LVE W NB ... A <1749

*V/D RPT. <1750 / *(CALS.T) <1752 / *E/MS T/ <1752
*S/D: PMOV, V/N, P/C <1753 / *(LWRC: C/N) <1754

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.