STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
**RESIDENT ENGINEER'S DAILY REPORT**
**ASST. RESIDENT ENGINEER'S DAILY REPORT**
CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45
☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP
04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

| REPORT NO. | DATE 12 29 07 | M T W (T) F S S (Circle Day) |
|---|---|---|
| SHIFT HOUR: START 0700 STOP 1530 | TEMPERATURE MIN | MAX |
| WEATHER CLEAR, COLD - A/M | | |

* 0000 – 0209 = 2°09' ; 0751 ~~0754~~ → 1621, 11 = 2°09' = ~~1342~~ 1342 (W'L) → 1755 ⇒ 7°4°13' W

* W) <0027 / *S/J ± W/D RPT) <0023 / *(E/M) <0035
* PREV.) <0048 / *(CALLS ↑) <0041 / *S 369 CTSL) <0154
* (DOT ANNOT.) → BOE BSB ± LR's...) <0200
* W) <0204 / (CALLS ↑) <0206 / *S/D: PMEV) → (E/M) ⇔ W/W) <0208
* DETAILS "C", <0209 (SAS) / W. SAS)

<0751

* ET AL SAS: 1) W/ PEV 2) MISC. CONTRACT ADMIN, ETC.)
* U/L WK/STAN; <0754

* SAS: 1) RCH D. MK & FL PDT) 2) W/ STRIKERS)
→ + (C) AFFEL S.: SPG ± W/W !) ⇔ RCE RS BOAT)
→ + DOUG W., + BCE GJZ) + BCE GK)

<0802

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

12 DEC 14 PM12:42 23000

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

BI-WKLY. ALL-STAFF MTG 11 29 07 TH

~0844 – 0925

1/

- DCE D SCHRAMM'S GROUPS (APT)
- SWPPP, CCG PAYMENTS

56
28 +28s
$255M ($18M + $215M MORE)
28 SWPPPS
28 CCR
$780M RFQ'S
296 RFIS
35
209 PDG
?

(<0901)

GP: WK 81 OF 356...

ABCM RTM – VERY V. CORE TEAM
- BARTNEY
- HEATHER RWE PDG TOURS
  - BOOM & BOATS
- OUR SCOPE: POLE DN & TEMP TOWERS
  - HEARING
  - TRAILOR DURA: 5 DAY UP TURN
- HS BOLTS: FAB/REL; LESSENS ~ BROKEN
  ODM: MFG DATES.. AUDIT WAIVED: NOT TOPIC W/ CONT
- QUIT WELDING: TOWER – DRAFTING & SPEN REV
- "AFTER" MOCK UP – CT'S TODAY ADJUSTMENTS
- PAINTING: COMP. SAMPLES DIDN'T PASS SPEC'S.
  - NO TEST DATA. • FLEXIBILITY TEST ON MANDREL.
    • DURABILITY: U.V. – 3 MOS.
- C-BAND PANS DIDN'T COME UP
- YLW. SAT. PLAY SET IN CHINA NO WAIVERS
- LTE & FIXE – ASKING FOR CCO?
- ELEVATOR SYTEM – SUB #(235): OWNER'S CHOICE

— TEMPLATE | STAFFING ← BRIAN P.: READY BACK
— CBTA. OF OPTION (<KOS), OR
CUSTOMS WILL STOP
(CM COMING FR. CHINA)

— "GREAT WALL OF CHINA"
— N. TRNS: SAV → MAR; PREFS, SID, OR SIMPLE MOST POP.
— LATE T/S: CLAMP DOWN · END OF DAY · END OF MON.
⋮

(0914) TE. GP: CHINA RAMPING | ORG FAIL FOR NI MO.;
PET MELE M,TU — BACK "HOME" STAFFING
DEDICATED BAINBRIDGE TODAY
• JONES ACT: TOM A. + ARTSY + BRIAN M.: BACK EAST
MARITIME ADM (MARAD)
• T/M ⇔ MARIE: COSTCO;
BTM: "U.S. LARGE" RLDS
ARTSY: CHEAP DOCK FOR <7PMC. USA — UNMARRIED
CT $ENTER TO START W. CONSULATE.
⋮

(0919)
<0925

VAA <1103 96-227-5712 (1003-1007)

MTR <1115

(A) RAP <1134

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

| REPORT NO. -2/ | DATE 4 29 07 M T W (T) F S S (Circle Day) |
|---|---|
| SHIFT HOUR: START STOP | TEMPERATURE MIN MAX |
| WEATHER | |

A- MAX A. TR. 792-1F17 0922-0927

1) ILL) FEVER)
2) GOT MY E/M) IN UK-CELL)
3) HOPES TO MEET W/ GLENN E.F. TURN.) A/SKEW DEV. CCO)
4) CLR'S MKR OFC → CANCELED ON IS (H))
5) ASK TOE IS REAL TSRNG OVD (L.G. MONITOR & PLC)
6) SIO L85-C781 (H)) 7) TD PAWG REPORTING JR #7 (H))

*4/D FFT.) L0929 / *(CALL T)) L0951 /

* PMN:

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

"WOOD" / 11/29/07 TH
10:45 AM – 11:15 AM

- PAT LOWRY
- SAM REVERE
- SAM LEWIS – LOCAL
- ED – DPR [PTG/ATSA]
- LOPA DORACK
- ANDY ROLFSEN
- STAY MEARTH, [PTG]

POLYXYLOXANE

- FOR ↓ POLYXYLO:
  → METAL / RESIST TO DAMAGE
  → FAR: MORE STL V. FAST
  → WATER
  → ALT. TO ASTM? NO – AMERON
  → STATUS OF TESTING
- PASSED REND TEST –?
  LOAD: REALLY IS ASTM TEST VS. TEST OVER A MANDREL..

(1017)

- OTHER TESTS: • TEMP CYCLING
  SHELLS
  • 250 CYCLES
- V-CHANNEL: NOT SPRAYED
  → TYPE: FLEXIBILITY
  [ANDY R.]: BY LAW, MANDREL-BEND TEST + ARABESQUE

(BFX 700 SERIES)

FAR: CAN'T START WEATHERING

→ COLOR / GLOSS – NEXT
→ WARRANTY
FOR: LAWSUITS..

WEATHERING + FLEXIBILITY
(> TSX 700)
↳ SC. FLA: (88% - ?!) LOSS...
10 YRS EXP - PEARLESCENCE
→ FREEZE THAW
→ NO CRACKING/PEELING
→ DK COLOR (TOUGHER W. OFF WHT)

- NO PREFERENTIAL TREATMENT...
- IRRELEVANT

~~LESA~~ A.: · GLOSS RET'N
· 2500 HRS. VS 4000

AMERON
QUV B - MORE GENERIC...
QUV A -

(1000) ECE EXT + (c) CUVC

(1000) FLUID RESISTANCY
→ 10 YR → SPHERE
→ POLYXYLOXANE

- CORROSION RESISTANCE
- ~~EMC~~ TESTING
— FOCUS ON TOPCOAT
- WORK TO ~~IT~~ ~~IOZ~~ DEMETCOTE-9
→ WET CRACK
→ KEEP MILLAGE DOWN

· 100
· 90 MINIMUM 90→100: IMP. W/O MUDCRACKING
· LESS FEDOS W/ DEMETCOTE-9

⟷ POLYXOLANE
→ 20 YR. CORROSION/UNITED
· RTX 700 - FLUX-POLYXOLANE: ACRYLIC OR ACRYLIC-

Cd WSC
FAILED GLASS? 3/

↑

Cd WSC: CARBONE SHERMAN-WILLIAMS INTERNAT'L
→ EPOXY : 2 MKT TO

· DO HAVE ACRYLIC ~~EPOXY~~ POLYURETHANE - DON'T NEED.
· ANDY R.: LIKES
→ ROMEO; NOT SPRAYED.

ALN · EPOXY POLYURETHANE - LOSES GLOSS IN 1ST QUARTER
ANN · FABN / TOUCH UP
→ MEXICO OFFSHORE — COMPETITOR
→ DATA SHT. : 2 WKS. TO RECOAT
· RX TOO — CAN BE TOUCH ANYTIME
→ REACTS W/ ITSELF
· CHINA: LABOR TO KEEP.

⋮

→ ~~JSM~~ MCARTHY: DOESN'T REC'D.

⋮

→

·

(1055) USA D - 1ST SAMPLE:
2ND SAMPLE: BENT - SMALL CRACK
2ND I - 2 WKS. CRACKED OFF-
→ SANDPAPER
→ STEEL BALL BLAST
→ JSM B.: NO PROFILE?
· ANDY R. → METHOD B. ⟺
· USA D: FOR AS SUBSTRATE?: BRITTLE-GLASS
→ 180° DEG. ON A 1" ϕ

WARRANTY? (NOW) — "LAST CHECK"!

80% PAINT IN CHINA;
20% — HERE

ANDY R.: "FOR PT. AFTER ER", TYP. SPEC. THIS JOB

T.N.: PTNS NEXT WK
L+ LVS

BOARD MTG NEXT WEEKS

→ BARRY ALREADY SPRAYED PANELS/ START WEATHERING...

→ 4000 HRS (VS. 2500)

"TSX 700 SS" — BATCH?
→ USED: 1 W/ UV INHIBITOR
→ SAME

(a) RL: "UNDERDOT TESTING & VERIFY"
→ RTC CHUNK...

· IR CURVE;
LD: "NEVER MAKE IN CHINA"!
→ HAS 4 PLANTS IN CHINA
→ LITTLE ROCK PLANT: CONSISTENCY FOR YEARS...
→ NO LEAD...

· CHEAPER W/ LEAD...
· PTG TOOK OVER AMERON. -
· SHIP TO CHINA
— NO TARIFF: "FOR EXPORT" (⇔ CHINA)
UNDER CHINESE LAW...
IF ANY, PTG WOULD TAKE CARE OF...

PTG COMES FROM AUTOMOTIVE
— PHILOSOPHY: LET THE COLOR MOVE YOU

(1111) · ~~FOR~~: LITTLE DEPT.
→ FIND SUPPLIER IN CHINA (TYPE 2)
— TEST 1ST RC GIVE TO ~~CHINA~~

· JEN R.: REPORT TODAY
— AMERON (CA): CHEMISTS, TECH & (ALHAMBRA)
AND SPRINGDALE...
:
— WHO TO BE ~~PRAYER~~ (IDEA)
:
<1115

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

| | |
|---|---|
| REPORT NO. 3 / | DATE 11 29 07 M T W (T) F S S (Circle Day) |
| SHIFT HOUR: START — STOP — | TEMPERATURE MIN — MAX — |
| WEATHER | |

(CAST) ; <1135 / ~~<1140~~ <GANA C.

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

| | |
|---|---|
| REPORT NO. 9 | DATE 11 29 07 M T W (T) F S S (Circle Day) |
| SHIFT HOUR: START — STOP — | TEMPERATURE MIN — MAX — |
| WEATHER | |

15FT
GUNA R. S #369

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 5

DATE 11 29 07 M T W T F S S (Circle Day) — G

SHIFT HOUR: START — STOP

TEMPERATURE MIN — MAX

WEATHER

X W/D RPT / <1517 / X (CALL TJ) / <1520 / X MARK V/M: SAS=+W (<1557 <1558)

X PMOV: S# 369 CT SL DRAFT (DN) → TOM S. TAY DAY TODAY... / <1534

X CT SL DRAFT / <1551 / X (CAL V) / <1553 / X S# 369 DRWG / <1559

X RCVD GARY S. CAL 9-1-650-222-7520 1559
V/M: /

X RCVD GSL 9-88-4542 1600
LFT. V/M: TRIED MSG ON CELL ALREADY. S# 369 WAITING ON MSG / ID ACTION (d APPRLS SO SAC CAN START.

X PMOV: S# 369 - CAN'T ACTION (d APPRL S.J. / <1608 <1614

X (d APPRL S.J. TB)

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-4041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

| | |
|---|---|
| REPORT NO. 6 | DATE 4 29 07 M T W T F S S (Circle Day) |
| SHIFT HOUR: START — STOP | TEMPERATURE MIN — MAX |
| WEATHER | |

(c) SCOTT F. → (c) A.S. + RE GP; (c) SR. + [illegible] ~ 1633

(CALSTA) ~ 1632, (CALSTA) ~ 1638

1645

RCE GARY J.-L.: BULLETS TO TECH'L COMMENTS FORMAT...; (c) APRIL S. ALREADY ACTIONED - HE WAS UNABLE TO UPDATE RMIV.../ WILL GO SEE HER NOW;

→ (c) APRIL S.: 1) RCE GARY J.-L. W.; 2) WILL HOLD OFF TO TOMORROW SO ARCH ROCK U CAN SEE.../ 3) RMIV ITEMS EXT'N TO TOMORROW?; I'VE YET TO SEE ANY "OK" TO EXT'N.../ 4) EXPLAINED "IS" ⇔ RFI X 1.0 & 2.0.../ 5) TECH'L VS POLITICAL COMMENTS; ISSUE PERVADES ENTIRE JOB — CABLE SYSTEM (ROPES, PROFILE), TEMP. WORKS (TRUSSES, TOWERS) ⇔ TYL FAMILIARITY ABOUT ADDRESSING COMMENTS PROPERLY NOW..;

6) JAN — NOT APRIL...)

1658

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

| | |
|---|---|
| REPORT NO. 7 / | DATE 11 29 07 M T W T F S S (Circle Day) 6 |
| SHIFT HOUR: START — STOP — | TEMPERATURE MIN — MAX — |
| WEATHER | |

* J/P RPT. / ~1658 / *CALSTA / ~1701

* SEAN W. 925-808-4565 1700
LFT. : L/M : TRYING TO REACH PE: CALM & WILL TRY AGAIN; STILL AROUND CAMPUS?

* D.W 925-774-1603 (C) 1702
OFF ?. LFT. L/M

* P/D RPT. / → S #369 : CT OF REPAIR / → P/O / ~1708

* S #369: P/O / ~1712 / APPROVE / → NEX D.C. GOOD WORK ON SAFETY BOARD / ~R.B.! TH. NIGHT CAMP. / ~1721

* CALSTA / ~1722 / * LV PLAN ~1728 / *CALTRANS / ~1748
* CALTRANS / ~1750 / * J/D RPT / ~1752 / * S/D: REPORT / ~1755

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.