RM, -h < 1057
< 1313
GSL < 1327
GR < 1335

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT
CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45
☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP
04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -1/	DATE 11 30 07 M T W T (F) S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~39°F MAX

WEATHER
CLEAR, COLD - A/M/
* 0807~/0810/ ⇒ 1637 + 1809 / ⇒ +1°32'~?

-h:

* SAS: 1) W POV / 2) MISC. CONTRACT ADMIN, ETC. / < 0807
* U/L WK / STA^N / < 0810 / * S/U (O/D EPT.) → SPOT ✓ E/M
& PMLV / < 0818

* E/M↑ / < 0823 / * E/MS↑,↓ / < 0829 / * (CALLS↑) / < 0831 < 0838
* LV. BAL (CONT^N) → MISC. / < 0834 / * MISC. PREP. CRM /
* P/O / < 0840~ /

< 0851
* JAV: 1) SEE ~#2 - ↓; 2) (c) SCOTT F: STRONG TOP POT /
3) + PAM G.: 1) E 85 SNAFUS / TLL'S CAL / (ALAN COMPANY SPR)
2) REBAR MONDAY @ W-2...! 60(?) MPa CONCR.! /
W/L ≃ 0.30?!; 3) 46...;

< 0851

SIGNATURE [signature]
TITLE Assistant Structure Representative/ Leadworker

'12 DEC 14 PM12:12 23805

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 21

DATE 11 30 07 M T W T (F) S S (Circle Day)

SHIFT HOUR: START ___ STOP ___

TEMPERATURE MIN ___ MAX ___

WEATHER ___

<0800

* U/D RPT. <0855 / * CALLS ↑ <0857 / * V/M: +1 V (645 → L7)

* R # 1061: REV. ACTION... → 901

<0901

* BCE: TJ BCAL: HEADS UP - S # 369 (WT. CONTROL 1.5);

⊕ BCE GJL EDITS: MOVE TIC AROUND, ETC.)

(i) THEY SAY NOT LIKE UNTIL TODAY, 8. (i) APPL 2.

HELD OFF TO SHOW ARCM. RTM → MAX WANNA GO SEE)

<0908

* REV: SPOT ✓ S # 369 - NO ARCM RTM ACTION..!

* ✓ ✓ ✓ ✓ # 214-2: NO ASM (i) RSL PO 37.) ✓

<0917

<0958

* CALLS ↑ <0918 / * E/M ↑ <0921 / * LV PLAN

→ DARRS I.C.: [LJ 4000 - ?] ERROR? → NO LONGER RECALL...!

→ BCE TJ BCAL: ! S # 369 EDITS < ARCM RTM —

IJ. # 1 - FIXES; IJ. # 2 — CTSL # 461 → NEEDS TO DRILL DOWN TYL LEAD ⇔ VERIFICATION ...

2) LV PLAN TO BE ~175 HRS OVER CAP; TAKE 2 DAYS <0958

SIGNATURE ___

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -3)	DATE 11 30 07 M T W T (F) S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* ICE ISI BOAL: ILL DO EDITS ON PMTV - AND JOTTY (1) APRIL 5.) OVERALL TENOR O.K.) <1000

* J/D RPT.) <1004 / *(CALLS!)) <1005 / * J/D RPT.) → S# 3&9) <1018

* W. BAL) <1020

* DORIS IC: STATUS 5500 - 11X17 → TRAY 2; STACK - ALSO ORDERING PARTS; QUOTES 1ST ...)

→ (1) APRIL 5. <1031

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 9/	DATE 11 30 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

<1015
A S # 309 DRIFT
— PEC M.

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -5/	DATE 11 30 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX
WEATHER	

* S #369 FINAL CT 52) <1339 / * SPOT ✓ E/M) <1340

↓ LL PREP) ↓ → SA S. SEM: L...) → BLE BJB: P/C?) MAX A —
→ (DCE W.S.: NIGHTWORK.)

<1352

* (CALLS ↑) <1355 / * (I/N) ↓ (L) / <1422 / * (CALLS ↑) <1431 / ↓ NEXT
MAX → DCE DM BOZGAY: TO E/2/T1 TOUR.)

<1441

* V/D RP'T) → (I/N) <1451 / * (CALLS ↑) <1453 /
* LV PLAN) → P/O) → BCE RROAL: NOW I'LL DO
PLAN FOR NEXT YEAR) ~~A~~ I'LL E/M TO ARCM
TET. MORROW (BOTH) ← HAS TO MAIL ~~BOTH TODAY~~
→ V/D RP'T) NA

<1507

* H, O) → E PAUL J.; a

<1512

* LV PLAN) → ERIC B.: PMIV — X/REF) USCG?)

<1521

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -6/	DATE 11 30 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

*U/D RPT) → ERIC B: COMFORT W/ PMIV?) <1522
*(CALLS↑) <1525 / *LV. PLAN 08) → P/06) → BCE BJ) 4535

*E/M↑) <1541 / *ARCM RTM: GONE FOR THE DAY/ WEEK) [I'D E/MAILED ATM.])
→ BCE BJ BOAL:) ↑ / Y I'LL BE AROUND)
→ PMIV: R #1053 E/M <TYL JUST NOW!) <1548
→ U/D RPT.)

*(CALLS↑) <1552 / *R #1053: REDRAFT) → P/0) <1554

*BCE GJ LAT 9-808-4542 1553
→ LFT: V/M: R #1053 RTR <TYL) POSTED IN PMIV

*BCE GJL 9-1-650-222-7520 (C) 1554
V/M: FBID

*BCE BJ BOAL: R #1053-1 (RE) DRAFT → OK TO SEND OUT "AS IF" (I'D BEEN UNABLE TO REACH BCE GJ LAT) NO NEED TO REV. PLANS (JUST YELLOW SET)

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -7/	DATE 11 30 07 M T W T F S S (Circle Day)
SHIFT HOUR: START ____ STOP ____	TEMPERATURE ____ MIN ____ MAX ____
WEATHER ____	

(CONT'D)
WE NEED TO SEE @ MO CONT THAUGHT I'D CALL
SO ON MY 1ST DRAFT.. / ARE'S DRAFT &
ALREADY SAID ~~FOR~~ TO FACILITATE ERC..

DCT: 1) LOG BACK / 2) LET R #1053 ON (6) SEPS
DESK)

<1601
<1610

PREV: R #1053-1 SETTLEMENTS TO DCT'S (3 EA)
A/D RPT. 1612 / A SPOT V EM PREV <1614 / L <1618
V PREV: R #1053-1: CLOSED <1621

<1630

MISC WRAP UP <1625 / A S#369: WORD DOC WRAPUP
A(CALL) <1638 / A(CALL) <1639 / N <1643 / A S#369 <1646
A(CALL) <1658 / A(CALL) <1700 / A(MISC) / A(CALL) <1706
A(CALL) <1707 / A(CALL) <1708 / A(CALL) <1714 <1724
A(CALL) <1717 / A(CALL) <1721 / A(CALL) <1722 / A(D RPT)
A(CALL) / MISC UPW: COMPLETE IS ACCEPT <1728

SIGNATURE ____ TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 8	DATE 11 30 87 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

<1743

*I/N: <1737 / * O/L T/S → SAME / CORRECT → [illegible] / P/O
* O/L T/S → E(M) → BCE [illegible]: 1) [illegible] 2) [illegible] T/S [illegible]
3) DTD [illegible] 4) LATE MONDAY; IF COME [illegible] ALL
<1746

<1800

*(CALLS ↑) <1747 / [illegible] → [illegible] (L: C/U) → M. AWAL: W/END ACCESS: JUST USE FOR FRONT & BACK DOORS ONLY (NOT SIDES)
9800

*E/D RPT. <1801 / *(CALL ↓) <1803 / *E(M↑) <1808
* S/D: W/NOTES [illegible] <1809

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.