~~0814N~~ ~~0822~~ ~~R # 777 < 0900~~ ~~WR, OV W/M < 0815~~ ~~RT, PNLB < 1158~~ ~~WD/D < 1203~~ ~~CC < 1202~~ ~~RTM, JM, MGT. CHK~~

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -1/	DATE 12 11 07 M T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~ 42°F ± MAX
WEATHER CLEAR COLD — 1/M	

* ~~0814N/0819N/0822~~ ~~1614~~ 1614 (MN) 1916 ⇒ 4" [3°02' (−1°38'N)] ⇒ 4" 1°24'N

N: (1623N − 1801N = 1°38'N),

* JAS: 1) W PON 2) MOSC CONTRACT ADMIN, ETC. < 0814N
* JL WK. STAN < 0819N / * PREP. FOR STAFF MTG. < 0822

* INCLY. STRUX STAFF MTG. 0800 / 0823N ± 0856N
→ SEE FILE FOR ROSTER & NOTES.

* DEL UP R # 777-X FOLDER FOR RCE BJ ROAL WE @ 0900 MTG.
→ RCE BJ ROAL: L — I'VE RCD 1 & 2 NEEDS TO P/O R3 RESPONSE & R4 (STATUS?) (C) WSC ATTENDED MTG FOR ME ON (10/30/07 —?) WHEN I ATTENDED OLW PRE-WELD MTG W/ FOR RCE BJ ROAL.

4) STAFF MTGS NOT @ 0820?! < 0900

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

12 DEC 14 PM 12:13

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 2/

DATE 12 11 07 M T W T F S S (Circle Day)

SHIFT HOUR: START ___ STOP ___

TEMPERATURE MIN ___ MAX ___

WEATHER ___

* DJV (c) CARL C. 9-1-415-205-9153 0701
PG + V/M: GOT MY E/M BACK TO HERS YEST'Y EVE 5?) WE'RE ON FOR 1000.

* KEVIN S. ARE-JV 9-888-4594 0903
BCE BJB & (c) GB TO BE LATE TO 1000 ⇔ T. CABLE ENG'R (SWT) F/U MTG @ 0930; ALSO, 0900 W/ (c) GB "+" ⇔ R "+" TTM) DELAY TO 1030 ?) MAY BE 1015~...)

* JD RPT) < 0909 / * (CALS?) < 0911 / AMISC) < 0914
~~< 0931~~

* ~~(M) MARAMAMMA~~ BCE KEITH O.: HEADS-UP - ARE-JV'S CHUCK K.: PRESENT NEXT TUE ON NCR SOFTWARE; I'LL PUT THEM IN CONTACT W/ FA. OTHER) OSM (c) AMWAHBEH TOO...)

→ + (c) WARREN S.C.:) ↑ ABCM TETM & PE GARP ON CONF CALL W/ OSM (c) AMW: THEY DIDN'T SOUND ENTHUSE ABOUT A 2ND SYSTEM TESTING PLAN...)

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 3	DATE 12 11 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'D)
2) ARFJV DOESN'T PAY FOR PMIV...)

3) MENTIONED TO ICE BJ ROAL @ STAFF MTG BT I WALKED IN: NEED "LEAD" & "BACK UP" TO O.I.W.; MTG MON.) O.I.W. ATTITUDE...)

→ + (c) J. FINN: 1) + (c) M. STONE) 2) T. CABLE @ WASE)
→ + (c) D. ROSS)
→ JAV: 1) + #2 ↓ & 100 ¢ ↓ (& 100 ¢ @ BUCKET)
2) MK. FR. POT...)

→ EXT'L H/D: BACK TO (c) T.P.'S CHAIR; <0934
* U/D RPT → SPOT ✓ V/M) <0936 <0950
* U/D RPT) <0946 / *(CALLS ↑)) <0948 / * U/D RPT) → SPOT ✓ E/M)
* U/D RPT) ↔ PMIV: S #403 - ACROBAT ATT'L; <1000
↓) <1004

* ARFJV'S KEVIN S. FR 774-1323 "1002"-1003
LARGER THAN ANTICIPATED GROUP → NOW @ FRONT/MAIN ARFJV CONF. RM.

SIGNATURE [signature] TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 7	DATE 12 11 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* TYL DJV (c) F.O.: (c) CAROL C. — 1) JUST GETTING MY V/M (@ DESK) (...?!) 2) SAW MY E/M BACK LAST NIGHT) 3) SHE WAS WORKING PAST 2000 HRS. !?..) "SHORT TERM"; 4) (c) G. BAKER (& BCE BJ BOAL) @ MT'2 IN THEIR CONF RM — I'D ALREADY GIVEN ABFJV HEADS UP WE'D BE LATE..) 5) MOCK-UP IS ISSUE AS PER ABFJV'S KEVIN S. YESTY. (IN MY E/M)

→ BCE BJB & (c) GB: READY TO GO) → NOW @ ABFJV'S MAIN CONF. RM.: MORE PEOPLE..)

<101X~

* S #214-2 "CRM" "1000"/101X~→1102
→ SEE FILE FOR FOTER & NOTES

* S #214-2 INTERNAL MT'2 ~1102 → 1120

* S #214-2 F/U MT'2 W/ ABFJV 1120 → 1139

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 4

DATE 12 11 07 M T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

* DJV (C) CAROL C. FR 415-205-9153 1203-1207
FOR BJ BOAL?; JAN'D RETURNED, RLT AWAY NOW/
CELL E PH...; I FOUND C ARCM FOR TM, S
OFC.; DJV (C) M. NADER DEPUTY ENGR (SH 214-2)
STILL CONCERNED RE: MOCK-UP RPT.; I'LL BE
WORKING ON IT & RE-DRAFT; ARFJV TO CUT
HOLES AFTER FOR WELDING...; I'M TO ASK
BCE BJ BOAL CALL DJV (C) MW AFTER ~1 HR.
(↔ T. CARLE MTG C 1300 ARS.)

(1228)

AND BCE BJ BOAL: 1) W/ ARCM TM; 2) ↔ DJV, MTG
WAY'S ARFJV BOB K. CALLING FOR MTG?; & G-S
"FYI" T/L COMMENTS? 3) APPRISED AM OF DJV (C)
CAROL C'S RPT. TO CALL DJV (C) M. NADER.

→ UP RPT. → MGV: 1) FRI...; 2) SAT @ L.V...! 1217
* UP RPT. 1220 * (CALLED) 1219 ASPOT ✓ W: SAP (F2L 3J)
1222

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

REPORT NO. 25	DATE 12 11 07 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

* (CALLS ↑) < * FT^N SAS → DAMIN M. B. MISSED PR'S GOING AWAY TESTY.) ⇒ SP - FINALS CHILDCARE STRESS.) <1KHZ <1KHZ

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 5	DATE 12 11 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* U/D EPT) <1224 / * E/M↑ (A.P. #1066) <1228
* E/M ↑) <1230

* (C) 1239 WARREN S.C.: BCE TO POAL?: W/ ABCM RTM AFTER S #2H-2 MT E) *

↓) → PROV S) <1247 / * (CALL ST) <1249 / * PREP. FOR MT E: P/OS (E/MS) <1253
* P/OS) <1258 / * (C) T.P.: <1300

* BCE BJB: HD E TO T CABLE ?: Y) P/OS..) #40..) <1304
→ EN TO E TOGETHER..)

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 7 6	DATE 12 11 07 M (T) W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* "WKLY." T. CABLE MTG "1300"/1304N → 1347
→ SEE FILE FOR ROSTER & NOTES.

* S #214-2 → NTL F/N MTG (w/ DJV (L/MN)
→ SEE FILE FOR ROSTER & NOTES.
~1347 → 1411XN

~~1420~~ → 1423XN
* S #214-2 F/N MTG w/ ABFJV's T. NILSSON
→ w/ BCE BJBOAL;

* C.H. / TO 622-5188 / 1424-1426 V/M-PN-G RI
~1445
* [MTG] w/ BCE BJB & CKY

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 6	DATE 12 11 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —

WEATHER

(1445-)
* (CALL ST) | <1447 / * S #403 : R/S DRIFT | <1450

1456
1449 -

* (6) JPL 9-800 — 4615
(HE WAS OUT YESTY.)

1) 2) X/M POTLUCK..)
- (L: PREP) | → TOM S. : P/R CH CK ⇔ TSCE N.L...)
- (L: PREP) | <1508
- (L) | → H/C S #s 116-3 222-4, 479, 485)
- PMTV R# 1053-1) → U/D RPT. | <1519 / * (CALL ST) | <1520
* U/D RPT ⇒ EMT) / ⇒ (L) | ⇒ (6) TP: 106 DW @ 1312 | <1540

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 7

DATE 12 4 07 M T W T F S S (Circle Day)

SHIFT HOUR: START STOP

TEMPERATURE MIN MAX

WEATHER

* E/M ↑) <1547 / * STAPLE) <1550 / *(CALLS ↑)) <1553
↓) + H2O) → C. HAVEL: SURE ENOUGH, SAW BRIAN M. @ (C) MNADER'S ← GESTICULATING... ⇔ ABF JVS RON C'D CALLED BRIAN M. ?!) I'LL KEEP CT SL DRAFT W/ A MOCK UP REP'T.; I'D CALL (C) CAROL C RE: (N) SK...;

→ + DCE W.S.: 1) SMELLS LIKE K/M) 2) JEWDAR..) MATRIARCHAL..)

<1601

* V/D EPIT) <1607 / *(CALLS ↑)) <1619 / *(CALLS ↑)) <1622
* LOCK WE / STAR) <1623 /

*
* TT^N SAS) <1801
↓) + LT^S OUT. M'S R/R, DJC'S, LOBBY) → MC: HERE) <1808
* SPOT V V/M: SAS = +2↓ (φ 35) <1810 / *(CALL ↑)) <1813
* MISC) → E/M) <1820 / *(CALLS ↑)) <1821 / *(CALL ↓)) <1831

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 8	DATE 12 11 07 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

*(E/M) (SNAFU) < 1845 / *(CALS↑) < 1850 / *E/M↑ < 1905
*CWR: (B) < 1910 / *S/D: (E/M) L/N, PMOV (S# 479)
S# 116-3; S# 222-1) < 1914 / *(CALS↑) 1915
*LOCK MK / STA↑ < 1916

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.