STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

JOB STAMP

04-0120F4

04-SF-80-13.2/13.9

SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 1

DATE 12 13 07

M T W T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE MIN ~ MAX

WEATHER CLEAR, COLD — 44

0000 - 0054 = 54 ; 0753 - 0755 → 1623 - 54 = 1529

1459 (N'L) → 1623 → 2400 = 40.39

+ 4043 → 1947

(1624 - 200) = 3037 (0016 - 0017 = 1), (0042 - 0049 = 1), (0951 - 1), (0952 - 0954 = 2), (1020 - 1021 = 1), (1249 - 1255 = 1), (1255 = 2), (1035 - 1037 = 2), (1051 - 1052 = 1), (1118 - 1119 = 1), (1149 - 150 = 1), (1211 - 1213 = 2), (1225 - 1226 = 1), (1234 - 1235 = 1), (125 = 2), (1455 - 1456 = 1), (1520 - 1524 ~ 4 N), (1545 - 1547 = 2), (1621 - 1622 = 1), (2028 - 2029 = 1), (2050 - 2051 = 1), (2102 - 2103 = 1), (2120 - 2121 = 1), (2159 - 2201 = 2), (2219 - 2220 = 1), (2220 - 2221 = 1 N), (2227 - 2239 = 1), (2250 - 2251 = 1), (2324 - 2329 = 3), (2347 - 2349 = 1), ⇒ Σ(N) = 3037 + 1 = 3037 + 1°11' = 14° 48'

* U/D RPT.: <0016 / * (CALS'T) <0017 / * U/D FPT.: <0048

* (CALS'N) <0049 / * W <0052 / * S/D: E/N, U/N PMEN, P/C <0054

* TCT'N SAS: 1) W/ PW 2) MISC CONTRACT ADMIN, ETC.; <0753

* REC: G/M; → TO P/C <0755

* PREP 1) FOR 2) SAFETY MTG. / TA

* JAV.: + F.O.; + (c) SF: + MADE FR. POT; 3) TALLY: A SF; 4) STRONG POT (< ERDC R.) 5) VS. WEAK... / <0800 ~

* RE-WEEKLY SAFETY MTG

→ HOST: (C?) M. BAKER — DVD: "PROMISES... PROMISES" / + GROUP READ-ALOUD (⇔ COPIES) + SAFETY FOUND TABLE;

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

12 DEC 14 PM12:13 23019

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-4041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46-02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	21	DATE	12 13 07	M T W (T) F S S (Circle Day)
SHIFT HOUR: START	STOP	TEMPERATURE	MIN	MAX
WEATHER				

* (CALLS ↑) / <085 / * LOG IN → E/M: L/N = 719 (JRS, HOU) <852 <856N
* J/D RPT.) * PREP. FOR MTG.)

* TS = WEEKLY ALL-STAFF MTG #856N → 095)
→ SEE FILE FOR NOTES)

* J/D RPT.) <852 / (CALLS ↑) / <095

* RCE ~~ES~~ RAIL: D TO S#2 4-2: YET TO RENEW/ WILL DO SB NOW...)

2) ASK MAX A REPORTING MONDAY - ① WORKLOAD ASSIGNMENTS ?: ① (N) ORG SUMM'S ② EXCESS ORG SUMM'S - (C) WC, SO (C) WC CAN KEEP CONTINUITY ON ALL CABLE DOCS.) ③ 49.24-S7 (PLANS & SPECS) DRFT - COMMENT BACK TO DESIGN. DUE...)
④ BRNGNG ON P/C ← WILL NEED PMCN & REPORT ASAP) ⑤ MEANWHILE CAN USE TILL'S P/C - IDLE NEXT TO (C) PAUL C. ← LV'S 12-24 PM) ⑥ I'LL ASK PCT'S (C) FRELL TO DO PMCN ACCOUNT ASAP...)

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 3/	DATE 12 13 07 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N)
3) TD PHUNG NO LONGER COMING TO SAS - ;) TO 92/880 W/ BCE DWU...)
4) ROMAN M.G.'s CALL A FEW DAYS AGO - I'VE TO RETURN!) L.T.A...; (⇒ "JOHN": ?!)

→ + BCE MP WOODS: I SAW INV. O/S NO DOOR BUT DIDN'T BRING IN) ⇒ F. BOLON'S I.D. BADGE; TOOK AWAY FOR ALREADY...; NEEDS STEN.; HOME ADDR...; HAS PERS^L CELL^R...; I'D LEFT & RETURNED A - 2ND - TIME...)

→ (c) SHELLEY B.: 1) (c) AS W/ (c) FB; 2) ASR MAX + NEEDS PMOV ACCOUNT BY THIS MONDAY; "EASY"!; 3) OWN P/C, BUT CAN USE TLC'S MEANWHILE...)
3) COLD... ⇒ T/STAT @ DCE PEDRO S's OFC.) I'LL GO CHECK...)
4) (c) SB STILL W/O L/N E/M!;
5) (c) FB P/C (TOWER) REPLACED 3X!; L/N ALSO FINALLY FIXED YEST'Y. P/M!; (c) T. PHAM TOLD (c) SR →

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — F/	DATE 12 13 07 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N.)

(c) FB'S L/N WAS "CORRUPTED"

→ 6) DCE CHRIS M. AVOIDING THEM... (⇐ (c) SB'S L/N...)

→ DCE PEDRO S: NOT IN? — DOOR CLOSED/LT^E OFF

→ + BCE BJ BOAL: 1) (c) FB CORROBORATES "EASY" TO S/U MAX A W/ PMIN ACCOUNT...) I'LL SEND E/M...)

2) KEY TO DCE PS OFC? — HIS "SUB" MASTER ONLY GOOD FOR WEST WING OFCS...)

→ + DCE CHRIS M: HAS "MASTER" FOR BCE BJ BOAL...)

3) 41 ⇒ 100 ¢...) HAD LEFT POST-IT ⇒ "FT. KNOX"

→ + DJV (c) TOM H.: DJV (c) ALEX E.S. CELL #?; < 1012

* DJV (c) AES TO 415-205-8391 1012-1013

(DJV (c) T. HO: MT^E CHANGED FR 1100 TO NOW/1000]

49.31?

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 5	DATE 12 13 07 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* DSV (d T. HO :) F9.24-S0 : ARTW ASCNWLG IT CAN BE-USE (E) SKYWAY TRUS. SPAN ORL TRU NO FATL CRKS FOR TREATMENT R/N FATL — YES: SUCH WAS DESIGN INTENT ; C MOST, E/E HOLES (E ALREADY TENSIONED...) ⇔ "FIELD MOD-9"

2) CONSTR STILL AWES COMMENTS BACK ON F9.24-S4: PLANS & SPECS.)

3) ⇔ (N SAS EMPL [MAX ↓] REFORMWL MONDAY)

4) SPECS NOW ON DSV (d T HO AS WELL, AS PER PIC M.)

<1020

*(CALL N) <1021 / *SPOT V F/MS) <1024 / A/D EPT. / SPOT (E/W) <1025 <1051

*(CALL E) 1026 / *(CALL N) <1037 / ↓ <1043 *

*(CALL N) <1052 / *E/M T/ <1118 / *(CALL N) <1119

* PMEV: S #223-1) <1120 / *A/D EPT.)

+ PHIL L.: 1102 i) F/W SUBM L "AWCOMP" ~ "PEC" / "N/A" "PES" ; ii) SS for 55-1.06 → 5-1.02 ... F/W MANUAL...

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -6/	DATE 12 13 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N)

→ FOR 9/2/88 ...)

2) I JUST HEARD T.D PHUNG NOT COMING TO SAS !) ⇔ O.T. ⇔ FAM. ...) DOING FIELDWORK: NOT OFC / F/W ...)

3) ⇒ P.L LAT ASH TO OFC / ADMIN ...) & ALSO NOT STAYING @ SAS !)

<1132

* S #2 FF-2: SPOT V. PMIV) <1134 / * TOM S. PMIV X/M ITEMS @ COUNTER) <1135

* U/D RPT) → E/M (STD) <1149 / * (CALLS ↑) <1150
* U/D TOP'T) → (C) TOM D: D/O H/C - S #s 2221 & 4209
* U/D RPT) <1211 / * (CALL ↓) <1213 / * U/D RPT) <1216

<1225

* BCE BJ ROAL: DRAFT CT SL ⇔ S #214-2) 40 VS. 70 mm + PL ITEM) HAND-CALCULATION: CONCER RE-WRITE, ETC) HE'D GO SEE ~~[illegible]~~ BJ (C) G. BAKER) <1225

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 7	DATE 12 13 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* (CALLED) / <1226 / * FS/M.T. / <1250 / * P/O / <1220 / * W/D RFT / <1254
* (CALL D) / <1255 / —(C.: PROC.) / ⇐ MARK GW PLACING OF PL BAG
⇒ L...) / <1240 / —(C) / → R # 921-2) / <1249 / * (CALLED) / <1251
* PLTEN: R # 508-4...) / <1257 / (N) <1259 / * PREP FOR WLD / <1300~
+ SEE TSI. RCAL? HOW TO T. ORG?!)

* WEEKLY T. ORG MTG 1200 / ESG - 1425
→ SEE FILE FOR ROSTER & NOTES

* AD-HOC MTG ⇒ 49.24-SG & ORL SCR M. CONTROL / <1425~ <1500~
→ SEE FILE FOR ROSTER & NOTES
* ARCH'S ENGRS → CLEAN W.: R/R CRANE/VEYOR SHOP DWG / <1455
* PI RE SAS / * (CALLED) / <1456
cc: D)

* 2) → (C) JOHN P.L.:) S # 214-2: STAT. W/ ICE STRATA /
RFI DUE TODAY: R # 508 RFI NOT MINE BY
I'D SPOKEN TO DSI (C) WHAT T-) NO PB COORD!)
I'D SPOKEN TO ICE RE RCAL — ALL COORD W/ RE
EARLY ...)

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 8	DATE 12 13 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX
WEATHER	

(CONT'D)

→ TOBERT KNICKERBOCKER - [illegible] CONCORD OFC (MV'E FR. MART'E); SEAS FM'E [illegible] TOM FRESQUEZ...

→ + ARM DB COE [illegible] OBS [illegible] DISCUSSION [illegible] RECUPERATING...

<1510

* PMIV (MISC.) < 1515 / [illegible] < 1519
* (C) TRIEN P. I SAW MY P/C COULD BE RESTARTED [illegible] HE SUSPECTS "REMOTE" SERVICE TO U/G MY P/C REINSTALL YET TO HAPPEN...

<1520

* (CALL ↓) < 1524 [illegible]

* MISC.) → SPOT ✓ E/M) → U/D TOP'T) <1532

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 9	DATE 12 13 07 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

1532 – 1540

* (c) APRIL S. FR 1510715 0968 DHAS S #214-2) < (c) FB!) BCE BJB STILL WORKING ON...) ENDED UP W/ ~6 MT'GS ~~[illegible]~~ T.E. ON THIS!) DISC'D. @ CORE TEAM VESTIY. & @ T. OBS @ 1300 HRS...) (c) I BELL SENT HER BOOTLEG COPY OF MY DRAFT...)

2) ALSO GOT BOOTLEG OF S# 403 OT SL DRAFT) NOT READY...) PRIORITY'S BEEN S#214-2) (< 1547)

2) HAS S# 403 OT SL DRAFT TOO) + BCE BJB STILL REVIEWING...) S#214-2 1st PRIORITY...)

* (c/D FPT) → SPOT ✓ E/M) // ← POS ⇐ R#S 5 SPOT) < 1545
* (CALLS) < 1547

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 10/	DATE 12 13 07 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

* P. HE 9-808-4620 1547
V/M: R #508 RXS — WHO IN CT BUYS OFF?

* P. H. 9-1-415-515-2626 (BC) 1550
VERIZON: N/G..

* P. H. 9-867-6069. 1552
CALLING ME ON DESK; TO CALL ME LAND LINE.

1602
* P. H. FR. WDC. 1553
R #508; A/C t...) LONG MTG W/ RE GARY P.
(ABCM FTM..) PBLS ERECT S. (BEST B.P.)
NOT WORTH IT..) NO PROB. W/ STRUCTURALLY.)

* RE GARY P.: @ MTG @ OLD VTC. W/ ABCM
TTM ON SPEAKER PH.)
→ P/OS ⇒ R #508 RS..) <1614

* RE GARY P.: ↑ HANDED HIM FOLDER) <1615

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

→ DORTS ... BACK

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 11	DATE 12 13 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

<1624

* BCE BJS REM: I'M LVE FOR DR APPT / HE'S LVG SOON / ALMOST DONE W S#2L4-2 = B4 HE LEAVES.. / NOT GOING OUT TODAY.. / = CAN HELP FINALIZE TOMORROW / I'LL TAKE C #403 F/U'S SO I CAN U/D STATUS BY HAND... / NOT DUE TODAY.. / I'D LEAVE R #1067 FOR HIM TO REVIEW: ALSO DUE TOMORROW / C/ APPT ALREADY MKNG ABOUT S#2L4-2 / C/ F'S SENT RE: BOOT LEG ACTION (FILE).. /

<1621

* CALLS / <1622 / LOCK W/ STAN / <1623

* LV. SAF / <1624

* C/ APPT S FR. 1510156968 1644-1649
S #403 WNT GO OUT: NOT SUPPOSED TO! — BCE BJS TOLD ME HE WOULDN'T LOOK @ IT UNTIL TMRW. SINCE HAD TO LEAVE ASAP (STILL WORKING ON S #2L4-2 DRAFT AT SJ) I'D TAKEN F/U'S BACK PREVIOUSLY SO I'D U/D STATUS / ONLY REASON SHE GOT DRAFT WAS DUE TO C/ F/U BOOT LEG

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT
CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45
☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP
04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 12
DATE 12 13 07 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —
TEMPERATURE MIN — MAX —
WEATHER —

(CONT'D)
→ PMIV ACTION (AS FOR S#214-2)!) DRY SENSE OF HUMOR!

(<1650)

* RTE SAS) → SEC. BOOTH (NOT JAMAL) <2001
* R.B's POV @ NO. DOOR!) → BCE MPW ENVELOPE GONE...)
→ R. BOLOW —!: 1) W/ HASSAN Y.I.) 2) ENVELOPE ON DOCK — THERE LATE LAST NIGHT [THE MORNG.] WHEN I'D LEFT ⇒ EARLY PERSON TODAY GOT...) 3) ⇔ I-D BADGE & SIGNATURE...)

→ (c) TRIEN P.: STILL HERE!)
→ (c) WARREN S.C.: 1) RICOH VS HP COLOR QUALITY: BLURRY / ILLEGIBLE...) 2) I'LL CC: MY E/M(s) ON PRINTER SNAFUS...)
3) INADEQUATE LIGHTING: NO RESPONSE — DCE C.MASTER...)
BCE ~~[illegible]~~ REAL'D SHOWN ME HAD SOME SORT OF FOOT-CANDLE REG. THIS →

SIGNATURE
TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT
CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45
☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP
04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 13
DATE 12 13 07 M T W T P S S (Circle Day)
SHIFT HOUR: START STOP
TEMPERATURE MIN MAX
WEATHER

(CONT'D.)
→ WORKING; HE'D OVERHEARD US TALKING; (c) SCOTT F. AGREES W/ HIM...; APPARENTLY BALLASTS BAD — NOT COVERED BY WM & SCOTSMAN (TRAILER LESSOR ?!) ⇒ "NO BUDGET" EXCUSE B4 THIS SUMMER ?!)

4) MY E/MS ⇔ A/C FILTERS...;

5) HE WORKED ON A FEW. ORG SUBM^E;
6) ~7-8 DUE ON (12-24-07 - ?); NO ONE TO SIGN CTSLS!; ⇒ ALL READY BY 12-21 F...!) CALENDAR-DAY JOB)

7) (c) APRIL S. CALL TO ME THIS P/M RE: ORG S#403 NOT READY!) ROOTLEG ACTION < (c) FB!) I'D NEEDED TO DO STATUS!)

8) LOOKS TIRED...; 9) SAW R. ROLON...)

<2025

SIGNATURE
TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 14

DATE 12 17 07 M T W (T) F S S (Circle Day)

SHIFT HOUR: START STOP

TEMPERATURE MIN MAX

WEATHER

NOTICE

* ALARM WENT OFF @ ⇔ RB (V2) HYD DIDN'T
* (CALLS ↑) <2229 / * PROV S. + CLUB W. CARAFES (→ DISH RACK TO BE DRY) 2) CLEAN HOT TBS 3) M/W COUNTER 4) JAV. COUNTER 5) SUGAR SPOON 6) 70¢ ↓ (+ 100¢ BUCKET)

<2050

* (CALLS ↑) <2054 / * ✓ V/M: SAS = 2-3 (+ 95) <2102 / * (CALL ↓) <2111
* (CALLS ↑) <2113 / * SPOT ✓ "FINAL" OF SL ⇔ S #403 P/O (ON CEN TEE MEP LANG) <2120 / * (CALLS ↑) <2121
* U/D RPT → PMIV: S #214-2 F/LS (<BCE BJB) → P/OS <2137

* U/D RPT → E/M (CONT ↓) <2147 + <2159 / * (CALLS ↑) <2201
* E/M (CONT ↓) <2208

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -15	DATE 02 13 07 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* U/D RPT / <2219 / * (CALLS ↑) <2220 / * U/D RPT / → (E/M) <2227
* (E/M) <2238 / * U/D RPT / <2243 + <2250 / * (CALLS ↑) <2251
* U/D RPT / <2326 / * (CALLS ↑) <2328 / * (CALL ↑) <2329

* PMCV: S #403 ATT S ... / + ACROBAT MIDGE / <2348
* (CALLS ↑) / <2349 / * L/S CONT S (SLOW PROCESS ...) / <2352
* PMCV: OUTGOING DOC - MANIPULATION ... / → (RE) ATT / <2358

* S #403: SHT - STATUS / → PROV S / → LT S OUT. W's R/R / <0011

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.