~~.5 5/12~~
~~0 ✓ 1024~~
~~JD, MLV, RM <1123~~
~~(1) <1125~~
~~(1) MAC <1130~~ ~~(1) WSC <1156~~

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT
CEM-4501 (REV. 11/92) CT# 7541-3506-1 ~~(1) TP <1313~~

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45
☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP
04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. C-1	DATE 01 21 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~46°F MAX
WEATHER O'CAST / RAIN, COLD - A/M	

* 1013~ ~~1016~~ → 1700~ → 6°47' } Σ = 7°42°?
W: (2305-2400 = 55)

+:

* SAS: 1) W/ POV / 2) MISC CONTRACT ADMIN, ETC / <1013~
* T/O P/C / → RE BORJA: VK2 FOR BCE BJ BOAL - I SEE DOOR STILL CLOSED + MY (MANILA FOLDER) @ DOOR THRESHOLD STILL THERE → NOT YET IN - !? HAS SAS ESTIMATE TO SIGN: RE GARY P. OUT (AWAY @ CHINA); BCE GARY J.L. TOLD REB TO LOOK FOR BCE BJB;

→ MARK G.V.: 1) ! / 2) HASN'T SEEN BCE BJB /
→ (1) WARREN S.C.: AWAY FR → @ E/B FRICTION TEST NEXT TO WAVE.

<1016

SIGNATURE [signature] '12 DEC-26 AM 9:30 24051 TITLE Assistant Structure Representative/ Leadworker

CEM45

46.02

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 4-21

DATE 01 21 08 (M) T W T F S S (Circle Day)

SHIFT HOUR: START STOP

TEMPERATURE MIN MAX

WEATHER

*LOG IN) → S/V & U/D RPT.) → E/M: L/N = 545 U/R + 12 U/
→ VPOT ✓: < 1024 / *U/D RPT.) → PNEV: 1) ST. & #127;
*(CALS T1)) < 1034 / * E/M (ST.)) < 1088 / *(TXT)) < 1032
*EMM: 1043 / 1042

SITE

*JAV.: 1) BOTT. MT.) OK ⇒ HOLIDAY ⇔ STAFF U) 2) P/S JAV. HOPPER: ~ M.T.) 3) ORG. FREEZER SUPPLIES 4) C/V: HOT PL, CRATE, ALL COUNTERS; 5) MORE C/V SUPPLIES; 6) PREP. BASKET & H2O...) 7) NO P/TOWELS IN DISPR (AGAIN)... NOT RUN. BROKEN PURPLE PEN...) 8) 9) HIT U & 255 & U (100¢ C)

G/M:

→ (c) APRIL 8.: 1) TCK BJB?) HAVEN'T SEEN HIM YET THIS AM) THOUGHT I'D SEEN HIS CHL THOUGH)

→ P. GARNER: 1) HOLIDAY...) 2) EARLY L.) 3) NUM (OTD) WORKING TODAY?) 4) SEES CEM @ SFD) 5) OT VETS @ YBI TRAILER) 6) NO SAS PNEV @ YBI TR.) ⇔ SFD PNEV SEWER, ETC.?)

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 4-31

DATE 01 21 08 (M T W T F S S) (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

X UD RPT.) → MARK G.V.: 1) SEE, HOS & TJ'S E/MS; DJV (C/MN PD.) WON'T TAKE #...) 2) CAN'T JOIN FOR L.)
→ RON M.: CAN'T JOIN FOR L.)

<1123

X (CALL N) / <1125 / X C/U) → (C/ MTC: 1) W/ JAV.) 2) WORKING ON HER (RUNN-?) MECH. STILL) NO PHILLIPS ON SAT'Y.) HOPING SIMPLE FIX: HOSE CLAMP ADAP. ETC.) 3) OR, RUCH.: > #300 / SAS: OFF C/TEST !?)

<1130

X UD RPT.) <1131 / X (E/M T.)) <1136 / X UD RPT.: <1149 / X (E/M T.)) X E/M T.) <1154 / X UD RPT.) <1156 / X (E/M T.)) <1157
→ (C) WVC: 1) G/M!.) 2) MORE CONTRACTION THAN OT C FR TEST.) DB COE, ETC.) DROPPED BY.) 3) OPP. YARN. ⇔ OT BACK (HOLIDAY)) 4) ICE BOB ?) EN RTE) STOW ON SITE A/M ⇒ STAYED HOME W/ FAM. FOR L.) ETA 1/2 HR.) 5) VAR DEADLINES, ?? OR TO GO DOWN, DOESN'T WK MUCH -?) 6) TRYING TO GET →

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. MC-4/	DATE 01 21 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

(CONT'D)
→ SUBM'L OUT) "J" DR. O.K.? (PMIV);

<1156

* U/D RPT.) <1208 / *(CALLS ↑)) <1209 / * L/N: FOLDERS) <1211
* R #1127 REDRAFT) → U/D ACTION ACTIVITY) → P/O)
→ E/M ↑: P/O) <1229

* BCE GJ LAT: D) "BLUELINES" E/M; DJV (C) JPD YET TO CONTACT HIM; FRI. EVE'G DISC'N) DJV (C) DT UP TO SPEED THOUG (?) ⇒ INTERNAL DJV MISCOMM'N.) DJV (C) MN COMMENTS...) TRACKING NEEDED) MEP VS STRUCTURAL MARK UPS...; PMIV MODULE YET TO DAYLIGHT; DJV (C) MN HD'G TO CHINA TODAY...)

2) R #1127 DRAFT) OK) CREDIT?) ADMIN: ACTION?; I'LL DISCUSS W/ BCE BJB) 49.33: #825 "RI";
3) BCE BJB: IN RT E/ -?)

<1254

* E #1127) <1255
* (CALL ↓)) <1303 / * SPOT ✓ E/M) → R #1127 → BCE BJB's) <1305

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 5

DATE 01 21 08 (M) T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

A (CALLS ↑) <1307> A U/D RPT.) → E.T. (d T.P.: TO SHUT DOWN X-DR. EW. N.18' → 15') FOR N½-AR, HOPEF.) I'LL SAVE TO MY D/TOP...) <1313

A U/D RPT.) → MGV: (d TP PLMANDEL) <1317> A CLUB) <1319

<1324>

W) → (d T.B.: 1) S# 91-3 DUE TODAY) DJV E/LS...) DJV E/M -?) 2) ALSO A S# 91-4 (1 FBTP.) 3) S# 393 ALSO DUE TODAY) ALSO: I'VE NO DJV E/LS NO DJV -?)

4) BCE DJR ?) NOW W, BUT ON SITE: FR. TEST DEMO.) SAYS TOO COLD!)

<1324>

A U/D RPT.) → MGV: 1) A.P. W/, 2) VOICE OF REASON) <1329>

<1333>

A (d FB ?) 1) NO DJV E/LS FOR S# 91-3, 4 & 393) 2) ALSO, S# 91-4 NOT ATTACHED TO DJV !) (NOT ME) 3) NO [illegible] TODAY) (d TD ABOUT TO LEAVE...) →

SIGNATURE [illegible]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. E-61	DATE 01 21 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

(CONT'N)
→ 4) SHE'LL TALK TO DJVCO KATYE S.) 5) ... 25' AWAY ...) <1333

* U/D RPT: <1334 / *(CALLS T)) <1338 / * O/L T/S: SNAFU
→ AP: LV 2) <1342

* M/A O/L S/C: LOG IN SNAFU (CONT'N)) → SPOT ✓ E/M) <1345

* BCE BJ DOAL: 1) IN TR CABLE COMP'N; 1 SQUEEZE SO FAR) MOVING OVER - OVERLAP?; NO EFFECT TO STRANDS @ END...) NORWEGIANS - NOT GETTING AWAY FROM RATN!)

2) R #1127: RE-DRAFT (BACK...) W/ HIM)
3) R (#1112): TOP PRIOR NEXT FOR ME)
4) O/L S/C LOG IN SNAFU; HE'LL TRY) DIDN'T GET MAX A.'S FRO ← EXPRESS PURPOSE FOR HAVING COME IN!)
5) HS HAT MARKS / TIGHT?) <1350

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. A-7

DATE 01 21 08 (M) T W T F S S (Circle Day)

SHIFT HOUR: START STOP

TEMPERATURE MIN MAX

WEATHER

*U/D RPT. → PMIV: 5th & ALTON ↑ <1357
* O/L S/C STATUS; <1357 / * O/L S/C: GOT IN! <1400
* O/L S/C: INPUT SAVE → SUBMIT P/O <1409 / * HPLJ 4100:
→ OUT OF PAPER..) <1412 / * APPR'S <1421 / * (CALL PT) <1422

* SUPPLS: MAKE PKG 8½x11 (& PLAN) → HP4100 <1428
* SUPP'S <1432 / * SPOT ✓ VM: STS = +5V (=0.8!) & (5.0S = L?) <1430
~~<1444~~
* BCE DJ BOAT: 1) R #1127 SHT. #828 STATUS:
105 VS. 110 min; CLS/CREDIT? LET ARBTSN ASK;
2) ANXIOUS TO GO SEE CARLE AGAIN; ~~<1444~~

* U/D RPT. <1445 / * R #1127 EDITS <1447 / * R #1127 EDITS
→ P/O → PMIV ALTON ↑ <1455

~~<1458~~ ~~<1~~
* DOT: R #1127 - LOG → (0)s FB & SB GONE!?
→ BCE GB: ALREADY BACK!; ~DONE FOR TODAY <1458

* U/D RPT <1459

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. C-8	DATE 8 21 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START ~~STOP~~	TEMPERATURE MIN ~~MAX~~
WEATHER	

* DCE [illegible] @ 80E [illegible] 1459
1) WAITING BY PHONE ?! 2) DIT GONE ?! 3) THOUGHT (c) F. BELL TO BE LAST - I THINK I JUST SAW HER DRIVE OFF - !?! 4) NO ONE @ WDL ((c) TO GONE) 5) HE'LL COME BY SAS TO SEE (c) APPT S.)

* U/D. RPT. 1503 / * U/D RPT. 1504 / * (CALL 1) 1509 //
* DCE [illegible] 1) ALL GONE - ! 2) WCLD'S (c) AS ! 2) WERE TOO WRNG SBMS. AL CLOSE ... ! 3) DCE OSR'S EDITS @ N 1445 ! 4) NEITHER OF US KNOWS HOW TO FLASH AWER ! 1506

* B/M (MANUAL) → P/O 1512 / * P/O: HP4100 JAM → (c) WSC: MOVING TO DRS ! UPGRADE ! 1518

* (CALL 1) 1522 / * C/U → WOODMAN: 1) VAC'S @ E NWK 2) NEED K-P/TOWELS ! 3) SAYS CONT. RESTOCKS ! → CUB: TUBE SNAPPED ... ! (ON > 1430 ...) → (c) WSC: 1) RUFFLE FEATHERS & CIRCLE MOVE ? ! WENT THRU [illegible] OSR → OK ... ! 2) OK W/O DOLLY 1539

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. C-9	DATE 01 21 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* V/D RPT. / <1537 / * (CALL ↑) / <1548 / * (CALLS ↑) / <1550
* ✓ V/M: SAS = +5 ↓ (+75) / <1607 / * E/M ↑ / <1612
* SPOT ✓ E/M, ETC. / <1616 / * (CALL ↑) / <1619 / * E/M:
→ PBS CARQ² / <1642
→ BCE BJ BOTH: 1) DJV (C) RM ARR ✓ 2) 3 + (C) WSC
⇔ TODAY'S PDCS. / 3) O.K. W/ CARQ² INFO. /

<1642

* V/D RPT. / → E/M (CONT^N) / <1647 / * E/M ↑ / ⇒ MARK GUI
→ NOT ENOUGH HOURS. ∴ EVEN THOUGH JOB A /

<1651

* (CALL ↓) / <1653 / * (L/N) / <1658 / * LOCK WK / STA^N / <1659

— (1700~ – 2305~ = 6°05') /

* FT^N SAS: GUARD = TRASHA / <2305~ / * V/L WK / STA^N / <2310
* SPOT ✓ E/M / <2315 / * V/D RPT. / <2316 / * (CALLS ↑) / <2318

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. C-10	DATE 01 21 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START ← STOP	TEMPERATURE MIN — MAX
WEATHER	

*(CALL ↓); <2324 / *(CALLS ↑); <2327 / *(CALL ↑); <2339 / *(CALL ↑); <2343
* MOSC w/o; <2346 / * P 1112 COMPILE...) → DRAFT
ATT I) → P/O) <2400

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.