STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4

04-SF-80-13.2/13.9

SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 1	DATE 01 24 08 M T W T F S S (Circle Day)
SHIFT HOUR: START 0280 STOP 1550	TEMPERATURE MIN ~46°F MAX
WEATHER CLEAR / RAIN, COLD - A/M	

* (0000 - 0085 = 0035); (0738 → 1608; = 435 → 1533 → 1KM

* CONT'E TR. 01-23-A W/ 00000 / * COMPILE'S #185-1 (0009 P/OT)
* S' # 185-1 MANILA FLDR → BEF. ROB'S DOOR) 0010
* (CALLS T); 0011 A/M) → C/J → CLNR: +#27 +225 #1 ($1804) / 0024
* CLNRS) → SPOT / E/M) → V/D RPT.) 0032

* S/P: ACROBAT, PAUL, L/N) P/C; 0034

* SAS: 1) W/PW) 2) MISC CONTRACT ADMIN. ETC.) 0038
* TO P/C: → V/D RPT.) 0041 / * LOG DN SE/M: L/N=537 4/R, +3V)
→ E/M T) — AARON P.: YEST'Y. OK) HAD OTHER COMMITMENT (APT) ALSO, L/E PICKED UP = FRIDAY..) 0056

* V/D RPT T 0057 / * J AV.) → (6) FAS: 1) (2) JRS & AE W/ 2) PMCV 3) DR DOWN) 0066

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

12 DEC 86 09:30 2405

CEM4E

46.02 ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -2/	DATE 01 24 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START ~~STOP~~	TEMPERATURE MIN MAX
WEATHER	

* BI-WEEKLY SAFETY MTG "0800" → 0826
→ SEE FILE FOR POSTER & NOTES;
→ HOSTESS: (C) C. CACACE — H/HAT DVD;

* (CALLS A); <0828/

* BI-WEEKLY ALL-STAFF MTG "0828"/0830 — 0902
→ SEE FILE FOR NOTES.

* MISC W/U; <0907

* PMIV: SNAFU — "J" DR.; <0921
→ (C) WARREN S.C.: 1) PHOT. CLASS WED & LAST NIGHT...; ONLY BCE TSJB & GR; & CHC ACROSS DR OK.; 2) ABFJV WORKING ON FRICTION TEST SET UP; SLEEVES DON'T ~~FIT~~ ⇒ UNABLE TO COMPACT ENDS FULLY: SPLAYS OUT; SPECS: 3 m LONG TEST CABLE; ABFJV BUILT 3.5 m; LUCKILY HAVE TIME; SHOULDVE BUILT 6m LONG?; OUT "BAD" ENDS; OR ~~[illegible]~~ "SLEEVE"...

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -3)	DATE 01 24 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

(CONT'N)

3) QUIETER @ (N) CUBICLE; 4) ALSO, MORE/WORKING... LIGHTS/ MONTHS & MONTHS - NO (N) BALLASTS...; DJC TOLD HIM A FEW DAYS AGO MTCE TO'VE REVEN DONE THAT DAY...; OVER ME WORKING AS WELL AS ATS, MANY ELSEWHERE N/G; APPALONG...;

4) HAS SUBMS TO GET OUT; PMIV DOWN...; (STILL)

<0921

* "J" DR. SNAFU, CONT'N; <0923/ (CAUST); <0926"

* ISCE GJL: 1) W/ GR; 2) S# 185-1 CT SL DRAFT; I WROTE UP CAT - A-1 R/L NOT COVERED IN DJV MEM(?) REWRITE?/ "ST'D" STATEMENT RE: ND?/

2) CAN ACCESS VIA PMIV ON/LINE - !?/

"DW" = ?

<0932

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -4/	DATE 01 24 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* MISC.; → U/D RPT.; → SPOT ✓ E/M;
→ (C) SCOTT F.: 1) I'D BEEN UNABLE TO LOCATE COFFEE; 2) WILL READ MY E/M MORE CLOSELY...; 3) ROASTERS C S/R C/C...; 4) RICAR C/C SELECTION "↓"; 5) HE'LL GO TO C/C BUS TODAY; I'LL GIVE #100;

<0936

* SPOT ✓ E/M; → MISC.; <0946 / * PMIV O/L: RES., SPOT ✓ E/M ARCHS; <0949

* PMIV O/L; → MISC.; → SAMAN S.: 1) NO ONE ELSE'S CONTACTED ME...; 2) FIGURES UP TO ~25 "FOR SURES" JUST HERE...; CONCERNED ABOUT OCCUPANCY; 3) NEXT WK. FRI.; 4) "NO E/Ms..."

<0958

* SPOT ✓ O/L PMIV: N/G P/WS - BCE BJB, ARCM RTM; → RE. GPS WORKED! (→ NOT HERE/NSONG); <1007

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -5

DATE 01 24 08 M T W T F S S (Circle Day)

SHIFT HOUR: START ~~STOP~~

TEMPERATURE MIN MAX

WEATHER

* SPOT ✓ E/M; → MOVE; <1008
* U/D RPT; <1013 / * (CALL ↑); <1014 / * U/D RPT; <1032
* CLUB; 1) ↑; 2) 100 FOR (1) SF...; <1040

* P. HE 1039 1044
1) SORRY YEST'Y;
2) S #260-5; E/M...; SHT. # X4; BLE GJL'S E/M;
3) LD HS-?;
3) EN RT E;

* ~~P HE~~ LR! 9-867-6122 1044-1045
→ WR. #!

* P. HE 9-867-6069 1045-1047
STILL @ WDC?; CAN WAIT 20'?! - I'LL CALL THEN

* U/D RPT; <1050 / * (CALL ↑); <1051 / * (1) SF 100 TONIGHT; <1053
→ CLUB: ↑ → BUCKET...; <1105 / * SPOT ✓ E/M; <1107

* P. HE 9-867-4620 ~~9-867-6069~~ 1107
HE'LL COME OVER.

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 01-24-98 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

~~1205~~ 1) ~~#~~ 200-S — SFT. ~~#~~ XG PAINT DWG (S)?
2) PAINT DOWN ⇒ GOT HARD COPIES - (6) SB..
3) (6) FB ~~D~~ SPENT OUT FOR ~~#~~/C (4) ON LINE. REV: REL SFT. ~~#~~ OST. ?/ (5) ALEX D.C.'S PAINT BACK UP? / MUST STILL N/G ⇒ RE-BOOT ?/
4) 49.24-SP: 200mm, 238mm & 255 mm CL PANELS
5) NO. 010 TO "PITCH" ONLY LENGTH & SIDEWAYS LTG
6) F ~~#~~ 285 & SUPPRESSOR.. ⇒ SAME "A-A" & "B-B" BOTH APPLY !/ 7) MY ORDER FOR CLIP & HSB 2/0 PITCH — VS SFT. XG ; 8) 200 mm LONG CLIP & MISSING !? " 198 " ?!/ 9) CALLED DAN (6) DT-STR. TO VM ⇒ ON PM. ? / OFF ?/ WE'LL SEE HOW C T-OBG MTG @ 1300 HRS..) I'LL BRING STUFF..)

~~1205~~

~~A~~ (CALST) / (1155-1156) / 1157 // ~~#~~/D RPT / 12 KT ~~1217~~
~~A~~ 8 ~~#~~ 185 / P/LS: RT TO ECB ~~B~~ R FOLDER /
~~1220~~ ~~1225~~ ~~1229~~ ECB UPN: ~~#~~ -(6) WSC → JENNY.. → (2) JV: SKYWAY, STAFF

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM-4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 7	DATE 01 24 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX
WEATHER	

* U/D RPT → SPOT ✓ F/M: P/O; ⇔ PREP. FOR T ORG MT @ <1231
* P/O; <1235~ / ↓ (L) → L/N; → C/U; <1255 / * SPOT ✓ F/M; <1256
* (CALLS) <1257 / * PREP FOR MT @ <1258
* RMLV: SNAFU; → B/D: L/N; → R/B; <1259

* EN RTE WDC; <1303~

* WKLY T ORG MT @ "1300"/1304 - 1413
→ SEE FILE FOR ROSTER & NOTES.

* MISC. WRAP UP —
1) BCE GJL, CH, (C) DT W/ ABFJVS SW ⇔ VAR BP SHTS W/ CONFLICTING INFO...)

2) BCE BJB: ABFSL #395 CT SL RESP. YEST. Y) ~ $40K → $50K QUOTE PRE TN — AS I'D GUESSED...) THOUGH SW AGREED NOT ALL SAME COST & (C) DT SAYS TDS DON'T REQ. CHANGING NOW...)

3) TRACKED DOWN (C) D.T.; S #260-5 - SHT #14;

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 42	DATE 01 24 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N)

→ ANCHRGS: LEKING 190 mm ∴ SHOULD BE 200 mm PER PLANS (UNCHANGED BY 49.24 SO...); WELDING W/D'G — O.K.: CT'S PWR'S BEEN DOWN ALL DAY... HED MET W/ DJV (C) S. OTTER BACK WHEN M-SAT.)

→ + P. HE: WILL KEEP HRS · H/C E/L...)

→ RCE GSL: 1) P. H.: PWR STILL DOWN (2) WORK OVER SAT. # X4...) 3) S #81-?)

<1448

* (CALL) / <1449 / PPT SAS) → ~~ELECTRICIAN~~ REPAIRS / NW / <1455
* E/M: OK.?) → MISC. W/U → PWR: SNAFU CONT'D
* (CALL) / <1505 / * MISC. / AM → (CALL: NW) / 1507
* (CALL) / <1509 / * MISC W/U → SPOT V E/M: P/O's / (NW) / <1459
→ E/M (ST.) / <1527 / * E/M TT / <1530

* PWR SNAFU CONT'D → NO DATA @ T-, X-, DRIVE ET. / SUP PPT. / <1548

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -91	DATE 01 24 88 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

*MOSC: H/HATS...; <1550 / *(CALST) <1552

*BCE <1602 D BJB: S# 185-1, CAT. A-1

-V; <1605 / *(CALST) <1608 / *BRFCSE; <1610 / *S/D: L/N P/C <1611

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.