STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 02 22 08 M T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~48°F MAX

WEATHER

OVCAST, COLD — 4/M/

* (0000 - 0138 = 1038) / 0846 / 0849 / → 1716; H_4 1038' = 1538 → 1856 → 1320 → 2400 → +4°17'

1508 (N/M) → 233 → +8°23'

W (L): (1251-1300 = 9), (1308-1311=7), (1312-1314=7), (1319-1322=3), (1324-1328=4), Σ (L): 16
(0038-0039=1), (0133-0135=2), (0856-0858=2), (0942-0945=3), (1038-1042=4), (1049-1050=1)
: (1117-1119=2), (1211-1213=2), (1249-1251=2), (1322-1324=2), (1400-1402=2), (1446-1447=1),
(1446-1448=2), (1528-1530=2), (1550-1551=1), (1624-1625=1), (1722-1727=5), (1754-1755=1),
(1757-1759=2), (1853-1856=3), (1858-2127 N - 2023 N), (2129-2143=14), (2215-2222=7),
(2256-2257=1), (2304-2315=11), (2320-2326=6), (2329-2330=1)
⇒ Σ (N) = 16+54+143+63 = 276 - 4 30 = 2 cells → +246 (=4°06') 0039

* CONT FR. 02-21-08 TH. / → R # 1125 / 0038 / A (CALLS)
* R # 1125 / 0112 / * R # 1126 / 0124 * SAVE PDF / 0127
* SET OFF IR READERS (ALARM) / → DISARM ALM W/ 0133
* (CALLS) / 0135 / * S/D: (ZN), PMEV, L/N / → LOCK UP / STA / 0137

* SAS: 1) W/ PW / 2) NOTE CONTRACT ADMIN. ETC.
* G/M: (C) GLENN — SECURE ROAD: HOME AWAY FR. HOME 0840
* U/L WK / STA / 0849 / * LOG IN / → E/M: L/N-418 JR, PFL / 0850
* E/M (ST) / 0853 / * JD RPTT / 0856 / A (CALLS) / 0858

* RE BOSA: 1) CONDITIONS — G/M PASSED / LAST SUNDAY / 97 Y.O.)

2) I PUT H&S P/C ON STANDBY / DIDN'T LOG HIM OUT / * LANCE
3) NO "M" - DR. ACCESS / > 1 YR. / → NO ACCESS

SIGNATURE [redacted] 24079

TITLE Assistant Structure Representative/ Leadworker

CEM-4501

46.02

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 21	DATE 02 22 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

(CONT'D.)

3) TOLD HIM I JUST SAW (C) GLYNN C. WALK INTO SRVR RM + WILL ASK HIM TO TRY...

4) 1ST TIME IN 1 YR. — HAD TO DO RE-RUN / ⇔ $500 ⇔ MOH... / ARE'V COMPLAINED WHEN Δ = $25K IN PART...

5) ADAY S: 1) INTRO.) 2) PACFICA IN COMMON 3) REST 3.) 4) TO MECH'C. — BAD TIRES, ETC.) EXPLAINED HOW TO GET THERE (MAP, GOOGLE EARTH...)

→ MY MORNING: WE CAN GO MONDAY (CARPOOL) TO WORK 1) TEST SAP ~0915 (AFTER KICK-OFF MTG)

E/M ↑ 0925

JAN.: 1) RESTORE 100# @ BUCKET 2) F/STOCK NEAR ⇔ C/ JD. RUN: 1) HELP MK W/ TOT ⇔ BOLT HAD BEEN USED...) 2) MK FOR CONTRACT "COMMENTS"...) 3) (C) KEDDY VAN (C) F/STOCK COFFEE...)

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 31	DATE 02 22 88 M T W T F S S (Circle Day)
SHIFT HOUR: START ~~STOP~~	TEMPERATURE MIN ____ MAX ____
WEATHER ____	

(CONT'D)

→ (AP: "WATER'S COMING OFF" ⇔ SAMAN S....)

0938

★ JAN." 0942 / ★ (CALLED) / → MAN: E/M ⇔ W.S.../ 0945

★ U/D RPT'S / → (C) GLENN S.: "I ADDED N/W PIPE (RT' X. CRU (CF LK & AR: HALF 100 F...) ⇔ "RUN": "MONTEREY-SAS..." 2) S SEM'D TOLD DTC: +2. (N) PIPE IN SUPPLY F.M.!: NO. EMPTY BOXES!/

→ ALSO R. (PT.)/ 1005

★ U/D RPT'S / 1013 / ★ R # 112 - ETC.) → ~~RE-DRAFT TRK~~: P/C/ 1038

→ AARON P.: "AND-JACK..." SEGMENT 6!/

★ (ALL V.)/ 1042 /

~~1045~~

★ ASAY S.: 1) MONDAY & WE ⇒ WORK ON F9.24-S1 "DRAFT" STAMP IF CAN BE DRAWN. WE'D WAIT IF RETURN/ 2) GOT M/M B/M/

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-4041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT
(SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 41	DATE 02 22 00 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

(cont'd.)

→ P/O SIDEWALKS SD. ALL TEAMS (3) HAVING TO HANDLE EA. DGN FILE: & "LOCKED" → "ACTIVE" TO USE MICRO-STN "DRAFT" STAMP; OR TRY ACROBAT READER ← NOT FAM. W/ FOR LESS USER-FRIENDLY ;)

<1045

✱ U/D TCPT. / <1059 / ✱ (CALLS T) / <1050 / ✱ IN: S/C — F/W MAN-HR: CORRENED SEE... / <104 / ✱ IN: S/C — SAND JACKS
✱ P/O / <1114 & <1117 / ✱ (CALLS T) / <1119 → S.D.: LABEL
→ ASAY S:) DMB W/ 2) SUP P/O. < SF/OBB MEET C/ ROUTE
I'D SUCCID. — WORKED...)

✱ E/M T / → P/O / <1129

✱ ASAY S:) SCRN W/ 2) P/O. R # 1112 DGN REVISIONS? NOT TESTED W/ 3) 99.24 - S1: ANS & SPEC ← LOST...)

→ OBS B. D NO R # 1112 DGN REF. P/O / NO P/O'S UNLESS HAS TO "A" ← "NO PAPER" (CAL...) <1155

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 45	DATE 02 22 04 — M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

* J/D RPT.; <1135 / * P 1112-8...; → P/DS/⇔ SPOT √E/M: L/N; <1211
* (CALSPT); <1213 / * HRCJ 5500 MATL: PAPER...; <1215

* P # 1112-8: DRAFT PACKAGE (TO DATE 1) → RCE RJ RS (ON PM) <1223
* P # 1112-8; → P/D/⇔ P # 1129...; <1238

* RCE BOBK: 1) P # 1112-8 - (ADD) 2) MAY NOT BE ABLE TO GET TO IT (!); 3) I'LL BE ADDING (RESPONSES) AS THEY COME OUT 4) I'VE W/ TRVS MONDAY; I'LL CARPOOL W/ MARJID J.M. (AFTER D/O KIDS @ SCHOOL) ⇒ ETA ~0915; ETD ~0930 ⇒ CAN TOUCH BASE THEN...; 5) I'VE ALREADY ACT'D. BEE GJL AS WELL...;

<1240

* J/D RPT.; ⇔ ASK S: 1) LVS TO DO OTC; 2) MAY BE ME MONDAY A/M — CARPOOL → W/ TRVS; 3) CONT. W/ T-9.24-S1; 4) CREW CONTS W/ DERUS "E-PLOT" FOR M/STA P/O; 5) W.T.O. @ MONT'Y. ? BEACH SIDE ?;

<1247

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-4041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 6	DATE 02 22 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

S/D RPT. / <1249 / ✱(CALS-T) / <1251 / ✱(L:Pl&C) / IN / <1300 / ✱(L) → I/N: W. FRNTS PLANNING → REB: 1) RPT CHG KEYS..) 2) I'D OMOTED MKNTOOM: "CK. ENG'G IT.") TO MECH-PLN: RPT MONTK NEXT WK.)

<1311

✱(L)
S/D RPT. / <1312 / ✱ I/N: W FRNTS..) → (C) SF: 1) RPT FOR WKG 2) (C) FB HAS MOST (STAFF) — FEW LFT OUT..) <1319

✱ (L) → I/N..) <1322 / ✱(CALS-T) / <1324 / ✱(L) / <1328
✱ CLUB: $20 + $5 (KZ) + $8 = $33 / <1332
✱ (C) SF: 1) W. DEE RPT / 2) (C) DR W/ 3) #53 T / <1339
✱ S/D RPT / ✱ + P #112-S..) → AARON P: GOT MY R/M ⇔ SAND SHOES) RON M: ALL MOVES TOGETHER ANYHOW — NO "VE" CONN'L; 1/49 ANNULAR; CONFINED VS LIQUEFACTION, ETC.) COMING UP C E-2..) PPTS ⇒ SLOW..) BAD LINK ⇔ F/W ACADEMY..)

<1349

✱ S/D RPT. / <1351 / ✱(CALS-T) / IN

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 7	DATE 02 22 08 M T W T F S S (Circle Day)
SHIFT HOUR: START ~~STOP~~	TEMPERATURE MIN MAX
WEATHER	

~~1300~~

* BOB B.: 1) I'LL BE @ WE/YE'S NEXT WK, M→W/ NOT SO. CAL - JUST MONT'L) ⇒ I'LL BE HERE MON A/M & WEDS P/M; 2) HE CAN [SERVO-DOG] ANY OF ORIG SUBMTLS / 3) NEITHER OF US HAVE REV'D F/U (TENT) LATELY...) MAYBE WDC'S BEEN DIVERTING?!) 4) TYP., W/E TENT R/Us SHOW UP @ MY DESK (CHAOS); HE CAN LOOK FOR...) 5) FIGURES HIS ALL "WAY AT ⇐ REV. DS...) 6) HE'LL BE OFF ① NEXT WK TH ② & FRI'S WEEK AFTER (TU, W?) IN MON (P/M)?; ③ GONE ALL FOLLOWING WK.) ④ CAN'T GIVE 2 WKS) ⇔ VISA ISSUES ⇒ @ RISK...) 8) ACE'S BACK AFTER 1ST WK; 9) TO SERVO-DOG (& WE'S OWN WORK - ONE NTHEN) 10) (& WE ⇐ PREV, L/N @ CHINA?)

~~1400~~

* (CALS 1)) ⟨1402/ ~~* SPOT~~ ↓ E/M, PREV) ⟨1404/ * C/J + H20 ⟨1407
* V/D RPT.) ⟨1410/ * (CALS 1)) ⟨1417/ * AT 112-10) → P/O) ⟨1420
* AT 112-10...) ⟨1426/ * (CALS 1)) 1428
* AT 112-10...) → * AP: G/B W/ RB & SR...) ⟨1455

~~1500~~

* AT 112-10...) → BOB B.: INVOLVED W/ SILICONE

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMPS

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 8	DATE 02 22 08 M T W T F S S (Circle Day)
SHIFT HOUR: START ~~STOP~~	TEMPERATURE MIN MAX
WEATHER	

(CONT'N.)

~~CAULK TRAVEL~~ - SAW ARTJV E/M & RFI: HE SAW FIGURES WDC ISC GJT TO ~~ARTJV~~ HOM EVENT. DJV TYL HAS E/M W/ LIST OF SILICONE CAULK LOCATIONS - ~~ARTJV~~ TRAVELER ; MTF NEED TO KEEP HERE ~~TROUGH~~ : TYL, PLY/W. INTERFACE .. ;

<1508

A-J/D RFT. ; <1514 ~~A~~ R# 1112-10 → BAK ; → P/D <1523
~~A~~ R# 1112-10. ADD → REC BOR'S PKG .. ; <1526
A-SPOT ✓ IMPV ; <1528 ~~A~~ (CAUPT) ; <1530 ~~A~~ R# 1112-11 ; → P/D SAME <1550
A (CAUPT) ; <1551 ~~A~~ R# 1112-11 ~~OF~~ ADD → REC BOR ; <1555
~~PER~~ R# 1112-12 .. ; → ; → PER: FP/RP .. ; <1602

~~A~~ R# 1112-12. .. ; → REC BOR: TO (START) REVIEW R# 1112-Ø NOT ALL DI (OF MORE ..) YET, TYL'S IS INSIDE MAN FOLDER .. ;

→ GR · ; (→ AP) ; "EXCUSE ?! ; " ; → R# 1112-Ø ; ALSO WTR TOWER M→W .. ; MORE TODAY ⇒ ; TMRW. ; <1614

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -91	DATE 02 22 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

W/D RFI(T.) 4614 / ~~RFI~~ 1112-12 w/ <> P/O / 4624 / CAUS (5) 4625 ~~4634~~ ~~RFI~~ 1441 ~~RFI~~ 4658

RCE BJB: RFI 1112-R0 SAME PLAN: ASSIGN TO? (C.R.? A.S.?) FOR QC OF MY RESPONSES? "MAGIC OF CARPENTRY" LANGUAGE, ETC, NEEDED TO CLEAN: NDC RCE HAD MELTED ME..; ALSO, MANY DETAIL DRAWING PREVAILS OVER SPEC DWG..; CONCERN: APPEARANCE THAT ALL PLANS HAVE WATER PROOF..; WOULD'VE BEEN BEST TO'VE RFI'D. RESP. TO DJV (C) TYL ASAP SAY AFTER I'D 10 RFIS & TOLD THEM "N/G" - "REDO!"..; TOOK ME TWO LONG TO GET THRU ALL 8 1/2 NO CALL BACKS FR DJV (C)S TIA + HT..; SO I JUST KEPT GOING..; NOW, I'M JUST TYPING..; CROSS REF'S MARK OF CARPST DOMINO..; LET WHT SAY RESP. N/G; DJV THOROUGHNESS... ⇔ MEP / PB COORD'N..; AS-BLT PLANS..; F9.24-8X ⇔ TLS MARK UPS ⇔ DJV WOULD NOT ALWAYS CORRECT THOROUGHLY!; NEXT PHASE: CORRECT SCAFFOLD PLANS PER THESE RFI'S & WHAT I'VE ENCOUNTERED IN THE SHOP..; I'VE W/TRS) MEET MON AM B4 I LEAVE; I'LL WORK W/ED TO FINISH..;

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker 4659

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-4041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -10	DATE 02 22 08 M T W T F S S (Circle Day)
SHIFT HOUR: START ____ STOP ____	TEMPERATURE ____ MIN ____ MAX
WEATHER	

+MRV: LVG/ <1111

*(CALLS↑)/<1700/ *U/D PPT/ <1710/ +(c) WSC: GOT MY TXT YES?Y-/

*MSC:/ +RCE BSR:) REPTS TO RE MELLO. RE MY SRGS 2) "YLW SHT." REF>...) CHRIS B. (REF JV) DOS CLOSED/

<1653

*MSC:/ +P 112-RD/ +RCE BSR:) WRAP UP.../ HAD ORG SCRNS SH NETWORK STATUS.../ +REB: MAY SEE TMRW.../ <1659

*U/D PPT/ <1712/ *P 112-13.../ +(c) WSC: TXT:/ RE STATUS.../ (c/R...)/ FLIGHTS.../ NM

<1722

*(CALLS↑)/<1723/ +CUSTODIAN HERE/ <1727
*P 112-RS.../ +(c) WSC: RECORD-LVG WATER DAYLIGHT-)/ <1754/ *(CALLS↑)/<1755

<1757

*RCE BSR:) LVG 2) TOWER DEN NOAN-)/ SUPERSEDED NO CALLS./ 3 REB: CHEC

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 11	DATE 02 22 08 M T W T F S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

(MOSC) <1759 / AR #112-13) → P/O <1800 / AR #112-14...) <1804 / <1812 / AR #112-15...) <1833 / (CALL) <1834 / <1854 / (CALST) <1855 / (CALL) <1858 / (MOSC) → LOCK WK/PTAN <1858 / (1858-2121N-2023N)

<2124

PT SAS: GUARD = SAMPLE <2121N / PL @ SO. MAN ENT / (CUSTODIAN STOL HERE) → U/L WK/STAT <2127N / A/D RPT <2124N / (TXT ↑) <2131 / (TXT ↓,↑) / (CALL) <2136 / (CALL) <2141 <2221 / (CALST) <2145 / <2150 / (CALL) <2150 / (CALST) <2222 / AR #112-16...) <2225 / (CALL) <2257 / WAIT ON ALARM...) → CLWR: +#3-L+100dL (100 @ RPT) +# (<(c)SK) → WAIT ON ALARM: T/O ("MODE 2"), BUT THEN "MODE 2" CAME ON BY ITSELF (@ 2301...), SO DISARMED THAT SEPARATELY AFTER...)

→ U/D RPT <2304 / (CALL ↑) <2310 / (CALL ↑) <2315 / (CALL ↑) <2315 / (WAIT) <2320 / S/D (T/N) → CLWR: # / → (TXT ↓,↑) <2326 / S/D: PREV / LOCK WK/STAT / <2331N

→ (CALL) <2330

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.