~~0859~~ <0826
~~AT <0842~~
~~EAST <0852~~
~~OUT <0854~~
~~(A) <0859~~

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT
CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45
☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP
04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -1	DATE 02 28 08 M T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~46°Ft MAX
WEATHER NOW CLEAR, COLD - A/M	

A <0823 / ~~0825~~ → ~~1453~~ LUNCH (NL) → 1509 ⇒ +46' ✓

(0853-0854=1), (0923-0924=1), (1002-1004=2), (1005-1006=1), (1056-1057=1), (1149-1150=1), (1218-1219=1), (1258-1258=2), Σ[N] = 10' (<38 (=2 RR KL)) ⇒ ±0

A SAB: 1) W/PM 2) MISC CONTRACT ADMIN, ETC / <0823
A T/O P/C / <0825N / A S/U & VP RPT.) → LUNCH N / <0827
A CWR / <0852 / A S/M: L/N = 495 VR, +9 L / <0853

A E/M (OT.) / <0834N

<0842
A ~~ASY~~ S: 1) 18 OR 13 ORG (AIR BEAM?) SHOULD BE N8 (+1 N4? "SPECIAL" ORG N/B MS) NEEDS TO CONT VERIFY PLANS
2) C/I J.O. HEARD "13" @ A MTG ⇒ PROB 13 N4 VR
3) + N4 ~~UNKNOWN~~ "NON TYP" + N1 "SPECIAL"?
CABLE DATA LEFT IN HDS CHAIR -? PROB IN ERECT - SUGG DE THE CHECK W/ C/I INSPECTORS (USED TO SIT THERE) <0842

A ~~FAULT~~ / <0852 / A OUT OF OFC. / <0853N / A (CAUSE 1) / <0854

SIGNATURE [signature] 12 DEC 26 AM 9:34 24085 TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -21	DATE 02 28 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

* J/D RPT. / ~~0825~~ 0920 / * ONE: E/M (ST.) / MASON S.M. 100 L. / I DON'T ~~HAVE~~ CHANCE TODAY / WILL RETURN LATER / 2) PACKED / 3) FLIGHT TIME @ 1430 HRS. / 4) (AF ?) TO GIVE HIM FIDE (SEC.) /

~~0920~~ 0920

* J/D RPT. / ~~0825~~ 0925 / * CALL / ~~0920~~ 0924 /

* ~~MANY~~ SEAN ~~HYEK~~ S.: NOT @ DESK /
→ PAMELA G.: 1) 2) ~~HRT~~ P.: S.S. @ CONCRETE TEST CERTIF. (RUMP CORE ?) /
→ LET. NOTE FOR SEAN & S. ON JAV. CONTRACT /
→ MATT B.: STEEL NEER... /

→ JAV.: 1) R. FUNDRA: ① PREFERS TO PAY BY CHECK FOR RECORD KEEPING / I'VE YET TO ASK... / CAN PAY ME CASH INSTEAD... ② TO RETIRE SOON... /
2) + WARM A.: ① HELPED HIM MK. FR. PIT / ② O.T.D.: SP? PLEASANT / PUNCHED BY PILE DR & LEADS. (MOHAMMED K.) /

SIGNATURE

TITLE: Assistant Structure Representative/ Leadworker

CEM-4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-31	02 28 08 (M T W T F S S — Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

(cont'd)

MCM... ② HEARD SAN JOSE PERMIT VESTY. — ARMS PINCHED)

→ (c) SCOTT F.: (c) FB TOLD HIM LOW ON JAV.) I'D GIVE $100/ OR I CAN BUY...)

→ + (c) SANDY (N.?): HE STINX EL DESIGNERS - J. SMITH, HELMY A., ETC.; SORT OF KNOWS ⇔ COMMITTEES...)

→ TOM S.: 2 DAY OLD < NEEDS — SAY NO MORE...)

→ TOP OFF FOT

1) BUILD ATTENDED [M/B#2] "MINE-UP" SAS MTG & CAST WLC
2) ⇔ ALEX D.C.: INFOS "T" OUR SAS ONE TH (NEXT DAY) ⇔ TOO BUSY [M/REF] SO WHERE ATTEND WEB [ALL DAY] TRNG LAST TH <0995
3) BOB B. DED GO TO V+E? (+ SAS M/UP — E MTG)

✱ MISC.) → SPOT ✓ F/M) → J/D RPT.) <1002 ✱ (CALL ↑) <1004

✱ J/D RPT.) <1005 ✱ (CALL 2) <1006 ✱ F/M KOR (CLUB) <1020

✱ F/M ↑ (⇔ CLUB) <1025 ✱ ↓ <1029 ✱ CLUB: ↑ <1052

✱ (c) SCOTT F.: 1) (c) TO W/ 2) $100 ↑ ⇔ CLUB) 3) (FK's) ✓: CASHABLE?! I'LL TRY — ⇔ A BNK) OR, MAKE OUT TO ME) OR, PAY CASH ↑ FK WANTS PROOF OF FVM I) (c) IT CAN BRING FEPI BOOKS < HOME...)

<1054

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 41	DATE 02 28 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

← WD RPT / ←105 / ← (CALSTA) / ←1057 / ← C/V / → SAV.: TO TOP PL, → TOP PIT. MT — LFT - TO SIDE... / ←1103

← PMEV: ACTIONS ↓ ~~WATER~~ ① 49.37 (MECH & WORK) / ② 49.4281 (CABLE TRAY) / ③ S# 281-T / ←1112

←1143
← SPOT ✓ E/M / ←1114 / ← S# 428-1: ATT IN HANDLING / → DRAFT CT SL / → P/OS / ~~MORE~~ → ACROBAT / → NS MODIFICATION: ~~450~~ 450 → ~~410~~ T → ~~454~~ ↓ ... / ←1144

← DRAFT CT SL / → ATT (TCE) HANDLING / ←1149 / ← CALSTA / ← S# 428-3 DRAFT / → ATTCONST / → P/O / ←1201

←1150

← SPOT ✓ E/M / → P/OS / ←1204

←428
↓ / → ASAY S.D @ L/ROOM 2) E/M: T. ~~CABLE~~ ORG HEAD FOR 1500 HRS MTG. 3) ASKED BCE ~~GOAL~~ GOAL IF WANT ASAY TO ATTEND? ~~YES~~ YES - TO GET INVOLVED...

→ BCE ~~MTG~~ GOAL: 1) (c) WSE w/ 2) STRUX STAFF MTG: NOW

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-4041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 5	DATE 02 28 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

(CONT'D)

→ SOON, & AFTER T-ORG MTG..) 3) MY L - JIM DETERING TEL AFTER MTG..)

→ (c) WARREN S.C.: TO SKOP T-ORG MTG) USEFULNESS?

→ P/OS) <1212

A W/D RPT'T <1218 / A (CANCEL) <1219 / A P/OS) <1220 / A TEM: P/O) <1223

A P/OS) <1226 / A S # 4283) → M&V: "ADV" V., @ ZONE) <1229

A S: # 4220 DRAFT OF SL) ↔ R # 793: P/O..)

→ L.WOO: I DON'T HAVE HER G'S COORDS..) SAYS GAVE TO DMB..) <1238

A P/OS) <1242 → BCE ESR: 1) ADAY L W/) 2) TO BOW-OUT OF T-ORG TODAY) 3) IM TO TAKE A DAY S.) 4) (c) WSC TO ALSO BOW OUT) 5) NO T-ORG LAST WK (?) ALL MISSED..) 6) STRUX STAFF MTG AFTER (TAUGHT ROB = B. OUT)

A W/D RPT'T <1245 / A # 793: P/O) → S # 4283: IM OUT - P/O) <1249 <1251

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 61	DATE 02-28-08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

A P/OS/ <1250/ A <1252/ W/ <1256 A&M S: 1) FOR/ 2) W. TRN 1 GOOD/ @ SALTO. FOR/ H&M../ <1256/ A CALL TJ/ <1258/

<1508
A MTS/

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.