~~A/P, (C) 58 4101~~ ~~AS (CFF) (SBB - ESB)~~
~~S/P, MGV 4111~~
~~GR 4128~~
~~AL 4135~~
~~AR 4142~~

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION
RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT
CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45
☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP
04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 1	DATE 01 07 08 M T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~56°F MAX
WEATHER CLEAR (FOG) COLD - A/M	

* 0909N/0912 → 1739 1709 (N'L) → 1652 + "OAK"

N:

* SAP: 1) W/ PM/4 MISC CONTRACT ADMIN, ETC.) <0909N
* DCE DARRYL S.: 1) MEET SAME WAY AS YEST'Y.) 2) H'Y.
TRFC → SF ⇔ ~~XXXX~~ M/C ACCIDENT.. /
→ T/O P/C) <0912N

* S/O & U/D RPT.) → LOG IN) → MGV: C/M) <0916
* E/M: L/N = 542 U/R, + 13 √) <0918 / * SPOT √ E/M) AA
→ L/N D/B PROPS: DESK SPACE = 382 MB (96.8%)
DICS = 3,575 (CREATED 07-24-98 0906 SF AM!)
<500 MB ⇒ √ OK..) <0922 / * E/M 1) <0928
~~<0934~~
* ~~AS~~ AM S: 1) DRAFT E/M ⇔ 0912 (M/C ~~K~~ CABLES ⇔ STANCHIONS) / POST PROPOSAL @ "CAT" (RAND) TO DSV(G)

SIGNATURE [signature] 08 DEC-26 AM 9:34 2409 TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -2/	DATE 03 07 08 M T W T (F) S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N.)

→ (1) WARREN SC TO LOOK @ CED PLANS MONDAY (NOT TODAY) / ECB TSRD REP'D. ASAY S. LOOK INTO ISSUE...; MODIFY C/B ? ⇔ MOP DWG'S (NEW GEND. YET - ?); CONN'N. DETAILS SAME - ? (JUNCTION @ C/B) REBEND-UP PLOT THING - ?) SPOKE TO DJV (C) ALEXIS VERIFY, VIA CELL # & DJV (C) T. HA (REDLINES)

2) RFI #251 [R # 1218]: MA GULLI COMMENT - WANTS TOPS OF STOOLS SAME HEIGHT; ASAY S'D ALREADY TOLD DJV(C) DERRICK A. SAME THING VERIFY...)

3) OUR FUNCTION: "THINK"; - VS SIMPLY PASS ON DJV RFI, ETC, RESPONSES TO ADJV!)

<0939

* J/O RPT <0944 / AFMS T/<0955 / (CONST.)/<0957

* JAN.: 1) TOP PLT. ~NT... ⇔ ROT. ~½ FULL...! 2) NT TOP MK. FRO PLT 3) CLEAN HOT PNT 4) MISC. CL. COUNTERPT →

SIGNATURE — TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE	
-31	03 07 08	M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN —	MAX —
WEATHER —		

(CONT'N)

→ 5) APPROX: ~+41 - 1 + 24 ft (+100 ± BUCKET) / 2) + (6) MTCWENAS: MK 2 STN., CLEANERS..)

→ PROV 3) W/ → RES: OUT OF P/TOWERS - I R/STOCK..)

→ (6) H.P. WORKER - ! HELP IN WK/ TASK FORCE - [IMPORTANT - ?] NAME..) 4) W/ SAS 1st / NOW W/ SRD..)

→ MGV: OUT OF S/S CS..!) IVE...)

<1015

X W/O RPT.) <1025 <1029 / X (CALLED) 4026 / X CALL 2) <1028

X DCE WS: AWAY FR OFC.) → DCE DP: DW W/

→ (6) SF: AWAY FR DESK..) → [R.B.: IN) WORK WITH OVER..]) → SPOT ✓ E/M:.) → W/O RPT.) <1032

X SPOT ✓ E/M) → E/M 1) <1034

X 1050 DCE W/ STEVE: 1) (6) FS W/, 2) R 12R - OM & I-TRS LKG HEADS OF ON OVERALL 99.42-81..) →

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-4041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 41	DATE 03 01 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N.)

→ JUST CAME FROM MEP CCO MTG: PB (C) TURNED IN PACKAGE; (C) MTRANS REVIEWING → 03 14 F..; DS CONCERNED AGAIN: RE: "BROADENING" CCO SCOPE VS. ARTEN (NO ATP ALREADY ISSUED?); R # 1218's "MINOR" STRUCTURAL ISSUE - PUT IN FILE. (⇔ AT MTG. WRT ILL DISCUSS W/ STS CCO TEAM - (OCE DS's REVIEW)→ (C) ST ANN FR. DESK: ALSO MEP CCO MTG);

3) R # 1219 — MARTIN C. HANDLING;

→ c/u; → (C) JOHN P.: GOT MY E/M's & MECH. ACTIONS;

2) R # 1225: PB (C) NICK TOOK OVER PB (C) ELECTS, COLD DESK..., "DUE" — MONDAY?;

3) R # 1218: IN MTG; "DUE" TODAY...;

4) I'VE NO E/L (FINALS) TO GET OUT; NO DSV (C) PROMISED PROMPTLY;

5) (ST. ANT's — M/C RUNS: MTG?! "03 17" — TIME OFF?);

6) I'VE (C) WSC FORM L — IS OVERLOADED...)

<1050

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -5

DATE 03 07 08 M T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE — MIN — MAX —

WEATHER —

* J/D RPT.) → (C) GR: SAW MY 79.42 S1 R# 12A E/M (S) STILL COMPLETING WO) ⇒ 1→2" WLS R4 READY TO SHAVE FOR CONCS..) I'LL LET QSM & T-TORS KNOW..)

<1101

* J/D RPT.) → NAV: W/ E/M (1111 / ROT ✓ E/M / 1117 / *(CALLED) / 1119

→ E/M (CONT.) / 1123

* J/D RPT.) → ROT ✓ E/M / SAW R. CANTERA. I CAN GIVE RIDE TO OAK AIRPORT. TODAY)

2) NOT WORKING ON SITE TODAY, SO CAN LEAVE N/1530..)

3) OAK — NOT STD..) I INSPECT.)

<1128

* J/D RPT.) → S/SM: 1) E/M) 2) JOKE: HE'S (P.C.) KEEPS CALLING ME..) → E/M (CONT.)

<1155

* J/D RPT.) → ROT ✓ E/M) → E/M (CONT.) → TODAY S: GOT MY E/M — COULDN'T LOCATE RPT W/ FNEV — IT'S A ROOT / ROT — WON'T SHOW UP UNTIL TONIGHTS FLASH →

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-4041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 03 01 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

(CONT'N)
2) ⇔ 49.72; 3) 49.72 ~ S TYPE 8 CABLE BOLTS; <1148

✱ U/D RPT; <1154 / ✱ (CALL ↑); <1155 / ✱ E/M ↑; <1154
✱ SPOT ✓ E/M: R ~~#~~ S - ① R/O ?: NO / ② 1222 ?: NO
③ 1227 ?: NO; <1159

✱ SPOT ✓ PMEW: R ~~#~~ S - ① 1220 ?: NO / ② 1222 ?: NO /
③ 1225 (PB...) ?: NO / ④ 1227 ?: NO; <1202

✱ SPOT ✓ PMEW: TRX ⇔ S ~~#~~ 1214-X: F0/M ? - NO; <1203
↳; <1207 / ✱ SPOT ✓ E/M; <1209 / ✱ (CALL ↑); <1210 /

✱ U/D RPTS; → SPOT ✓ E/M; → E/M (SP); <1229 / ✱ U/D RPT; <1232
✱ (CALL ↑); <1228 / ✱ U/D RPT ①; <1234 ~ / ✱ (CALL ↓); <1248
✱ U/D RPT ②; <1252 / ↳ U/D RPT;

✱ SPOT ✓ E/M: R ~~#~~ S 1220 & 1222; → P/O; → SAVE ADDS; <1256

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 71	DATE 03 07 08 M T W T F S S (Circle Day)
SHIFT HOUR: START ____ STOP ____	TEMPERATURE MIN ____ MAX ____
WEATHER ____	

* P/O's) → cc: RICOH DOWN - BLK TONER...) NO ONE REPORTED!)

→ SAP DCT'S COPIER...) → (c) SR: RICOH BLK TONER?)

→ DSC's (c) FR GOT ↓ WDC?!) → NONE @ S/R'S... SHE'LL F/U...) → W/D RPT.) <1300

(CALL) * WDC RECV'D <1310 / * R #1220: ST. DRAFT) <1312

* #118,921' ↑ (N) ("1312"): CHC #152 NL.) → LV. SAS)

* #118,925' ↑ (N) ("1321"): ↵ ↵ ↵) → RTN. SAS)

* R #1220 - PREP TO TCE/DSN...)

→ ASM S'S LV'S FOR SAS.) 2) ↔ DREW!) 3) GOOD NEWS! CT HOLDS...) 4) W.S. ↑ (c)'s...) NOTE @ SAS (?!) DFR GOT PRESSURED...) W.S. "SPECIALTY"...)

→ (c) TSM D.: 1) RICOH DATA?! 2) MM(c) SR W/ 3) BROUGHT VAL TONER CARTS. <UNDER UNDT 4) ERROR CLEARED!?!) 5) WDC's → D.O.!?!) 6) PMT's? 7) * GR COPIER...) <1555

SIGNATURE ____ TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice: For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 81	DATE 07 01 08 M T W T F S S (Circle Day)
SHIFT HOUR: START ~~STOP~~	TEMPERATURE MIN ~~MAX~~
WEATHER	

A/D RPT. <1337 / L (W) → R # 1220 → OSM RPT. → C/O; → KENT: W/ CLOS...; HT...; → ~~AARON~~ P: TO S.D. TMPM (SFO) ↔ OSC W/ TR (2) NEVER BEEN...; CARPOOL W/ ER, ETC; SF < LA (SUNDAY FLIGHTS?) → ER HAS FRIEND THERE...; I WENT LAST YR; NOT GOING TO MGN'S TURN...; <1406

(CALL); <1411 / A/D OS C/R (M); L; → A/D RPT <1420 / CALLS (M); A NOSE W/U <1425 / A SPOT V (M) → R # 1222 DRAFT; <1428

A/R # 1220; → SWPS; → C; (WSE:) <1435 LFT ~2000 YRDS; (NO 1936 CONC—); (3) STRUGGLING TO COMPILE DRAFT TODAY → NO RCE TS ROM CAN REVIEW MONDAY WPM ET (M) < CHANA TRIP; (4) PRBS. WENT HOME (BART—SHE'S IN SHOP...; (5) SAW OTV (L) RAFAEL M. BACK ALREADY; ALREADY SPOKEN TO KARSTEN B...;

<1935

A/D RPT <1432 / A/R # 1220; <1445 / A/(CALL); <1452

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 91	DATE 03 07 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

~~(CALL)~~ <1454 / ~~(CALLS T)~~ <1456 / ~~P~~ # 1220 / ~~P~~ OBJ <1516

~~P~~ # 1220 / <1532 / ~~(CALLS T)~~ <1534 /

~~DJV (C)~~ HAMM T. ~~988458~~ 1533
P # 1220 RS — AVAIL ?

~~EST~~
~~MET~~ W/ DJV (C)'S HT / GB RE P # 1220;
→ CLARIFIED VAR.)

→ DJV (C) D#: 1) W/ DJV (C) RE: 2) GOT MY E/M 3) MONDAY FOR (N) P # 128 DET'S; "SAME" HELEMT, TO ADD ~~F~~ TO CLOSE GAP..)

<1557

~~RE~~ SAS → D/D, RPT <1600 / ~~(CALLS T)~~ <1601 → <1602
~~P~~ # 1220 (CONT M) W/ → DMR: 1) L.S. 2) M&NS ?) 3) GANS KE
~~P~~ # 128 → LR: 15' → 28' ?) ⇔ RFI..) <1608

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 10	DATE 03 07 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

f ~~#~~ 1220 → ACTION ↑ / <1637

BCE GARY ~~T~~ 9588-4542 1650
1) PULLED OUT WDC PH. → CELL ?!
2) LOW DSL(c) VOLUME ⇒ TOLD ~~ASAP~~ D. U EARLY . /

C/M RPT. / + f ~~#~~ 1220 EDOT → ATT / + f/0 <1638

~~C/M~~ 9-808 4624 (c WDC 1658
RPT. C/M: f ~~#~~ 1220

INIT ACTION ↑ → f/0 <1642 ~~#SH~~ DOT. P ~~#~~ 1220 LOG
f/0 - c GR: NS' . / <1645 → SV: ATT ↓ f + 24 ft / <1650

S/D: ANN / → ALBRAT / → C/N; <1652

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.