STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT

# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SD-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

| | |
|---|---|
| REPORT NO. -1 | DATE 03 17 08 (M) T W T F S S (Circle Day) |
| SHIFT HOUR: START 0700 STOP 1530 | TEMPERATURE MIN ~56°F MAX |
| WEATHER CLEAR, COLD - A/M; | |

X 0940~ 0941-0947 ~ ISTT 1741 (MWL)

X SAP: 1) W/ POV (#2...); 2) WSE CONTRACT ADMIN; ETC.) 0940~

X JOHN DRURY FR 916-227-8809 0941-0947
MICRO FILM EXPERIENCE? LP/SR (& @ CB); SAYS SKYWAY'S DEALING W/ [I KNOW EZ/TI'S MGVZCHECK TS]; ON BOTH PREV. CONTRACTS, REQUIREMENT WAS MET - WRMOTTED TO? - GOOD QUESTION: ONLY CUSTOMER I KNOW OF IS DISOA'S "MAP FILES" [DOT-OT; MR RICHARD HEGINS]; I DON'T HAVE OLD P/C W/ ME RE: ARCHIVED L/NS... NUMEROUS CONTACTS THEN...) HE STRUX. MTCE. USES BIRDS ⇒ HAND-SCANS H/COPIES FROM FIELD → .TIFF FORMAT... (OR ACCEPTING ELECTRONIC .TIFF AS WELL) SAYS MICROFILM LAST 500 YRS. VS. ELECTRONIC MEDIA (SCRATCHING CORRUPTION...); ALSO COURTS ONLY RECOGNIZE

SIGNATURE 12 MAR 06 PM 1:35 24098

TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

**RESIDENT ENGINEER'S DAILY REPORT**

**ASST. RESIDENT ENGINEER'S DAILY REPORT**

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

| | |
|---|---|
| REPORT NO. -2/ | DATE 03 17 08 (M) T W T F S S (Circle Day) |
| SHIFT HOUR: START STOP | TEMPERATURE MIN MAX |
| WEATHER | |

(CONT'N.)
MICROFILM AS EVIDENCE — NOT ELECTRONIC) ⇔ TAMPERING EVIDENCE, ETC.; I'D CALL IF ACCESS OLD P/CS SOON.)

(<0948)

* BCE BJB: @ CUBICLE — ;) W/ S #159-2 FOLDER W/ MY DRAFT CT SL...;

(<0948)

* T/O P/C; → S/U & U/D RPT.) → LOG IN) → E/M: L/N = 474 U/R, + 20 ↓) <0951
* SPOT ✓ E/M) <0954 / * (CALLS ↑) <0955 / * E/M (ST.) <0956

* E/M (CONT); → DAMON M.B.: 1) G/M) 2) BACK FR. S. DIEGO; RT^D FRI; ILL AFTER L ⇔ NIGHT B-4...; 3) SPAT W/ S-I-L...) [GENES] 4) PAC. ~~REACH~~...)

→ RE BORJA: BI #36 (HS RODS 75mm ϕ...) "BCE BJB CAL") I SUSPECT W/ BCE GIL K. @ W-2) I'LL RES) →

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

| | |
|---|---|
| REPORT NO. 13 | DATE 03 17 08 (M T W T F S S) (Circle Day) |
| SHIFT HOUR: START — STOP — | TEMPERATURE MIN — MAX — |
| WEATHER — | |

(CONT'N.)

→ 1ST TIME PYMT. REQT.: 5% FOR SHOP DWGS (~ $75K?) + 25% (?) FOR INSTALLATION (~ $375K?);

<1017

* E/M 1) <1017 / A(CAL#1) <1018

* (C) WARREN, S.C.: 1) RE #36 PYMT. REQT.; SUSPECTS MACALLAYS — VERIFIED PG #255 CPS (⇔ (C) SF "TOC"); RECALLS PAN M.: INVOLVED W/ PYMT.) CCO ⇔ ADDT'L PAYS (+ PAY FOR INSTALL + RECALL ⇔ SOLE SOURCE STATE...); SHOWED ME COPY OF 03-07-08 SUBM'L FOR INSTALLATION PAN M.'D SIGNED W/ HIM...) I'LL HAND OVER TO RCE GK — WILL APPRISE ICE JOB FIRST, AS RE #36 ASSIGNED TO HIM...)

→ RCE RS ROM: 1) WORKING LATE LAST NIGHT ON E/M!?) MISSPELLINGS...) I'LL REC. TURNING ON AUTO-SPELL...) 2) RE #36 — I'LL PASS ON TO ICE GK...) ⇔ MACALLAYS (CCO INVOLVED) 3) IN PLACE: "?" <1018

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 4

DATE 03 11 08 (M) T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER

* MARK G.V.: 1) AP w/ 2) HES STIRRING STUFF UP...!: SAW & RESPONDED TO MY E/M...) M/F LASTS 500 YRS. & COURT-ADMISSIBLE...) VS. ELECTRONIC MEDIA) SAYS CD'S ALSO DEGRADE: 10→15 YRS. ⟺ PLASTIC!) HE'D DISC'D W/ ARCM TECH T.M., WHO CONTACTED J. BABCOCK, THEN STEVE A, ETC...) SKYWAY DCE W. HOWE AWAY ON VAC.— LIKELY RESOLVED ALREADY...)

→ RCE GIL K.: AWAY TR OFC.)

→ RE BORJA: RE #38 PYMT. ⟺ BCE GVS: NOT IN OFC) HE'LL F/U...) CCO PERTAINS AS WELL ⟺ #4 & INSTALLATION) CA WARREN S.C. SAYS RON M. @ WDC INVOLVED W/ PYMTS ALREADY...)

<1043

* SPOT ✓ E/M) LIGHT / * JAN.: 1) MT TOP POT 2) C/S: HOT TR STNK TOW, COUNTER (A) TABLE, TOASTER TABLE, ETC.) 3) MR TR POT 4) #4?: Ø;

→ PROV S. / STOW PROV S. / → R/S D/RACK MTT (WAPE OTR STF)

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 51

DATE 03 17 08 (M T W T F S S) (Circle Day)

SHIFT HOUR: START ___ STOP ___

TEMPERATURE MIN ___ MAX ___

WEATHER ___

(CONT'N)
→ (c) JD FANN: 1) JAN. 2) (W/END) 3) KIDS (BALLET, JUDO-?) 3) (CANCEL) HUNT 1) RCH, SF, SACTO, OAK (2 YRS.), HOURA HOUS, ETC, ETC.) PANAMA, COLOMBIA - ANT 2) TEXT PARADISE..)

<1102

* (CALL) 1) <1107 / → (c) F. BELL: 1) (c) SR W/ 2) GREEN?!..) 3) JAN. CUPS?: F SET OUT 4 EA.) KEN T. KNOWS TO ASK HER...)
→ JAN.: SET OUT 4 CUPS / → RE GARY P.: TRAVELLER SNAGS COM'L 2 - WE MUST RUN ONCE WE'RE OLD & GRAY...!)

<1109

* CURSORY S# 159-2 / → SPOT ✓ E/M / <1120 / A (CAUST) / <1123 / M / <1129
SPOT ✓ E/M / <1131
(SEE APP. #3 ___): RCE RE RCA (CONT'N.): 4) S# 159-2: "MISTAKE"?! - NOT REALLY: AUDIT FINDING REPAIR!!!) ⇒ USE S# 189! ⇒ "LATE"...) I'LL ADD CLAUSE TO OT SL...)

<1058

SIGNATURE 5) LT. HAN M: LATE / HAN TOO. FULL SUPP...!)

TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 6

DATE 03 17 88 (M) T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

* SPOT ✓ AMN ACTIONS ↓: D S# 421-5) & S# 523-1) <1133
✓ ✓ ✓ : D S #159-2: BLE GJL'S EQUIPS) → P/O)
) R #1225: NO PB (a) RESPONSE - !) R #1245: NO OSN (c)
RESP.) : → SPOT ✓ E/M) <1137

* P/O) <1139 / * U/D RPT.) <1147 / * (CALLS 1) <1148 / * U/D RPT.) AA
→ SALMAN S.: DISAPPOINTED — WHY NOT FRIENDSHIP OVER
INFATN?! ⟺ G.R. D/O + P/U ⟺ WTR TRNS..) <1209
* U/D RPT.) <1211

* U/D RPT.) → AARN P.: D (TR. TRCKS..) LOOD DRAL (J+R..)
LENT — TRC ANOTACN..) G.R.: ALC....) J.T. PATS SATN)
#1217 <1214

* U/D RPT.) <1218 / * (CALLS 1) <1220 / * U/D RPT.) <1239 / <1246
* H/C SUR. #S: D 421-5) & 523-1) <1240 / * #159-2 / 589-4)
* (CALLS 1) <1247 / * S #589 (#159-2..) <1302

WPC
* RCE GARY J.L. 9-88 4542 1302
AVAIL TO DOC. SUR.?) I'LL COME OVER NOW

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

| | |
|---|---|
| REPORT NO. 7 | DATE 03 17 08 (M) T W T F S S (Circle Day) |
| SHIFT HOUR: START — STOP — | TEMPERATURE MIN — MAX — |
| WEATHER — | |

* WDC ROE GARY J. L. (1) @ WDC (2) DISC'D S #159-2 / S #589-0 ARFJV SL #260 WAY FORWARD) PREFERS KEEP S #159-1 SEPARATE FOR "AT & F" ISSUES (MEPA + AUDIT) ADD REMARKS TO CT SL/RESPONSE - @ TOP (VS. BOTT.) ROE DIR'D THOUGHT TO USE S #589-0, AS HAD PROPER TITLE...) WE CALLED ARFJV C. KANAPICKI (SP?) - SUBM'L GEN'L...): NO ANS'R.) I'D GO SEE...) OSM (C) ALW'S REMARK @ ARFJV SL #260: "VERBAL RESPONSE TO ARCH PICK I.M...!) NO CT RESPONSE ⇒ "HOLD" REQ. ALT. FAR?!) WDC (C) SPLYANS: PNW NOTE - S #589-0 IS SUPERSEDED...)

2) WDC (C) JPL? IN TODAY) 3) DRENK L - PET'D) I'D BEEN UNABLE TO GET TO DONATE, LEAVE VAR. DONATIONS PET'D.!) 4) R #1225 STATUS?!) STILL WTG ON PB (C)! WDC (C) JPL'D TOLD ME LAST WK ~ T. MEP PRE MEET THAT (C) SAID S HAD PROMISED BY LAST WEEK'S END...)

2134 IN

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

**RESIDENT ENGINEER'S DAILY REPORT**

**ASST. RESIDENT ENGINEER'S DAILY REPORT**

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

| | |
|---|---|
| REPORT NO. -8/ | DATE 03 17 08 (M) T W T F S S (Circle Day) |
| SHIFT HOUR: START — STOP — | TEMPERATURE MIN — MAX — |
| WEATHER — | |

* ARFJV'S CHUCK K. ?: 1) RCPNST...; 2) MD FLOWERS — POINTING ME TO OFC....; 3) ADAM R: DIRN...; 4) CK'S OFC MT.; 5) OFC. ENGR ?: SHE DIDN'T KNOW CK'S WHEREABOUTS...;

→ ARFJV'S R. KICK — !: 1) W/ GENE R.; 2) CHUCK K. — @ AUDIT, W/ OSM (C) AMAZEN W. — !; 3) SHOWED HIM DRAFT CT SL ⇒ S #159-2 / #579 / ARFJV SL #260 (~08-07) 2) I'D BE CLOSING VIA #159-2 TO KEEP AT&F AS A "SERIES"; 3) NO PROB. W/ COMMENTS...; 4) SAYS RELATED TO SUBM. #6...; 5) SAYS 1ST TL-38 HD'G ON (NOTIFN RE: FABN...); 6) I'M ON & OUT OF OIW ISSUES; THOUGHT (C) WARREN S.L. NOW HAD...; TRUE ⇔ FACILITY W/ TRAVEL (HOWEVER, SNAFU W/ HO-CHANG TRIP); I'D BEEN SCHEDULED FOR CHICAGO TRIP (⇔ SCOTT) ENDED UP JUST BEING A "VISIT"/"TOUR" — NOT AN "AUDIT"... (NO "EXIT" MT'G); BUT STATE EMPL TRAVEL DENIED...; 7) FEELS FOR (C) WARREN S.L.: WORK-LOAD; 8) I RESPLIED: HAS EXPERTISE, ESP. RE: CARLE SYSTEMS...;

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -9/

DATE 03 17 08 (M) T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

(CONT'D)

→ RE SAS: → (1) WARREN S.C.: ARTJV'S BOB K. FREELY SORRY FOR HEM...! ⇒ WORKLOAD, ETC.)

2) OZW: I'VE "AT&F" AUDIT, CLOSING TODAY!

3) HE'S TRYING TO CLOSE MFSDA FOR HEAT TREAT FACILITY (FOR OZW?): DSM (1) AMAZEEN W. + ARTJV'S CHUCK K. ON AUDIT TRIP NOW, SO TRYING TO CLOSE BY THEY RETURN! HE JUST GOT — HAS TIME ON CLOCK...)

4) SH 59-2 = SH 589 = ARTJV SI #260 (08-'07): NO CT RESPONSE...) + PUSH'S T ALERT (1) S. SEMEDE + D. RUSS: PREPARING RESP. RE: NOPC #6 (⇔ SI #6)

5) SI #260 ACTIONS: SHOWED HIM TO PO ACTION LOG ⇔ DOC. #...)

← 1559

← ARCM TOOK T.M. AWAY TO DESK)

→ RCE AJ SOM: REF DSM (1) AMAZEEN W. COMMENT REL. VERBAL COMMENTS TO ARCM RTM; ANYTHING TO INCLUDE IN CTM?)

← 1412

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

| | |
|---|---|
| REPORT NO. -10/ | DATE 03 17 08 (M) T W T F S S (Circle Day) |
| SHIFT HOUR: START STOP | TEMPERATURE MIN MAX |
| WEATHER | |

*(MAINT) E/M↑) <1F17 / *(CALLS ↑) <1F18 /

* PRES NOTE FOR ABCM RICK T.M.; → LV. ON CHAIR /
→ (c) WARREN S.C.: I'D LFT. 4 CUPS IN KITCHEN — ONLY 1 P.D. !; SIGNS TO PAY LARGE ENOUGH... /

<1F22

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM46

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 11

DATE 03 17 08 (M) T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER

~~1430~~

A ABCM TICK T.M.: DOESN'T RECALL DISCUSSIONS W/ ARFJV RE: OSM (C) AMAZEN WAHREM'S "VERBAL" RESPONSE TO ARFJV'S RESPONSE TO JT AUDIT FINDINGS & CONCERNS...) I'M CLOSING OUT S #'S 159-2 & 589 ... "TITLE" STATUS ⇔ BCE BJ BEAL VS. GARY J. LAE PREFERENCES) DISC'N W/ ARFJV'S. R. KICK...) ARFJV SQ #260 DIDN'T GET ANSWERED...)

<1430

A W/D RPT.) <1430 / A S #159-2 / 589 - Ø / ARFJV SQ #260) <1440 A (CALL ↑) <1443N / A W/D RPT.) <1444 / A S #159-2 DRAFT OT SQ) <1457

A (L: PREP) → N) → (C) JENNIFER !) CLN & (!) - COUNTERS, M/WAVE (AGAIN!) MY #) 2) ROT'N SCHED. ?: FR, M/N...) 3) LATE L.) 4) JT. RATES...) → W/D RPT.) <1510

A (L) → S #159-2...) + RE ~~BOSA~~ <1510 : CHC FOR HOME TONIGHT MAYBE YET TO STOP) HTS @ STOP; BOB'S BIS SKEP (GR?): NOT ~~[illegible]~~ HE'LL ASK FOR RIDE <GAYA R.) TO WE POV) <1516

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM46

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 12

DATE 03 17 08 (M) T W T F S S (Circle Day)

SHIFT HOUR: START STOP

TEMPERATURE MIN MAX

WEATHER

* CT SL DRAFT / S# 159-2 / Ln(L) → V/D RPT / <1529 / * CALLS / <1532
* V / Ln(L) / <1535 / * CT SL S# 159-2: P/O ACTION S / <1538

* RCE: GARY SL 9-88 4542 1552
S# 159-2 CT SL DRAFT...) ARCM: RCE T.M. DIDN'T DECIDE DISCUSS W/ ABF-JV SO I'M LEAVE OUT ANY MENTION W/ IN ANY DRAFT CT SL)

* V/D RPT / <1556 / * CALLS T) / <1557 / * (TTL) / <1558

* P/O S/ RCE BOR: 1) ADV. S. W/; 2) H/C S# 159-2 DRAFT CT SL) → EDIT TYPE...) <1601 / * S# 159-2) <1602 / * CALL T) <1603
* (CALL V) / <1605

* RCE BOR: 1) ADV S. W/; 2) S# 159-2: I'M ACTUALLY CO/ APPR S. (THREE...) RCE GJ'S EDITS IN...) ITEM #2 O.K. — VERBATIM. COM: PASS IN...)
// → MOV ACTION T) / 3) BOB B. GRINSTEIN PRESENTED "TO RCE GK?) ON LOAN" I'M TO ASK) <1609 4 WKS TKS...) R-4 STAFF MTG THRU

* V/D RPT / <1610 / * E/MT / <1616 / * CALLS T) / <1617

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

**RESIDENT ENGINEER'S DAILY REPORT**

**ASST. RESIDENT ENGINEER'S DAILY REPORT**

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — B

DATE 03 17 08 (M) T W T F S S (Circle Day)

SHIFT HOUR: START ——— STOP

TEMPERATURE MIN ——— MAX

WEATHER

~~SHEET~~ SAS DET: 1) LOG BOOK: S #159-2 / #589; 2) (c) S FR & SB: S #159-2 CT SL DRAFT W/ (c) APPL S.; 1 NO ATT S.; 3 WDC (c) JP LYONS TO CLOSE OUT S #589-0: "SUPERSEDED".

(c) APPL S.: ALTONED HER ON S #159-2; SNAFU: ATTACH CT SL #260 + S #589; 08 '07 ATTACH SL W/O CT RESPONSE...; 02-19-08 / 03-04-08 S #159-2...; 1st EXPLANATION...; OTHERWISE, SHOULD BE STRAIGHTFORWARD; SHE'D WANTED TO LEAVE IN N10...; ALMOST SLIPPED THRU CRACKS AGAIN...)

(c) F. BELL: I'D PLACED 4 GUYS IN KITCHEN — ONLY GOT PD. FOR 1!!; 1) BCE-GSL / PL. 6502227520 (1032); MS² CALL; 2) BCE-GSL; 3) SAS KITCHEN; 4) M. CHUE W/ WONDERING IF "ATTF" CT-SL GOING OUT, ATTF'S NOT, BP, TN I MT² W/ CT LMF REGP? ABUM FTM?; I'D ACP (c) SAS DET'S (c) FR: P. HE LK² FOR DOORS S.C./JEEP KEY; I'VE STILL TO TAKE TO SHOP...)

(c) ~~SHEET~~ S.: HEADS-UP ⟺ ATTF SUBM L SNAFUS →

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 14

DATE 03 17 08 (M T W T F S S) (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER

(CONT'N.)
+SAYS CT RESPONSE DUE RE: "DELAY" TO "ATT. PIPE FAB"!
ABTJV SL #260 ⊗ 03-17-07~: NO CT RESPONSE TO ABTJV?
OCM (c) + MAGEN W. PREV NOTE — ARCM RICK TAM
DIDN'T RECALL...) T'D ACTIONED AFR ON MY CT SL.)
S#589-4 = ABTJV SL #260 ≡ S#159-2...)

→ SCA 652! D STILL W/ M.C.) 2) (c) APPRL S. SAYS MY CT SL'S
BEEN FINALED...) ~~[illegible]~~

→ (c) APPRL S.: SAYS CT SL'S BEEN FINALED...) 2) T. CHUNA
CALL (W/ PROJ. MGR?, ETC.)

<1650

*CALL T.) <1651 / * PREV. ACTIONS T.) <1659 /
*(c) S. SEMBLE: D COURAGE TO SEE IF ABTJV PREV
ACTIONS?: CHECKED...: YES) MAYBE NOT YET...?
2) LENT ~~[illegible]~~ MY S#159-X / S#589 FOLDER ⊗ ATTF
MESSA ~~[illegible]~~ ...) <1707

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 15

DATE 03 17 88 (M T W T F S S) (Circle Day)

SHIFT HOUR: START STOP

TEMPERATURE MIN MAX

WEATHER

*U/D RPT/<1711 / * C/U: → JAN: +50¢ ↓? (+100¢ @ BUCKET) / → STOW PROV. ↑ / → U/D RPT. / <1723 / * (CALLS ↑) / <1725

* LTS OUT ?: R.K. ON OF.C. / <1727 / * MISC.: → E/M ↑ / <1731 / * (T/N): (HOLD ↓) / → PNTR: SPOT ✓ ACTUAL SPT. ↓ / <1735 <1740 / * S#159-2 ACTION ↑ — WIPED OUT BY "LOSE" SO RE-RENT

* CUSTODIAN HELP / <1752 / * (CALLS ↑) / <1755 / * U/D RPT. → (T/N) / <1803 / * (TXTS) / <1814 / * U/D RPT. / <1817 / * (CALLS ↑) / <1826 / * U/D RPT. / <1840 / * (CALLS ↑) <1844

* MISC. / ⇔ CUSTODIAN: GOING TO OTHER SIDE — HE CAN C/O LIGHTS, PLS. / <1856 / * U/D RPT. / <1912 / * (CALLS ↑) / <1921 / * SPOT ✓ E/M / <1923 / * (E/M ↑) / <1928 & <1934 / * U/D RPT. / → SPOT ✓ E/M: P/OD → B/M (ST.) / <1942 / * U/D RPT. / <1949 / * (CALLS ↑) / <1951 / * U/D RPT. / <1953

→ / <1957 / * P/OD / <1958 / * P/OD, E/M (CONT.) / <2006 / * PROV. ↑ → C.U.: +50¢ ↓ (+100¢ @ BUCKET) ① 45 CUP CARATE IS MISSING, ! ② STOW GROUND COFF. DISP. — BELOW SDWK. / <2015 / * U/D RPT. / <2018 / * (CALLS ↑) / <2021

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

| | |
|---|---|
| REPORT NO. 16 | DATE 03 11 00 (M) T W T F S S (Circle Day) |
| SHIFT HOUR: START ~~STOP~~ | TEMPERATURE MIN ~~MAX~~ |
| WEATHER | |

*CLUK) → MUSC.) <2024 / *E/M E (ST.) <2029 / *O/L T/S: PREP. (CONT) <2047
*(CALS T.) <2049 / *O/L T/S PREP. <2105 / *(CALS T.) <2107 / *O/L T/S
*O/L T/S: <2117 / *(CALS T.) <2119 / *O/L T/S PREP. <2147 <2111
*(CALS T.) <2148 / *O/L T/S PREP. <2158

*WAIT @ ALARM: ALREADY SET TO MODE 1!) <2159
* L→ ...) → DIDN'T ARM TO MODE 2) <2202
*V) → MUSC.) → T/O - TO LTS; <2209 / *(E/M) <2217 / *(CALS T.) <2219

*O/L T/S PREP. (W.E. 022308 SA) <2235 / *O/L T/S) <2240
*V VM: MPES) <2242 / *V VM: ~~PAS~~ ≤ + Ø (+ ØS) <2243
*INPUT P/O SAVE SUBMIT P/O → V/D RPT. <2250
*(CALS T.) <2251 / *P/O) <2254 / *(E/N.) <2255

~~2300~~
*WAIT @ ALARM: MODE 1 → MODE 1+2 @ 2300 / 2301) <2358
*R/S REMINDER ALARM) <2302 / *(E/N.) <2305 / *O/L T/S PREP)
*(CALS T.) <2321 / *O/L T/S (PREP.) <2349 / *(CALS T.) <2349
*SUPP S) <2350 / N) 2354 / *O/L T/S (PREP.) 2358
*WAIT @ ALARM KEYPAD: SELF ARMED @ 2359 / 2400)
*R/S REMINDER ALARM...) <2401

SIGNATURE

TITLE: Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.