.0823
.0824
(↑) <.0831
472, +12 ↓ <1028
O/ E/M + E/M ↑ <1033, 1047
O/ <1046 (↑) <1047
FM <1049
E/M, BB, AS <1125
(↓) (1125 – 1128)
(↑) <1130
E/M ↑ <1135
<1139
E/M ↑ 4147
(↑) <1142
– 1

O/D <1357
BB RH <1404

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.

DATE 03 18 08 M T W T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE MIN 0700 MAX 1530

WEATHER CLEAR, COLD, – A/M

* (0000 – 0046 = 46'))(

–N:

* CONT^N <03 17 08 M/ <0001 / * S/O & U/D RPT/ <0003
* O/L T/S (PREP.) → CONT^N/ <0016 / * (CALLS ↑)/ <0018
* O/L T/S: INPUT, SAVE, P/O, SUBMIT, P/O/ <0026 / * P/O/ <0027
* O/L T/S: ✓ ✓ ✓ ✓ ✓ / <0030 } W/O AT...
* ✓ ✓ ✓ ✓ ✓ ✓ ✓ / <0032 } ✓ ✓

* P/OS/ <0034 / * S/D: O/L T/S PMIV/ <0035
* L/N: SAVE DRAFTS (~4)/ <0036 / * S/D: L/N/ <0037
* S/D: O/L T/S (II...)/ <0038 / –N/ <0041 / * S/D: L/N), P/C/ <0043
* (CALLS ↑)/ <0046

*

SIGNATURE [signature] 12 DEC-26 AM 9:35 24099

TITLE Assistant Structure Representative/ Leadworker

46.02

CEM46

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. ? 2	DATE 03 18 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* BCE BJ BOAL 622-5191 0815-0816
LFT V/M: 1) EN RTE; 2) SF/OBB [SIG-ALERT] ⇔
3) LATE FOR 0830 STRUX STAFF MTG..)

* BCE BJ BOAL 714-7080 ~0816-0819~
IBID) HE'S EN RTE AS WELL.

* H/C S# 642-0;

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION
QUANTITY CALCULATIONS
DC-CEM-4801 (OLD HC-52 REV. 11/92)7541-3520-0

SHEET 1 OF

· 49.24-S1: ME STAMP
· T. MEP

WKLY. STRUX STAFF MTG
SAS ~~E. C/R~~ → OLD VTC RM
AAJ SCHMITT

03 18 08 TU
~~"0800"~~/"0830"/0833~1020

① STAFFING
— MGN: TEMP. TOWERS — RUMOR

② 42-S1: AAJS

(0838) ③ BOB B.: 1) ~~[illegible]~~ PAD EYES
2) 49.25-S1: B. RAIL
DJV (c) TOM H.: MORE DET'L CHANGES
↳ HAD FON'D. PLANS
CANTILEVER
(c) G. BAKER: CALCS. O.K.
ELASTOMERIC WASHERS...
CRASH TESTED
49.25-S0: W/JV
T. OBG: K. SMITH

BCE BJB: E/M — "PROCEEDING"
OTD/YBI... 2ND DJV TEAM...
HG-K DET'S: PICTORIALLY...
· E/M: STUDS E/M...; HOLD

3 OBG SUBM'S
4 ROCAP TEST RESULTS: 20 DAY; 0F-01; LEJEUNE
(c) WSC ⟺ MESQA; "PROCEDURE" — FYI...

AAJS ④ 1) 49.24-S1: RTM + RM CALLED DJV (c)
→ RTM + DJV (c) INTERVIEWING
· COMPONENT SELECTION...
HEAD LOSS: l OF HOSE, BENDS, CONDUIT MAT'L.

POSTED BY DATE POSTED TO
MTG

CEM 4801 (HC-52 REV. 11-92)

STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION
QUANTITY CALCULATIONS
DC-CEM-4801 (OLD HC-52 REV. 11/92)7541-3520-0

SHEET 3 OF

JOB STAMP | ITEM | FILE NO
LOCATION | SEGREGATION ☐ YES ☐ NO
CALC. BY | DATE 03 18 08 TU
CHK. BY | DATE

(8) DCE WS: R #7244 - (c) WSC
→ 49.72 ⟺ KB SL...

<0945

(9) CHC: B&R B'S... → ABCM RTM...

(10) PMDV "TDP": P/O ACTIONS
— TRN'L: AJAY S.

(11) (c) WSC: CONSTR'N
→ FALL PROT'N: REFRESHER
OSC IDP: F/P, CONF'D SPC REFRESHERS
→ NOT CONF'D. SPC: BCE EJB
— AJAY S.: C.S. INST'R...

(12) CONF'D. SPC. — ORG...
→ SKYWAY WAS CONF'D. SPC
→ "MODIFIED" C.SPC PROCED'E

⋮

(1015) CARQ'Z TOWERS... / 127 m

<1020

POSTED BY | DATE | POSTED TO

CEM-4801 (HC-52 REV. 11/92)

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 3 / 3

DATE 03 18 08 M T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX

WEATHER

*U/D RPT.) <1153 / *E/M ↑), <1200
→ (C) TEM D.: H/C SUBM^S — 1) 273-2, 2) 428-4)
3) 429-2) 4) 433-2) → ALL "FINAL" R/LS !!)

*U/D RPT.) <1203~

* P. SIVA TR. 1510715-8693 1203-1207
1) DCE RSP GOT) HD & OUT — I CAN'T) 2) GOT 5 SUBM^S!)
3) MICRO/F — "JUST DO IT") "DON'T TRY TO REINVENT THE WHEEL..")
4) CALL NEXT WK.; DCE... SCOTT M...)

*U/D RPT.) → SPOT ✓ E/M) <1211 / *E/M↑) <1214 / *STORE: (N) <1215

*JOB B.: 1) CLO MT^G: TM&W.) ← BLE BJB'D TOLD ME)
2) DIDN'T GET R/LS TODAY [I'VE 5 NOW])
→ U/D RPT.) <1216

*(CALLS ↑) <1221 / *P/QS) → MISC. W/U) → H/C R/L (<1020~)
S# 2281-3...) <1224 / *SPOT ✓ E/M...) <1227

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 4 ? /	DATE 03 18 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

L(L: RETR.) / <1231 / * <1249

* (CALLST) / <1251 / * C/U → DCE WS: EASY-GOING (T. MEP) MTE?
YES; → PROV S. / <1254 / * S #281-X: LOCATE FOLDER(S) / <1258

* WKLY. T. CABLE MTE. "1300" / 1305 – 1332
→ SEE FILE FOR ROSTER & NOTES

* MISC. WRAP UP)
→ ABFJV'S BOB K.: 1) ON PH (S!?); 2) CAN MEET @ T. CABLE?
(→ JSW...) WILL TRY)

→ AJAY S.: INTROS;

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. ? 5	DATE 03 18 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

*Y/D RPT) <1405 / *(CALL 1) <1406
<1409
*BOB B.: RTO PROCS)

<1422
*Y/D RPT) → RCE BJ BOAL: 1) (c) WSC w/ 2) AM. TANK MFSQA WENT YEST'Y.) OSM (c) RYAN T.S.: GOT TL-38 !) ABFJV'S BOB K. TOLD ME YEST'Y. IT WAS COMING...) PLATE ROLLING...) TACK WELDING — WILL CONSUME LATER @ OIN...)

3) R. KICK UNABLE TO JOIN: MULTIPLE PHONES + P/C..)

4) BCE BJB TO EAT L.)

→ (c) WSC TO MA C.H. — CANVAS BAG: <MGN'S) →

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 6	DATE 03 18 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N.)

* RCE GJL — 1427
1) 281-3, 433 - 273 : HE'LL DO)

2) 428 429 : I'LL DO)

* RCE GARY J.L : TOOK S#S 281-3, 433 & 273)

* V/D RP'T) <1430 / * (CAUST) <1431

V - (1431-1552 =)

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. ? 7	DATE 03 18 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* FTN SAS) <1552~ / * U/L WR/STTN) <1555~ / * U/D FPIT) <1557
* SPOT ✓ E/M) <1559 / —W) <1604

(BY BCE GJL)
① S# ~~1610~~ 281-3 : CLOSED ② S# 433-2 : CLOSED (BY BCE GJL)
③ S# 273-2 : CT SL DONE - ATTS?)

→ AJAY S.: 1) LONG E/M — GOING?; Y...) 2) REPF — I DON'T HAVE TIME) I'VE 1700 HR DEADLINE W/ SURMS...) 3) ALWAYS ON P/C...)

<1610

* U/D FPIT <1613 / * S# ~~4284~~ <1618 : DRAFT CT SL)
→ (c) DON R.:)

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 8

DATE 03 18 08 M T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX

WEATHER

<1622

* (c) DIN R.:

* (CALLS ↑) <1629 / * S #428-4: CT SL DRAFT, ATT'S ACTIONS) → P/O) <1638 / * FOLDER TO BCE BJB'S FO) <1639

* S #429-2: ATT'T) → DRAFT CT SL) → ACTIONS) → P/O) → ATT'T) <1649

* BCE BJLAT 9-808-4542 1649
1) THX. FOR TAKING CARE OF THOSE 3 CT SLS)
2) HAS 2 FROM ME.

* V/D RPT <1655 / * (CALLS ↑) <1652

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 9 ?

DATE 03 18 08 M T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER

A <1700

A (c) APRIL S. : AWAY FR DESK) <1702

A BCE GARY J.L 9-808-4542 1702
~~[illegible]~~ (c) APRIL S ~~[illegible]~~ AWAY FR DESK) RE GARY P. GONE FOR DAY-?) ARM RICK T.M. ALSO GONE FOR DAY) (c) F BELL WAS WOND'G IF HE (BCE GJL) WOULD SIGN CT SL..) HE'LL CALL (c) APRIL S NOW) CONTRACT DUE DATE IS 03-24) CONTRACTOR REC DATE WAS YEST'Y.

* BCE BJB PK'G) +V/D RPT) <1707 / * BCE BJB OFC) <1710

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM46

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 10	DATE 03 18 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* BCE <1729 GARY JL

→ Cc F BEU H/C S#s 404-3, 520-1 & 421-3 (← R/L) <1729

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 11 ?	DATE 03 18 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

*S/D RPT.) <1730 / *(CAUS ↑); <1751 / *E/M (ST.) <1735
*SPOT X PMIV: S #214-4) <1737 / *U/D RPT.) <1738
<1759
*

*(CAUS ↑) → ~~<1801~~ Col WSC: RICE TOO? - NOT MINE / <1801
~~<1813~~
h(4) / → Col DR's OAG "PACKAGE") → Col WARREN S C.I
1) S #5 GN 2: GRISNARD MFSOA FINAL CT SL SNAFU →

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT
CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45
☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP
04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 12 ?
DATE 03 18 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —
TEMPERATURE MIN — MAX —
WEATHER —

(CONT'N)
(d) APRIL S. RE-WRITE CHANGED MEANING OF WHAT HE'D WRITTEN (MFSOA RESPONSE GOVERNS OVER QUALITY MANUAL...); SAW BCE GJ LAT LV & RT NOT AWARE OF SNAFU 'TIL NOW...; DOESN'T RUN MFSOA THRU BCE BJBOAL...; ARM RTM PROB. DIDN'T SEE CT SL - LIKELY WOULD'VE QUESTIONED...; AND

<1823

*U/D RPT.; <1832 / *(CALLS↑); <1834
~~<1857~~
[N] → C/U → JAV.: + #3 ↓ (+100¢ C BUCKET)
→ M. CHUT: 1) W/ (C) T. PHAM (STILL...); 2) ARM DIDN'T FALL OFF... - SWITCHED ARMS...)
<1857

<1903
*U/D RPT.; *SPOT ✓ E/M; <1859 / *(CALLS↑); <1901 / *SPOT ✓ E/M;
*CLUB; <1904 / *MISC. W/U → SPOT ✓ SERVER; <1920
*(CALLS↑); <1921 / *SES. EZ SHAR KEY + BRG'S; <1959

SIGNATURE [signature]
TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 7 13

DATE 03 18 08 M T W T F S S (Circle Day)

SHIFT HOUR: START — STOP

TEMPERATURE MIN — MAX

WEATHER

* REPS TO ADAMS DESK) <2002 / *(CALSTA)/ <2003
* REPS. DAZZLES ⇔ E2 S/K & BRG.. / + (d WSC: 1) W E/ 2) (d TP STEEL HELE..)
<2010

* UNABLE TO LOCATE NOTES.. / <2016 / *(CALSTA)/ <2017
* POST ORG PLAN, ETC. (M RELOCNS) / <2028 & <2032
* S# 273-2, 433-2, 421-3 / → SUPPS / <2042
* W8 OUT - EAST, W'S P/R LOBBY / → PROV^N; <2059
*(CALSTA); <2103 / *E/MT/ <2108 / *(CALTA)/ <2114 / *(EN)/ <2116
*(CALSTA)/ <2117 / *S# 421-3: ATT^L P/OS/ → SERVER/ <2133
* E/MT/ <2139 / * S# 421-3: DRAFT CT SL/ → SPOT ✓ E/M/ <2150 <2158

*(CALSTA); <2152 / * S# 421-3 DRAFT CT SL/ → E/M (CONT)/
* V/D RPT/ <2201 / * P/OS/ <2205 / *(E/M)/ <2214 & <2250
*(CALSTA)/ <2254 / *(E/M)/ <2240 & <2251 / *(CALSTA)/ <2253
*(EN)/ <2258 <2305

* INACT C ALARM REQUIRED: ARMED ITSELF (MODE 1→2) <2300/2301
→ RES REMOVED ALARM; <N/ <2305 / *V/D RPT/ → (EN)/ <2308
* V/D RPT/ <2309 / * S# 421-3 CT SL DRAFT/ <2323

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 14	DATE 03 18 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

* E/M↑) <2326 / * S# 421-3: DRAFT CT S2) → P/O) → V/D ↑M DET↓) → SD: "W"?) <2350 / * (CAUS↑) <2351
* PREP. S# 421-3 PK↓ FOR RCE BJB) <2354

* S/D: PMIV) → E/M (CONT) SAVE (DRAFT) <2357

* WATT @ ALARM KEYPAD: ARMED ITSELF @ 2359/2400) <2401
→ MAX
* SPOT ✓ E/M) → P/O:) → SAVE DRAFTS... → S/D: L/N) <0003 / → P/O:) <0004
* S/D: E/N) → P/C) <0006

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.