VP, RR 2101

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT
CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45
☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP
04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. - 1/
DATE 03 20 08 M T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530
TEMPERATURE MIN ~40°F MAX
WEATHER CLEAR, COLD A/M

+ 0756 ~~0757~~ → 1626 → 1645 ~ ⇒ ~~+18~~ → 0

N:

* SAS: 1) W/ PW (+2 J/Y) MISC CONTRACT ADMIN, ETC.) < 0756
* S/M: REVIEW J/ → T/O P/C (0857) / + CALL IN / < 0858 / + LUNCH IN / < 0759
* E/M: L/N = 500 U/R, +9V / < 0800 / + SAS ✓ E/M / < 0801

* BI-WEEKLY SAFETY MTG ~0800 - 0830
→ HOSTESS: FRANCES M. — PPT: BASIC 1ST AID & SAS JOB (W-2 FIELD) RELATED 1/

SIGNATURE [signature] '12 DEC-26 AM 9:35 24101
TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46-02

STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION

QUANTITY CALCULATIONS

DC-CEM-4801 (OLD: HC 52 REV. 11/92) 7541-3520-0

JOB STAMP | ITEM | SHEET | OF | FILE NO | LOCATION | SEGREGATION | CLASS | CALC. BY | CHK. BY

REMOTELY ALL-STAFF MTG
SAB CONF RMS

07/20/08 TH
~~09/19/08 FR~~
1300 M / 1304

① DCE ADS

② AR (NOT FLOOR) HOLIDAY

③ PANAMA CANAL: TRY

④ NZ:

⑤ HRB ~~ALK~~ — AMER TANK

(0423) ⑥ E-2 F/W

⑦ MOD-APR: RANGER CRANE
→ E-2 F/W

⑧ DCE CART M.: OAC BREAKDOWN
→ ACE. I.D. CARD
→ RECORD BOOK
← VEH. REG
⋮
→ PWS. DIRECTORY
⋮
VOYAGER...

⑨ Cd AR: U/D... > 20K ACTS
END OF 6,400 AT
⇐ (c) DR

POSTED BY | DATE | POSTED TO

~~0925~~

~~0930~~

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -21	DATE 03 20 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

Good

*

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 3

DATE 07 2008 M T W (T) F S S (Circle Day)

SHIFT HOUR: START STOP

TEMPERATURE MIN MAX

WEATHER

E/MT) < 1023 / A(CALDT)) < 1024

DJV (C) JOHN OTTER 9-1-416-362-1727 1026 1054

1) CALL-IN # WON'T LET HOM DIAL IN FR AREA CODE!
2) I DON'T HAVE ANY CALLS / V/MC FR HOM! / CALLING DJV (C) ALEX S.?!
3) SENT HOM E/M... / # TILL F/U + CALL AGAIN W/ UPDATE...)
4) OT E/M BLOCKED HOS E/MS VEST'Y.-!) BOUNCED...)
5) I DIDN'T GET HOS 2ND E/M - DJV (C) ALEX S. TOLD ME ABOUT IT...)

A/D RPT.) < 1030 / CHECK (N): NOT RINGING! / CLOSE)
(N) 2 1039 FR. P.C.↑: "1035"...)

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 4

DATE 05 20 08 M T W T F S S (Circle Day)

SHIFT HOUR: START STOP

TEMPERATURE MIN MAX

WEATHER

*F/MT/⊄1102/*SPOT ✓ F/M/→MESC)⊄1104/*(CALLS T)/⊄1106
*PMEV: 1) ST./2) # 1225 STILL NO PR (c) RESP.!/
3) # 1245 - NO PR (c) RESP.!/ ⊄1107

*DJV (c) J. OTTER 9-1-916-362-1727 1107
E/MAILED HOM (N). CALL IN *- FOR CANADA, FROM RE. GARY P...) HOS P/C'S. TEED UP - ASKED FOR (SAME PARTICIPANT CODE); 1000 HRS (CALL) STILL OK W/ HOM (1300 HRS. CANADA) - PREVIOUS CONF CALL SHOULD BE WRAPPING UP BY THEN.

U/D PPT/→SPOT ✓ F/M/⊄1115/(CALLS T)/⊄1117

*ROUND UP FOLKS FOR VAN/CARPOOL/
⊄1126

*RICK BJ ROM FR 1510/1470 1124-1128
1) 30 HR O.T. ?/ MON. 02-A HOLIDAY/ "21" ?/
2) TO (c) *KEEPS../

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 5	DATE 07 22 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

PT SAS W/ VAN (TO52 →) → J/D RPT.) <1326
(CALS T)) <1319 SPOT ✓ E/M...) → (1) WARREN S.C.:
1) CLUB KREMS...; ~ 110...) 2) (c) INMD A/S C/AWAY...)
~2 HRS...)

<1326

✓ V/M: SAS = + 1 ↓ (↓95 → 10 → L2?)) <1328

<1352

MARK G.V.: 1) DEPT PROMO) AKM SRW, DENVER T.)
USEN D.I...)
2) SKYWAY ES: MICRO/FS...) KEN R. E/M - FED EXPR REQT...)
→ + DEANNA M.R.: 1) FORD EXPR...) 2) EXP 2. #30)
→ + (c) RYAN T.S.: SWS...)
→ + TOM S.: FORD EXPR...)

<1352

J/D RPT <1355 (CALS T)) <1356 P/O) → 5th FL-3:
E/M ↓ SK DRAFT J/D: P/O) <1410

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 2 - 6 /

DATE 03 20 06 M T W (T) F S S (Circle Day)

SHIFT HOUR: START — STOP

TEMPERATURE MIN — MAX

WEATHER

*R # 1225: NO PB (c/ RESP.) R # 1245: IBOP... / 1441

1434

*RCE BJ ROAL:

6/488

*(c/ WARREN S.C.: 1) W/c/ JOSEPH 2) CHINA TEAM TECH) 3) c HOCHANG (KOR) AUDIT) 4) PRIMARILY SRP, KRC.

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 7 /

DATE 03 20 08 M T W T F S S (Circle Day)

SHIFT HOUR: START — STOP

TEMPERATURE — MIN — MAX

WEATHER

<1458

* W/D RPT'G/<1446/ACTIVITY/<1447/ — W/ → SW: ½ RAISE FR...)

* W/D RPT'G → AARON P.: 1) (DOUG W. MOVE SENT E/M...) S.F. JOB LAWYERS...) 2) VS. HOLY WK. — BUSY TONIGHT → RIN, ANCL.) 3) CLR LK.!)

<1504

<1507

* S # 421-4: #1T 2.)
(c) TOM D.:!) S # 348 3 W/C FINAL R/L — ENVY: "A")
2) S # 657 W/C 3) "SAW (MY) PAL?" — R # 1245: PB (c) STILL OWES RESPONSE...) PB (c) MAX T. TO CHINA → PB (c) NICK R TO ANSR?!) I'D SPOKEN TO WDC BUT GJL AGAIN W/ HIS AGO ABOUT...) & R # 1225: ALSO STILL WTG...)

<1507

<1527

* S # 421-4 DRFT CT 82)
1. R&B (B:!) CHC?!

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-4041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-81	03 20 08 M T W T F S S (Circle Day)
SHIFT HOUR: START ← STOP	TEMPERATURE MIN — MAX
WEATHER	

→ POWER W.: NO E/M SWITCH; NO CO...)

X U/D PPT: <1527 / X (MUST) / <1529

X S# 421-4: DRAFT, ACTION? <1552 / X PRIV ACTION: S# 657

→ S# 3483: DRAFT. / <1530 / X S# 421-4: PPE → RCE BOR CHAOR / <1558

<1554

X S# 348-3 DRAFT. / → BOR B.J

X S# 348-3 DRAFT / → PPE → ACTION? → ATT'S / <1552

X ✓ PRIV ACTION: S# 421-4 NO RCE 657 ... / 1552

X S# 348-3 → PPE → RUE BOR'S CHAOR

→ SAS DET: ① LOG BOOK: S# 421-4 + 348-3; ② (1) AR: ① THESE TWO / ② #421-3 EXPERTS: STILL ON HOLD

EX. SD-17 ...)

→ GWA ... D JON D. PRESENT ... TEMP TOWER / TODAY

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -9/	DATE 03 20 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

(CONT'N)
2) MARK M[illegible] - F[illegible] (W'T...)

- BCE : JOB : POOR SNATN (TRFS)

< 1605

*V/D RPT) 4610 / *(CMTS ??) / 4611

1605
1610 -
*BCE GJ LAD : 9-80 4542
1) S# 421-4 & #548-3 ACTIONS (G SZ DRAFT)
2) DSV (c) (PROPE TO)
SZ = YOUNG'S #SZT-3 - TO PKE) NOTE: "FAN" - DETS RELOCATED & TRFS SHULD POINT TO THAT (N LOC...) MAKES SENSE RE: STOP FLG.)
3) # 1245 - NO PR (c) REQ.) (c) TEMP ASKING...)
⇔ PB (c) MAT. - NOW W CHANA) PR (c) NEEDS CAN HANDLE?) MAY BE >1 WK BEFORE RESOLVE CMTS
4) S# 421-4 W OK.)

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 161	DATE 07 20 08 M T W T F S S (Circle Day)
SHIFT HOUR: START ___ STOP ___	TEMPERATURE ___ MIN ___ MAX
WEATHER	

A/M RPT: < 1617 / A SI'S 421-4 & 3983: ACTG SI (C) AP / < 1616

A PWTR ACTG V: R < 1261 / P/O | < 1620

< 1673

A P/O | + BCE BBB:

A SAS < 1630 OUT: 1) (C) APPS S.: ② BCE GSL W/ ① CUT-N-PASTE MY DRAFT OF SI # 421-4 INTO OF BY # 7577 (FINAL (HAD TO REUSE :))

< 1685

A A/M RPT < 1632 / A PWTR: S/O + BCE BBB: CHINA TEAM TEES. !

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-11	03 20 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

(CALST)/→(c) FRBL: CHC. PARS 607 2 ARRIVD; TMRL/ 41688
(EMI)/-1613/AV/D.I. (F/N), -L/N, +P/C/-1614

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.