<0900

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT
CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45
☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP
04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -1
DATE 03 24 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530
TEMPERATURE MIN ~50° F MAX
WEATHER O'CAST (FOG, COLD) — A/M
* 0850~ ~~0853~~ ~~0855~~ → ~~1920~~ ~~1650 (NL)~~ → 1120 ⇒ W = 2½
W: (1931 - 1434 = 3')

N:

* SAS: 1) W/ POV 2) MISC CONTRACT ADMIN, ETC. <0850
* G/M: AP, MGV → T/O P/C <0854 / * S/U & V/D RPT. → LIG DN
→ DMR: C. HOUNDS - JAV. OUT... → E/M: L/N = 514 U/R, +9 ↓ <0900

* PMIV: 1) ST. 2) NO ACTIONS ↓ 3) S# 421-3 — NO WDC BCE GJL COMMENT <0903 / * JAV. → KITCHEN: ORG^R!! (<(L) FB...)
→ SPOT ↓ E/M <0907

* WDC BCE GJL 9-888 4542 0907
V/M: S# 421-3 at SL

SIGNATURE [signature] 12 DEC-26 AM 9:35 24103
TITLE Assistant Structure Representative/ Leadworker

CEM46

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46-02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -21	DATE 03 24 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX
WEATHER	

A WDC BCE GJL 9-1-650-222-7520 (N) 0900
V/M:

A WDC BCE GJL 9-1-415-987-2919 (P,C) 0910
V/M:

A S # 421-3: E/M -
<0910
→ WDC BCE GJL -!!

A S # 421-3 ACTION (C) APPTL S/ <0920 / A(CALLS ↑)/ <0921

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM46

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -3/	DATE 03 24 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

< 1018

* JAV.

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -4/	DATE 03 24 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

<1020

* SPOT ✓ E/M) → E/Ms (ST.)) <1016 / * U/D RP'T.) <1018 / * (CALLS M))

* E/M (CONT.)) ⇔ R #1225)

→ (c) JEFF O.: E2 OBG RAILS — "STAY" @ LEADING EDGE / OVERHANGS; NONE BENEATH CONNECTING OBG X/B^M ...) R #1227 — LOOKED IT UP: I SPECIFICALLY SAID "OBG X/B^M" ...) HE'D NEVER FIGURED ~~THOSE~~ ~~STAY~~ ANY WERE THERE...) TRAV'S "STOP" @ E-2: HAVE TO / CAN'T GET THROUGH...)

<1029

* U/D RP'T.) → SPOT ✓ E/M) → P/OR) → PMCV: R #s 1225, 1248...) <1042 / * E/M (R #1245)

→ (c) WARREN S.C.: ⇔ (N) (PD^2) R #1268

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4E

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -5/	DATE 03 24 88 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

(CONT'N)

*(CALLS ↑) <1100 / *E(MS ↑) <1102 / *(CALL ↑) <110
<1107 <1115
* SPOT ✓ E/M
→ (c) WARREN S.C.

*(CALL ↓) <1115 / -W/ → RETR DUFF: BAG (S) <1121 / *(CALLS ↑) <1122

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -6/	DATE 03 24 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

A W/D L/WK STA^N / <1123

N: (1123-1258 = 1°35); (13 - =)

A FT^N SAP / <1258 / A V/L WK/STA^N / <1301^N / A V/D FPT / <1303

A SPOT ✓ E/M, PMTV; → PREP. PK'G. FR F.B. / <1306 / A (CALL ↑) / <1306

// A R #s 1225, 1245 (<1248), 1259, (1256) → R.R. /

→ S # 421-3 : SD 17 → SAP DCT. / <1307 // A (CALL ↑) / <1309

<1319

A SAP DCT: 1) LOG BOOK: S # 421-3 / 2) SD-17. SWAP. /

3) (C) SB:

4) (C) SB: "V/D"

→ R.B. / 1) RFES / 2) S # 407. / <1320

A R.B. <1321

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. → 7	DATE 03 24 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* SUPP'S) → TOM S: STYPTYC P.) <1324

W (1324 – 1547 = 2023)

* C. HAVEL FR 510-888-4606 1431–1434
1) SAW MY E/M RE: R #1245 / 1248) HE ASKED P. HE TO LOOK INTO #1248 ...;
2)

* RT^N SAP 1) W/ POV (#2..) 2) MISC CONTRACT ADMIN, ETC. <1547

* J/L WR/STA^N) <1550 / * SPOT V/M: SAP = +1 L (#125) <1552
* J/D RPT.) <1554 / * (CALLS) <1558 / * MISC / → S #607: DRAFT CTSL BY R.B. ...) <1600
<1604

* ROR. R.:

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 8	DATE 03 24 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE ~~MIN~~ MAX
WEATHER	

* TCT N JAN: GUARD: TRAFFA/ CUSTODIAN WORKING/ <2026
* UL WF/STAN; → SPOT ✓ PNOV/ → SPOT ✓ E/M/ <2032

* SPOT ✓ E/M/ <2035 / * STOW PROVS; <2039/ * CALS (1)/ <2040

* PNOV: ST 570 — (C) WARREN S.C. ACTION BACK/ <2045
* ↳ BACK TO (C) WPC'S/ <2045

* 2209 "* 118,951" ↑ (N) ("2047"): OAC #9152 MT.) → LV. SAF)
→ EN RTE SF/OBB S/STOP #2402)
→ "118,958" ↑ (N) ("2058"): OAC #9152 MT.) → D/O W/ MECHANIC'S (<2059)

* WALK THRU SO. PREP. TUNNEL BACK TO 333 BURMA/ <2100

* U/D RPT.) → CUSTODIAN: LTS OFF O.K.) <2112 / * (E/M) <2116 * (CALS (1)) <2105 <2124

* CAR BOOKS (PREP); → CUSTODIAN: B/R WET FOR NOW
* H/C CAR BOOKS/ <2129 / → (L/D: PREP.)) → (CALS L))
→ CUSTODIAN: LTS/ <2142/
→ (L/C) (EN)) → <2255 C/U) → CLUR: D + ~~H~~ ↓ ↑ (95¢ BUCKET)

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 7 -9	DATE 03 24 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX
WEATHER	

(CONT'N.)
2) c/u CARAFBS (WASH!) HOT PLS, COUNTER (S)
→ (N) → MOSC.) <2255 / A U/D RPT.) <2257

~~<2302~~
* WALT @ ALARM) → ARMED ITSELF (MODE "1" → "1+2") @ 2300/2301) → PROV S) <2302 / A U/D RPT.) <2303 / * (CALLS ↑) <2305

* CLUB: (S) → LOG) <2306 / * PROV S) <2309 / * (E/N) <2321

* PMOV ACTIONS ↓↑: 1) TRX: 49.44 (BARRIER MODIF S) 2) TRX: 49.53 (GRINDING OBG DPS) <2334

* (I/N) → (E/M) <2400

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM45

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.