STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4

04-SF-80-13.2/13.9

SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 04 18 88 M T W T (F) S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~50's F± MAX
WEATHER O'CAST (FOG), COLD AM	

0922 / 0924 ⇒ 1752 1522 ⇒ 1722 ("NL")

0941

0913

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

88 DEC 26 AM 9:37 24119

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

116.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
~~2~~ -21	04 18 08 M T W T F S S (Circle Day)
SHIFT HOUR: START ___ STOP ___	TEMPERATURE MIN ___ MAX ___
WEATHER	

PMCV: NO ACTIONS ↓) 2) P #1314: P/O S ATT I; 3) S #214-4 P/O <1103 / S #214-4: DRAFT @ SL <1114 / ~~E/MT~~ <1122 / ~~E/MT~~ <1122 / ~~A(CALSTA)~~ <1124 / ~~ASR~~ ✓ V/M: SAS = +1 ↓ (#105) <1126

S #214-2 <1139 @ SL DRAFT → P/O → ACTIONS ↑, ~~WDC~~ → WDC (c) TIM P.: H/C FINAL (RL) S #421-6 <1139

S #421-6 → #214-4: NO ACTIONS ↓ <1145

S #214-4 <1201 @ SL <1214 → RES. 30 mm THICK FL. RM WEB FL...) ⇔ S #214-4 ± -1...)

→ ARENS THOMAS N. <1207 -!!: ~~WK~~ FORCE RJ. ROM; @ ~~A~~ MTG ~~REVIEW~~ PROCEDURE?: DUNNO... WALKED HIM OVER TO SAS SMALL CONF. RM.: INDEED, ARCM RT.M., RCE RBS WDC RCE GSL & CM MTG ON THAT!

2) S #214-4: SHOWED HIM DRAFT @ SL / DISAGREES @ WANTS ~~MOP~~ DWGS FOR "TENDER" ⇔ FCR'S DESIGN

SIGNATURE	TITLE
	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 04 08 08 M T W T (F) S S (Circle Day)
SHIFT HOUR: START ~~STOP~~	TEMPERATURE MIN MAX
WEATHER	

(CONT'N)
LATERALITY - NOT OTS) I ARGUED ITS OUR ORS & WE NEED TO SEE WHAT BMC'S PUTTING IN - EVEN THOUGH'L COME OUT LATER ... ARGUES TEMP TRUSS IS THEOR DESIGN: TRUE, BUT UNLIKE TEMPS. ANTO ORS, IT'S TOTALLY SEPARATE ...) I'LL DISCUSS FURTHER ~~WITH~~ INTERNALLY...) PORS CONCUR OT SHOULD AT LEAST GET FCRS APPROVAL OF SHOP DWGS ...) SAYS 30 mm TE APP'D VIA S #214-0 & OR-1 : NOT VIA RFI...)

3) S #214: SAYS NOTIFIED ~~IN~~ IN (c) RMS I. RE: MOCK-UP & WARRANTY ...)

4207

* S #214 OT SR DRAFT: P/R/ ~~OK~~
→ DCE EJB: 1) (WALKING BACK TO OE. - i): NOT DONE W MTS
2) S #214 OTSR DRAFT, DISCUSSED W ARTS W THOMAS DISAGREES RE: "FOR APPVL" ⇔ DESIGN CONSULTS FOR MEANS & METHODS...)

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE OCT 18 06 M T W T (F) S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N)
3) I'D REMOVE VAR. DOCS. FROM HIS DESK: ① S#281-4 (WENT OUT) ② S#300-3: WENT OUT; STR FWR: "A" ③ P#1225: PD 4.; DCE W. SHEDD: MAY HAVE RE-DESIGN TODAY... (⇒ OUT TUESDAY);

→ WDL RCE SSL: 1) (@ CALF RM); 2) S#214-4 OT SL DRAFT: WNDT PER DISC W/ ARE'S THOMAS N.)

<124

→ (L): 1) W/ (1) S. FREEL SHELLEY B., JEN J.) → DTCONNELL PAMELA G.) 2) FR/RR (LOVERS); 3) DCE CHRIS M. — OUT ALL WEEK...) 4) MR ROBERTS — RENTAL...)

<1236

X RCH JEN J. B. RE ISOLATORS R36-1237 READY TO MEET [⇐ S#214-4 DRAFT OT SL].

SIGNATURE	TITLE
	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 3/5	DATE 04 08 06 M T W T F S (Circle Day)
SHIFT HOUR: START ~~STOP~~	TEMPERATURE MIN ~~MAX~~
WEATHER ~~<50~~	

* S #214 & DRAFT JTR DTE 4 W/ BLE BJ RCM, RCM TCK TM, WDL BLE GARY JL. & C.A.)

* (CALLS T/ A B09 / #1/D RPT.) → (d) WPL: 1) BLE BJ RCM ←

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 7 — 6 /

DATE 04 08 00 M T W T F S S (Circle Day)

SHIFT HOUR: START ____ STOP ____

TEMPERATURE MIN ____ MAX ____

WEATHER ____

(CONT'N)

↳ CUTTING IN CONE 4: OK! - I'D TAKEN MANY SAMPLES & REF'D & DOC'D. ANOTHER W/ MALE JUST NOW... / RCE ON TO WORK LATE (ME: 1545 MAX) / RE GARY P. (@ BOTT) ⇒ ALSO LATE

→ FOR F.'S W/END? / ② LK'G FOR HOME / ③ THE ALAND & BDE INCIDENT (FATALITY) TODAY (EARLY) /

→ SOT ✓ E/M / <1401 / ACTION @ #'S 281-F & 300-F / <1408

*(CAUST) / <1409 / * 5# 214-F: PREP. PK'G / <1413

* MARSHA WDC RCE @ LAT 9.888 FSF 1412
V/M: 5#214-F - THOUGHT WERE GONNA GET PE STAMP! (SAW #5 RUN ACTION).

*V/D RPT. / + POWER OUTAGE! / + P/C WON'T COME ON ⇒ POWER PLUG & WORK LIGHTS N/G: ONLY ON BATT LTE / → M&N: LAPTOP HAS BATT'Y... / <1416

SIGNATURE ____ TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 04/18/08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

1419

*WPC BCE GJ CAT 9-1-650 222-7520 (c) 1414
) THEY'RE DOWN TOO; OUR P/LS DOWN (PLUGS) - ↓ TASK LIGHTS) BUT O/HEAD LIGHTS ON..) THANKS FALCON TRNSFR OUT..)
S 214-4: SAW HIS REV ACTION - ~~XXX~~ NO GET ~~APPD~~ RE STAMP 2nd) OK IF I CALL ARE JW'S SCOTT T. TO GET KCB STAMPED SHOP DWGS SO WE CAN "AAN" THESE SHOP DWGS...)

(1422)

A/D RPT) < 1422

*ARE JW SCOTT T. 9-808 4596 1422
LFT. VM: S 214-4) VAR DISC NS: ① THOMAS N W/ ME) ② THOMAS W/ BCE GJ BOX) ③ WPC BCE GJ LAC W/ HIM) SUPPLY KCB APPVD SHOP DWGS - IT MUST STAMP FOR SHOP FLR USE...) "SUPPLY"...

A/D RPT) A 1428

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 04 / 18 / 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

★ ARTS'S SCOTT T. / 9-774-2564 (c) 1400
GOT POWER?! / 2) S#214-4) WEB STAMP, VAR. DIST

★ V/D RPT. / <1430

★ 1) (c) WARREN SCH. DCE ROLL SO I'D MY A/C'S OUT TOO... / CRANES UP — ROB TO CONCURS

1) (c) WARREN SC.: 1) ED UNT'L E/M REP.! 1 TECH TO & UNIT CELL / 2) AWAIT POWER ★ — COMPANY?

2) POWER OUTAGE — HE'S OK —! / 3) I'M SWAPPING PLUGS (½ WORKS) EXT'N CORD

<1442

★ REBOOT P/C / → V/D RPT. / <1453 / ★ CALLS / <1455

★ PWR: U4 I-DR SWAP... / ⇔ U4-DR, ETC. / → TEE BOARD, FOR FT SAM P. / NOT TO TRY... / → RAN PWR V/D... / <1459

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 7	DATE 04 18 08 M T W T (F) S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

*(CAL T) <1505

<1512 1518

*3) WPC RCE GJ CAL 1) W/ (c/ WARREN SC.) 2) BCE SOR W/

*<1521

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 04 08 08 M T W T (F) S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX
WEATHER	

<1600
A FLASHLIGHT ↔ M'S R/R...)
→ SAMAN S.: 1) W/ DOUG W/ 2) ↔ (W/ FLASHLIGHT);
→ FRIDGE: POWER OUT!)
→ (C) SHELLEY B.: 1) (C) FREU OUT! 2) EXT^N CORD? (4P FRIDGE...) + VLC DJC/FAX...) 3) (C) JAM D W/ WDL-NO A/C 4) + (L) WARREN S.C.)
→ S/O POWER FOR FRIDGE...)
→ DCE, WASHROOM: 1) W/ CH @ 1ST) 2) M'S R/R...)
→ MOSL) → M. CHUZ: HADN'T RCVD MY E/M LAST WK. RE: LOAD CELL DATA TOOK SOME ↔ H&V JAN WK OLD P3500: READS PSI, NOT KIPS...) ERIC J...) I'LL RESEND E/M...)

<1595

A E/M (ST)) <1548/A (CAL)) <1550^

A RVS F.: M'S CHAIR...?) → (C) WDC: NO PWER STRIP...)
→ RE BARGE: 1) FRENCH - DIDN'T HAVE CONN^N...)
2) BACK TRUCK - NOT ME...) → S/D RPT.) → WARNING! A/C @ KITCHEN...) < 1612/A (CAL ST)) <1614

SIGNATURE	TITLE
	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 04 18 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

- d/ T/S/ S/C) → PRE SNAFU...) → P/O) < 1620
- P/O S/ → ROR F: GOOD DETAILS...) → DAMON M.B: FOBS N/G
- (c) WARREN S.C: 1) E/M + M. CHOI) 2) ABLE E/M ED U.) 3) ADA K...) DETAILS)

<1626

- O/L T/S) + INPUT) → SAFE) → SCHMITT) → P/O S) < 1631
- E/M (ST.) (ALOE →) + DMB: W/ 1M CANDLE A/PLANK 9 LT...
- FOB N/G ?) → E/M T) < 1637 / ASD: L/N P/C) < 1639

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.