STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-1/	04 22 08 M T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~49°F MAX
WEATHER CLEAR, COLD - A/M/	

* 0800, 800N → 1600 (N"L)

* SAS: 1) W/ POV / 2) MORE CONTRACT ADMIN, ETC.) <0806
* TO P/L / <0808
* BCE RE GOAL: HOL. LATE FOR STAFF MTG - OR: ALL ELSE TOO) <0809

* PRP. FOR STAFF MTG / → JAN: 1) A. HART: # ADN'T MADE (N) POT, TOLD ME...) 2) MADE (N) POT; 3) MORE C/W/
→ BCE RE: MTG STAFF ONLY

<0815N

* WKLY. STRUX STAFF MTG 4) 0800 0815N → 0911
→ SEE FILE FOR ROSTER & NOTES.

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

08 DEC 26 PM 5:38 24122

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -2/	DATE 04 22 08 M (T) W T F S S (Circle Day)
SHIFT HOUR: START ~~STOP~~	TEMPERATURE MIN MAX
WEATHER	

* MOBE WRAP UP;
→ RCE DJ ROAL: WE CALLED OSA/I-TBB'S K. BROWN RE: 49.24-J1 MT & TURN.; HE'D ASK ~~HE~~ SR. ROBEN QUITORIANO, TO ATTEND; M.A. GULLI SHOULD BE PRESENT; BILL T. NOT FAM. W/ TRANS.;

<0920

* LOG IN/ → S/O (V)D RPT.; → E/M: L/N=757 U/R, +10V; <0925
* SPOT ✓ E/M/ <0929/ *(CALLS IN)/ → RCE DJB: I'LL CALL MTGVLLY <0935
* MISC./ → LOCATE (P.C)/ <0940/ * V/D RPT.; <0951/ ~~(E/M)~~/ 4003
* (L/N)/ <1004/

* PROV ACTIVITY: 1) S # 421-8/ 2) S # 516-2/ <1008
* H/C S #'S: 1) 224-4; 2) 273-5; 3) 288-3; 4) 421-8/ 5) 516-2/ 6) 675-0; <1012

<1015

* ✓ V/M: SAS = +10 (+26↔9) S/ <1017/ * P # 1314 PRH./
* (CALL IN)/ #1016/ -V-/ → PROV NO./ <1029/ * 49.24-J1 MT & MON S <1045

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -31	DATE 04 22 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

*MA GWLL 9-715-8123 1045
GOT NOTICE RE: TRAVELER MTG TMRW.?) YES —
< PIC M.) 1030 @ SAS (W)'

*U/D RPT.) <1058 / *(CALLS T)) <1059 / *F9.24-S1 MTG MON'S.) <1052
*O/U) <1054

*F9.24-S1 MTG MON'S.) —MARK <HOT G.V.:) R.D.A. RE: "POST NOTIFICATION REPORT".) DON'T RECALL < CARL'S.) ROMAN MC NEIGHT, OFF THE CUFF; REPORTING HERE 0505..) (FTB-?) REPORT TO AE PTRUX ← NOW APPLYING) MGN HAPN'T REQUESTED < KFM...)
?) TAD BLOOD ↔ RCE RM (≙ LTA?))

<1101

*ELECTRICIAN: TO S/OFF LIGHTS [≙BALLASTS R+R.) <1128
*F/M?) <1114 / *A MTG MON'S: P/O) → SPOT ✓ F/M) → U/D RPT.)
*(CALLS T)) <1128 / *P/O) → ANNOT.) → RCE RSRV CHAIR)
→ SAFETY SIGNS: DON'T T/ON LIGHTS!) <1136

<1139
*U/D RPT.) <1139~

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 04 22 08 M (T) W T F S S (Circle Day)
SHIFT HOUR: START ~~STOP~~	TEMPERATURE MIN MAX
WEATHER	

~~<1157~~

* WPC JCE @ LAT.) S# 214-6 DIV (c/ TYL MEMO.— "RFE") HOWEVER, WPC THANKS "JAN" OK.) HOWEVER, ~~—~~ POINT OUT S# 214-6?) @ SL ~~WORKS~~ PROCEDURES: 1) SUCCESSFUL MOCK UP") ⟺ DEF'N.?) 2) APP'D WPS ~~PRIOR~~ TO MOCK UP...) OSM# (3) PSLOWRY SAYS WPS W/ WPQ'S OK (@ # 1000 SAM.) I'LL DISCUSS W/ JCE RJR)

2) I'LL CC: HOM RE: TRAVELER MT & TMRW.)
3) SAYS T/PATH TRAV'R SHOP DRAWINGS DUE THIS WK. (OR IN 2 WKS.?) I'D HEARD ~1 MO AGO THAT THEY'D BE IN @ N2 WKS FROM THEN...)

~~<1157~~

* U/D RPT.) <1150 / * E/M: MT & MONS) ~~<~~
→ JCE @ 2000) 49,29-51 MT & MONS.: O.K.) 2) DEC'STON PROC. EQUIP'T. NOW?) 3) RE CARY P. ON INVITE FOR TMRW.?) 4) MA WILL'D REVD. MT & INVITE <RFC M.) 5) (KFOG KABEAM) #15—) VLY PKG.) <1218

* (CALS) ← 122) / * E/M ↑) <1240 & <1242 & <1245 & <1247

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -5/	DATE 04 22 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

A/D RPT.; → SPOT ✓ E/M; ∠1249 & ∠1251 / AP #1225 → N/B ∠1252
W/ SPOT ✓ E/M; → Cd GEORGE Rep: P/S P/TOWERS / 1258

SPOT ✓ E/M; P/O; ∠1301 / AP/O; ∠1302
EN RTE: W/ TCM KOR; OF. UNION SAFETY (DMV); Cd's PSL & CHAD A; 1304
WKLY. T. CABLE MTG "1300" / 1304 – 1328
SEE FILE FOR ROSTER & NOTES

MISC. WRAP UP:
→ WDC RCD GJ CAL: ① ARE'S SCOTT T.?; NO CALL BACK RE: S#2E-4../ I'LL GO FND../
② R #1225 A/D ∠ T MEP TODAY?; JUST FLASH MTG W/ CLOVE E; & DETAILS IMPENDANG../
→ ARE'S SCOTT T.: NOT @ OFC.;
→ ✓ THOMAS N.: ③ DOOR'D BEEN LOCKED/CLOSED B4 LIGHTS ON NOW..; ④ MEAN W?—AWAY TL. DKSR; ⑤ SW. HAS KEY STAMPED SHOP DWGS [↔ S#2E-4 ✓ # I'LL F/U..; ⑤ BCE TSR'D DESC'D.;

1331

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -6/	DATE 08 22 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX

WEATHER

→ (C) JEFF O.: 49.24 SI TMRW. "FYI" / +2 NBS;

* (CALL T) / < 1532 / * PT N SAS / → V/L WK / STA N / < 1536
* SPOT ✓ E/M / < 1535 / * (E/M T) / < 1558 / * (CALL T) / < 1400
* E (M T) < 1409 / * (CALL) < 1420

A/D RPT.!

← N CAME! TOOK LOAD CELL + PRESS GA + MS 2 CABLES!
NOTE.— RS + KOPS... / BCE DWN TO CAME BY 2W NEXT 1→2 DAYS — TRD TO SAC / "BLOCK" REPORT
⇒ MS 2 3 PRESS CELLS! / (C) WSCHUONS E/M...
⇒ BCE MP WORK RESPONSE... / HELPING BCE DWN — ONE TO BE BCE KEITH OS JOB...)

2) BCE DR's (N) P3 SET ?!)

<45'

→ SPOT ✓ E/M
* A/D RPT.! → WARRANTY E/M (ST.) / < 1441 / * A/D RPT.! 1457
* (CALL T) / < 1459 / * E/M T) < 1501 / 2W V/M: SAS = +1 V (+10 (→N) S)
< 1505

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-71	04 22 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

(L: PREP) / + DCE / W. SHEPP: 1) L8 L...) ~~RUSH~~ RUSH...) E/M; 1300 MTG, ETC.; 2) R #1225 U/D: MET W/ CLIVE E. YEST'Y.) NUMEROUS ISSUES/ "GIVEN" (OLD) DETAIL (DIDN'T HAVE ALREADY?!) / PB(c)'D PREP'D "LW. SHT" TO SEND BACK W/ RFI...), ~~NO~~ DCE WISHED TOLD THEM: NO - JUST PREL. SKETCH...) / DCE WS TO F/U (E/M) W/ CLIVE E., CBB TODAY/

3) YET TO TACKLE AVOID R&R SKYWAY W/ CLIVE E.. 3) CLIVE E. ⇔ CA BLG TODAY 1:100 PLNR FOR H/R STANCHIONS (<1514 - D1530 153)

X E/M (ST.) / ⇒ U/D RFT. / <1530 / X E/M ↑ / <153) /

X ADE'S SEAN N 9-808-4505 SENT HIM E/M / CONFUSED WHAT WE WANT / NOW GETS IT / SAYS NO YEB-STAMPED SET OF S#215-4 SHOP DWGS PER SE) THANKS THERE'S AN E/MAIL, @ LEAST, ADE'S THOMAS N. THOUGHT OTHERWISE...) ~~IT~~ REQUESTED TRX → SUBM'L...) AGREED AVOID ITERATION...) WILL REV. & GET BACK TO ME...) SAYS DJV'S ASKING HIM WHAT TO DO W/ THIS SUBM'L (?)

(<1537)

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -8/	DATE 04 22 08 M (T) W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

*Y/P RPT.) → RUAN S.: 1) W/ AARON P; DON H. W/ 2) REGARDING ST/ORR EAST INCIDENT: DON'T PERFORM WORK/ M's @ CONF. RM.; ELEVATED... RESOLVED...) HIS SIDE OF THE STORY...) 3) & LEND HIM $...)

<455

* E/M) → MARK G.V.: COMMISERATES RE: SS @ ST/ORR EAST...)

<1609

*(E/M T) < 1608 / *(CALLED) < 1620

WPC 1605

* 1 RCE RJ ~~ASK~~ GOAL:) (B/S BETTY W/ BILL & J-LO LAST TUE -:) EXP) MNS TO D.O.:) 2) W/ $ 214-4: ARE SEAN W. E/M's; NO RCE - APP'L ?: - SCOTT T. TOLD RCE GO! YES!?!) IN-CHARACTER...;

<1625

*Y/P RCE <1627 / *SPOT ✓ E/M / <1629

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE	
-91	4-22-08	M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN	MAX
WEATHER		

SUNNY

* PRM S.) → (C) WARREN SC.: 1) LATE CLEAN 2) K.P/TOWERS LOW — JUST "FILLED" LAST NIGHT?? KEEP DOOR'S UN-LOCKED? — PREF. CAN'T (BY DESIGN) LOCATED KEP...) WE'LL HANG NEARBY SO WE CAN R/F OURSELVES..)

(A 2)

2) → JASON W.: 1) ON LAND-BASED TEMP TOWERS NOW) 2) TO BE ON MARINE-BASED ONES F&G) W/ MARK G.V.! ← 1ST MTG YEST'Y.)

3) + MARK G.V.: 1) HAD OFF'D TO HELP ICE CR K MAN.) TOLD RON M. — ART P. CAME OVER ASAP...!)

<1650

* YD PP'T.) → RON F.: (A/READY (6-MO.) HAD TO REPLACE WITCH BATT'Y.)) <1652 / *(CALLS TV) <1657

* C/O) → HANG KEY FOR P.T. DOOR / <1654

* SCREW-HOOK → (C) WARREN SC.: 1) OR, LEAVE SOMEWHAT OUT OF ARC (OF AUTODRAW...)) LEATHERMAN TO →

SIGNATURE	TITLE
	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -10/	DATE 04 22 08 M (T) W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

(CONT'N.)

GAIN PURCHASE..; 2) 38 R.V. H/S PRINT E/RD 880 @ T-PLAZA → PICK RR !; W/ 7 CHP !;
→ J/D RPT. → SPOT ✓ E/M → SPOT ✓ PMOV/ 1705

* MISC. / 1708

* PMOV: PROOF (c) D. ROSS OF SL DRAFT SD 62.8 //
→ ROR F.: T/G 400..; PROGRAMING ?

1712

ABCE RT ROAD FR 1510-714-7014 1712 - 1718
1) OFC OPEN? - Y; 2) LA WALLET? - ON DESK; STOWED BC
LAP DRAWER — CLOSED/LOCKED DOOR;
3) PJ: LAP/PRES CEL — CALLED.?; TC K TO SALTO.?; NOTE'D
@ SL STAFF MT'G; BCK SL K NEEDS @ M2 ASM.;
P350: M2 CABLE !?!; COST ESTMT. RPT...)

1719

* J/D RPT → ROS F.: LV SL; → PMOV: (c) D.R. DRAFT / 1720

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE	
-11	04 22 08	M (T) W T F S S (Circle Day)
SHIFT HOUR: START ____ STOP ____	TEMPERATURE MIN ____ MAX	
WEATHER		

*PMN T) → SPOT ✓ E/M) < 1755 / *(CALSON) < 1735 / *(CALL) *(CAL T) < 1738 / *S/D PM. < 1740 / *✓ S/M: MPCS = FOL (+40' FIS) *EN) < 1748 / *(EN: P/O) → (E/M) → (CC) < 1809 < 1740

*✓ → WS TO DAN HERR → C/N) → JAN: + FT L Troaft (+100' @ RNCKEST) < 1815

*S/D: PMTN) → L/N) → P/C) < 1817

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.