STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -1/	DATE 05 29 08 M T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~56°F± MAX
WEATHER O'CAST (FOG), COLD — 4/M/	

* 0739 1559 (NL) → 1309? MAX. ⇒ "–2½ ?

* SAS: 1) w/ POV / 2) MISC CONTRACT ADMIN, ETC. <0739
* U/L WK/STA= / <0741 / * E/M: L/N = 9:14 U/L, +7V / <0742
* E/M TL / <0744

* SAS: 1) C/V COUNTERS / 2) C/V BOILING STILL @ LOWER HOT SP /

→ + (c) DAN R.: 1) STILL ⟺ HE'D STARTED POURING H_2O W/O CAP/TIE IN PLACE /
2) (CL. IV; UNDEFEATED, ETC.) /

→ (c) F. BELL: YET TO MAKE STEN – "50¢/CUT" FROM HER...)

* E/M SL / <0755 W/ KAWAOKA / * MISC, <0756 / * (CALLS) / <0758 / * PREP. FOR <0754~

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker MTS(S) <0800

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-21	05 29 08 M T W T F S S (Circle Day)
SHIFT HOUR: START ~~STOP~~	TEMPERATURE MIN MAX
WEATHER	

X TBT - WEEKLY SAS SAFETY MTG 4000# → 8838 ~
→ H&S: SECOND HYD

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 33	DATE 05 29 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

*BCE TST TOTAL: (100)

*(CALL-IN) < 1002 / * E/M ↑ / < 1009 / * E/M ↑ / → DAILON MB: S/M < 1021
* E/M ↑ / < 1027 / * RMC PES.: CT 82 ⇔ DET. FLOOR CORTS / NOPC #1 / #2 ...) < 1030 / * LEED.: P/ON / 1035

* E/M: ... → MARK 6L: OSM (C) PS LOWRY — RESOLVED!

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 4

DATE 05 29 08 M T W T F S S (Circle Day)

SHIFT HOUR: START STOP

TEMPERATURE MIN MAX

WEATHER

(CONT'N.)

TWO WEEKS AGO../ ~~##~~ CHINA DEMANDS../ ~~FAMILY~~../

→ W/P TG'T'J <1050 / * SPOT ✓ F/M/ <1052

<1053

* GRADY #:

* BLE <1105 TJ ROAL j @ WJC/ →MKT

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 5	DATE 05 29 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

WDC BLE GJ CAT 1105

1)

2)

1112~

F/M T; 1110 / F(M T) 1120 / 1124 & 1132

SBOT ✓ F/M 1145 / A(MLS T) 1147

SBOT ✓ F/M + H/C S 4 J: 508-2 & 516-F 1150

(c) G. BAKER -:, DJV (c) 1150
JUST SET MY E/M RE: R 1512; I'M AWARE DJV SAID "CHANGE W/ COST" ADD "REDO" ON OTHER RFIS; JUST ADDRESS TECHNICAL QUESTIONS ON ARFIS E/M — SENT ON ADMIN. MY SCALE UP @ T-ORG TODAY OR SEP. M-F

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. - 6	DATE 05 29 08 M T W T F S S (Circle Day)
SHIFT HOUR: START ___ STOP ___	TEMPERATURE MIN ___ MAX ___
WEATHER ___	

* J/D TCPT.) < 1156 / * CT SL # 106: ANNOT.) → CC:V/< 1159
* E/M↓T) → PRNS: PPL- TO STRW) < 1205
< 1215
* ISLE RJ REAL:) CT SL # 104: WBC ISL GJT #

* E/M T) < 1212 / * SPOT ✓ E/M) < 1222 / * CALLS T)) < 1224
* SPOT ✓ E/M) < 1225)

* DAN T. 9-1-TIS 205-6746 (C) 1225
S # CBS < 669 MTS: CANT TODAY > 1300 HRS)
TMRW. @ 1000 ?!) OR DET SL TO MONDAY?
FACTUALLY WON'T BE IN!) LFT. V/M.

* E/M T) V/N MTS WITN) → RES COMT. E/M) < 1239
* (E/M (SP)) < 1249 < 1249 / * CALLS) < 1250 * SPOT ✓ E/M) < 1252

SIGNATURE ___ TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 05 24 06	M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX	
WEATHER		

* V/M: MPC 8 = +2 V. (4 # 78) / 1300

~ E/M (ST.) / + (C) WITNESS S.C.: MACHINERY'S HAND BOOK?) PAINT & PAINTY...) < R/BB...) 1303

* E/M's (CONT'D) / 1311

* DAILY T&I DIV (C) TO TIS 205 C7 & 1309 - 1312
PP & T 9; ASFSV @ START?) ARR'D. TO LAST YR.) 655 & 469...) STOP DWG CHECK / CONN'N TEST TO BOX...)

* U/M RPT.) + E/MT: 1319 / AM RPT.) 1320 / (CALL) 1321
LOCK UP / START 1322

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 05 29 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START ~~STOP~~	TEMPERATURE MIN ~~MAX~~
WEATHER	

*RT~ CAB: GUARD = (N) (M) - WAIVED ON - / <2153~
*U/L WK (8TH~) <2154~ / *SPOT ✓ E/M / <2153 & <2159
*WORK E/M <2191 *(CALL) <2247 / *(TN) <2217
~~*2256~~ → E/M (GT.);
LN: 1ST STALL STILL "RUNS"; → JAN.: +100¢ (& 100¢ @ BK I)
→ STOW PRN'S / → SET REMINDER ALARM & RLP'S ALARM /
→ SPOT ✓ E/M / <2254

*JD FBT / <2250 / *(CALL) / <2247 / *SPOT ✓ PMON, ETC / <2251
*A/V-SWITCH / <2300 / *WATCH @ *ALARM: DIDN'T ARM MODE
1 → (1+2) @ ~~2300~~ 2301 !?!) / <2302 & <2304

*JD-RBT. / <2305 / *E/M / <2310 / *(TN) / <1119 / *(CALL) / <2320
*(TN) / <2354 / *WATCH @ ALARM: STILL @ MODE (-) / <2400

*(TN) / <0004 & <0016 / *(CALL) / <0017 / *CLUB: LAG / <0022
*(TN) <0057 / *S/D: AN, PMON / E/M / <0058
M / <0100 / *LOCK IN / BTA~ / <0102

SIGNATURE [signature] TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.