~~1903~~ ~~(T) < 1848~~
~~(T) < 1455~~ ~~(T) < 1847~~

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1 ~~(T) < 1842~~ ~~(T) < 1846~~

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45 ~~1904~~

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -1/

DATE 06 16 08 (M) T W T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE MIN ~50 F MAX

WEATHER O'CAST (FOG), COLD A/M; CLEAR, WARM P/M

* (0846 – 0855 = 9'), (0929 – 0930 = 1'), (1023 – 1034 = 11'); (1244 – 1245 = 1') ΣW_i = 22'
1100 – ~~2230~~ 2200 (NL); "–" 22' ⇒ 2138 ⇒ 2051 ⇒ "–" 13'?
+ – 82'
– 95' ⇒ "–" 1°35'

(1418 – 1423 = 5), (1453 – 1455 = 2), (1506 – 1516 = 10), (1517 – 1524 = 7), (1548 – 1549 = 1), (1606 – 1624 = 18), (1627 – 1658 = 31),
~~(1701 – 1739 = 38)~~, (1746 – 1748 = 2), (1753 – 1758 = 5), ~~(1757 – 1829 = 37)~~, (1841 – 1842 = 1), ~~(1842 – 1846 = 4)~~,
(1917 – 1919 = 2), (1920 – 1926 = 6), (1947 – 1949 = 2), (2002 – 2017 = 15), (2045 – 2050 = 5);
$\Sigma(W)$ = 112' "–" 30' (= 2 BRKS) ⇒ – 82'

* ✓ V/M: SAS = +0 ↓ (1-45) 0846 – 0847
* BCE B.J BOAL #67 622 5191 0847 – 0848
V/M: UNABLE TO GO IN THOSE A/M; ETA < 1400 HRS ~)
[C/CARE + PLB ↑].
* BCE BJ BOAL #67 714 7014 0848 – 0849
V/M: IBIP; I'D LFT V/M @ OFC.

* (C) WARREN S.C 510-715-2973 0850 – 0855
1) I'D LFT V/MS W/ BCE BJ BOAL; 2) I'M OFF 'TIL < 1400 HRS
3) BCE BJ BOAL OFF TODAY? — VAC "N" ON CALD ... E/M ?
(< 0856)

* (C) CHAD H. FR 415 823 2147 0929 – 0930
I'M ON OTHER LINE – I'D CALL BACK ⇒ P.I.O #?

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

'12 DEC-26 AM 9:46 24168

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -21	DATE 06 16 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

* (c) WARREN S.C. TO 715-2913 1023-1026
& (c) CHAP #. CAL: P.I.T. #5?! (c) BALT N.: 286-7165, 224-6949 (c) (c) JATMAN V.: 786-7167; (NO CEM #)

* (c) CHAP #. * 67 415-823-2147 P/L 1027-1034
1) P.I.T. #5 KNOWS BOTH (c) RN. & J.V.; (01-01-09)
2) #2...; 3) & (c) RS LOWREY ⇔ TAM...; T. CHANA POLITICS: NO INFO. QUT ASKED FOR EST. W/O SCOPE & SCHED...)

(<1035)

* ✓ V/M: JAS = +∅ ↓ (+ INS) 1244-1245

* SAS F.O.: 1) W/ ROV; 2) MISC CONTRACT ADMIN; ETC.; <1400
* T/C P/C; <1403 / * S/U & N/D RPT.; * 320 LN; <1410
* E/M & L/N = 810 V/R, + 18 L; <1412 / * SPOT ✓ E/M; <1418

* CAMP T; <1423 / * ROV ACT LNS ↓: 1) 49.59 / 49.55;
→ (c) WSO: 1) IM IN; 2) ARCH BTM CHECKING HOS DRAFT DOCS. BETWEEN BJ GOAL NOT IN; 3) JSM NCR TRX.)
4) (c) CHAP #. DEC ⇔ T. CHANA LACK OF COMM...

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -3	DATE 04 16 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START ____ STOP ____	TEMPERATURE MIN ____ MAX ____
WEATHER ____	

(CONT'D)

5) ⇔ PERSON ALOFT?...) (<1436

CARL'S WELDS — RFI STILL OPEN: <(c) DONE A.I. ~~$~~ [HYDROSEPONGE — ?] HAS F/O — WILL SHOW...)

→ + GINA R.) MOVING INTO DOUG WS OLD CUBICLE — VERY NOISY... ?! (⇔ DAMON S. ON VAC'N...) 2) MT ON DEPT < KEVIN'S CUBICLE...) 3) I'D FREE UP A/N CART TO FACILITATE HER MOVE) 4) TELECONFERENCING TO IRENE K.)

< ~~1444~~

PMEV ACTIVITIES: 49.55 (12) → W/O RPT.)

+ ~~CHEVY UTILITY CART~~ <1446 / + CHEVY UTILITY CART)

→ C/ WARREN SC.: SHARE AFRICA E/M W/ DAMON M.B.) <1453

+ (CALL T) / <1455 / + W/O RPT.; <1506 / + (CALL T) <1512 / + (CALL V) <1516

<1517.

+ RCE SAFETY INSP.: PE STAMP ON A RAT HOLE — ON CCO...)

+ (CALL T) ~~+ 1518~~ / <1524

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-A/	06 16 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

1546

JAN.: 1) PERSONNEL @ CLUB "TABLE" ⇔ MOVE NO. 2 MACH. TO LFT. (SD.) 2) P/STOW PETRIE 3) R/SET/UP CONTACT: COMPLETE 4) +215 ¢ LL + 47 ↓ (< TOWN) + 100 ¢ @ BUCKET (R/STOCKED) (25 ¢ LL < FRE?)

RACHEL L.: T/C K. PAPER TOWELS

(c) DAN R.: 1) (5th 4ps CLUB NO 2) 2) (CPM) "MESS" ⇔ P/U → BCE BJ CAN FOR REVIEW/"ORG ONLY"... 3) TUE BJ'S OUT TODAY... / WILL F/U TOMM.

(c) WARREN S.C.: 1) PMIV NCR TRX (NCT) ATTI SNATN/ (c) CHELSEY B. ON IT — W/ PMIV @ J. HUANG... / 2) PMIV GENERATED BY CPM (c) RON B. — @ JAPAN!

ROB F.: (LOVE OAK FLT. ATTDCE ↓ THIS YR.)

1578

A (CAMUS) / 1549 / K U/D RPT. / 1601 / A CLUB: LOG STOW / 1605

A GINA R.: RTP UT - LAST 12 ERNIE K. WRNG HER DESK TODAY 13 OFF ON FIELD PEN...

1460

SIGNATURE

TITLE: Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -5/	DATE 06 16 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

*(CALL↓) < 1624 / *U/D RPT. < 1627 / *(CALLS↑) < 1630 / *(CALD↓) < 1635 / *U/D RPT. / *(CALL↓) < 1655 / *(CALLS↑) < 1657 / *(CALL↓) < 1658 / *U/D RPT. < 1701 / *U/D RPT. / (CALD↓) < 1739 / *U/D RPT. → ROB F.: TO GIANTS TIGERS @ 1915 HRS... / < 1746 / *(CALLS↑) < 1748 → (C) TIM D.: H/C S #S 404-4 + 075-1... / *U/D RPT. < 1751 / *H/C S #S < 1753 / *(E/M) < 1756 / *(CALL↓) < 1758 / *(E/M) → (P/O)

→ (C) S. BONNETT — ! : 1) VERTIGO ISSUES LAST 3 MOS. !; RTR CHINA 02 (18-?).

2) CHINA POLITICS; HE FELT 1ST HAND...

3) 49.53 — I THOUGHT GRINDING DIRN ISSUE'D GONE AWAY THX TO (C) S. BONNETT'S QUESTION RE: BLAST PROFILE FANGE MAGNITUDE SO MUCH GREATER THAN ~6 MM PER AWS... SO, SURPRISED W/ BCE 1ST BOAL'S LAST E/M: PROCEED W/ CCO REVN !) (C) SCOTT F. WAITING... / ARFJV'S SAM C ASKED HIM TO INTERVENE; ARFJV QUOTE: ($2.5M-?)! FOR 49.53 "AR IS"; R #153; TMV. CERAMIC BACKING + GRIND... (2,200 M-?) WELD TO GRIND... / TRANSV. VS. LONG'L. WELDS / SHOP VS. FIELD... / S #2A: OBG CUT-OUTS FOR LIFTING LUGS < 1829

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -4/	DATE 06 16 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

<1842

Jn; → CUSTODIAN: I DON'T NEED LIGHTS; <1841 / *(CALLS ↑)
*(1) ✓ E/M; <1846 / + <1904 / *U/D RPT; <1905

* (1) S. BONNETT: 4) WRAP UP DISC^N... (49.53) / I'LL DISCUSS W/ BCE BJ BOAL... ← TO BE IN TM PW.

5) COPYING E/M S; INFO; PMIV RE: JOB; THANKFUL FOR MY EFFORTS;
6) INTERESTING PROJECT...;

4834

*U/D RPT; <1915 + <1917 / *(CALLS ↑); <1918 / *(CALLS ↓); 4919
* CUSTODIAN: 1) IF LIGHTS OK ?; 2) UNS. WHAT THEY'LL SEND NEXT...; 3) ORDERED TONIGHT; 4) 2 BOXES - ?;
→ U/D RPT.; 4920

*(CALL ↑); <1926 / *8 #S 404-X + 675-X: LOCATE FOLDERS; → E/M (ST) 4934

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -7/	DATE 06 16 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

* LOCATE "SAM" S: #s 224-X & 393/ → PMTV: P/OS/ <1947
* (CALLS ↑)/ 4949/ * S# 404-4: CT SL DRAFT/ <2002

* (CALLS ↓)/ <2016/ * (CALLS ↑)/ <2017/ * S# 404-4: DRAFT CT SL - P/O/ <2018
* S# 404-4: PMTV ALTERN ↑, ETC./ <2021

* S# 675-1: ATTS, DRAFT CT SL/ → P/OS/ <2038
* P/OS/ → PREP PKG (1) (S#s 404-4 & 675-1) FOR BCE/ <2042
→ & DCT/

* → SAP DCT... / <2045/ * (CALLS ↑, N)/ <2049/ * (CALLS ↑)/ <2050
* S/D: PMTV, (F/M) <2055

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.