STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4

04-SF-80-13.2/13.9

SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

| | |
|---|---|
| REPORT NO. —1 | DATE 07 11 08 M T W T F S S (Circle Day) |
| SHIFT HOUR: START 0700 STOP 1530 | TEMPERATURE MIN ~56°F ± MAX |
| WEATHER O'CAST (FOG & HAZE), COLD → WARM — A/M) | |

* 0743~) ~~0745) 0746) → 1413~~, 1513

→ ~

* SF/OBB SAF: 1) W/ PM) 2) MISC. CONTRACT ADMIN, ETC.) <0713~
* S/M: AP) → T/O P/C) <0745 / * S/U & J/D RPT.) → LOG IN) "<0749" <0753~
* E/M: 1/N = 907 + ~~AL~~) < 0751 / * SPOT ✓ E/M)

~~<SPOT~~
* JAN.) → MISC C/O...) // → (c) WARREN S.C.: MAGIC TO OPEN STORAGE ROOM? ⇔ HARNESSES) ALSO, I'D PLACED LANYARDS ON A "TREE"...)

→ (c) ID. FAWN: "TALK" — OTD WORKERS DRINKING: OFF HOURS & LIVING ACCOM'S IN THEIR AREA) ALSO, ON THE JOB) I'VE BEEN MEANING TO DISCUSS W/ BCE/STRUCT REPOLEY...)

→ ROD B.: 1) GLOVES, HARNESS, ETC.?) GOT IT) 2) CAMERA?) I'VE GOT) <SPOT

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

ADA Notice: For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

**JOB STAMP**

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

| | |
|---|---|
| REPORT NO. -2/ | DATE 07 11 08 M T W T (F) S S (Circle Day) |
| SHIFT HOUR: START — STOP — | TEMPERATURE MIN — MAX — |
| WEATHER — | |

* O/D RP'T.; → PREP. FOR CABLE WALK; → RMG's MAP/PLANS DETAIL; → DOWNLOAD CAMERA PICS.;

<0819

* ROB F: 1) SAMPLE STOP WORK CT SL?; W/ PRE'S I GAVE DCE WS YEST'Y.!; GAVE HIM MY CC's OF PRE'S I'D GIVEN DCE WS YEST'Y.; 2) #1-↓ ⇔ CLR!)

→ O/D RP'T.;

<0823

~~<0832~~

* PREP. FOR CABLE WALK; (CONT'D); → MARK GV.: 1) CABLE WALK? ⇔ C/B ROTATIONS ETC.; 2) (+ ROB F.);

⋮

<0832

* E/M ↑; <08 / * PMIV ACTION ↑: S# 708 DRAFT CT SL; <08

* WDC BCE GJ LAT: AROSE ON WRONG SIDE OF BED?! — E/M + PMIV ACTION...;

⋮

→ GEAR — PREP, ETC, I.D. BADGE @ PRE'S LOT; →

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

**RESIDENT ENGINEER'S DAILY REPORT**

**ASST. RESIDENT ENGINEER'S DAILY REPORT**

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

**JOB STAMP**

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -3/

DATE 07 11 08 M T W T (F) S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER

(CONT'N) → BCE JOHN F. WALTERS - !: SUIT [ID INTERVIEW]
→ HEAD TO L/D E/A SF/0BB VIC. W/: DISOF'S SAFETY'S FD LEON CHECKING ACCESS TO U.D./MAIN CABLE ID MTCY. CRASH CUSHION TRUCK...)

<0903

*(CALLS ↓, ↑)) < 0905

* SCOUT E/BD LN #1...) DOWN TO WEST PORTAL!)
→ NO. SIDE CABLE WALK UP TO W/ & TOWER SADDLE HOUSING (S...: SO. SIDE TOO) / RT^N...)

→ RT^N SAS; → BREAK DOWN GEAR)

→ + OTD BCE/STRUREP RICH P. FOLEY: 1) I'D SPOKEN TO (C) J.D. FOUN THIS A/M FL: CT (C) OVERHEARD MCM WORKERS TALK ABOUT ON-PREMISES DRINKING - OFF-HOURS @ LIVING QUARTERS - ALSO, DURING WORK SHIFT. (SAFETY CONCERNS) 2) ONGOING ISSUES, BUT →

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

**JOB STAMP**

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 4/

DATE 07 11 88 M T W T (F) S S (Circle Day)

SHIFT HOUR: START ~~STOP~~ —

TEMPERATURE MIN — MAX —

WEATHER

(CONT'N)

→ PM'S COOPERATIVE & TRYING TO IMPROVE COMPANY CULTURE; EGGREGIOUS ISSUES ADDRESSED...)

→ (C) WARREN SL.: TCT^D BORROWED GEAR TO STORAGE R^M/ < 1116

→ U/L WK/STA^N)

* SPOT ✓ E/M) → E/M↑) < 1131 / * U/D RPT.) → SPOT ✓ E/M) → E/M↑) < 1201

* SPOT ✓ E/M) → DOWNLOAD CAMERA PICS SN AFU: R/START P/O) < 1213

* R/LOG IN) → SPOT ✓ E/M) → E/M↑) < 1226~
→ U/D RPT.)

* U/D RPT.) → SPOT ✓ E/M) → E/M↑) < 1229~ / * RCE BT SCAL: T/SHEETS ASAP ⇔ LU^L NEXT WK.) < 1230

* U/D RPT.) → SPOT ✓ E/M) → E/M↑) < 1241~

* ✓ ✓ ) → DOWNLOAD PICS; < 1248 / IN; < 1252

* (CALL↑) < 1253 / * U/D RPT.) → SPOT ✓ E/M) < 1300

* O/L T/S; INPUT, SAVE) → SUBMIT, P/O) / → (CALL) < 1317
→ P/S) P/W...)

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

**JOB STAMP**

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -5/

DATE 07 11 08 M T W T (F) S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

<1326

* TSOR B: 1) GOT MY PICS; 2) HIM STRADDLING..?; 3) URL WORKED?!: NO—!?; 4) WE'D GO SEE..; OMIT FILE (FOLDER?) @ END OF STRING..;
→ 5) HIS — DISABLED — CAMERA: SHUTTER GROT, BUTTON, ETC.;
6) NO KEYS YET FOR LOCKING CAB^E — ASK DJC..;
7) + (1) WSC: (1) BACK FR CRM; (2) YET TO LOOK @ MY BAD — PICS;
8) URL WORKED!; 9) SERVER FOLDERS: MOVED ~1½ YRS. AGO.; "LOST" PICS..; 10) I'M GOING TO F.F.O./STORAGE..;
→ + ROMAN M.G.: TO SAVE HIS PICS;

<1326

* E/M ST; <1329

* U/D RP'T; → SPOT ✓ E/M; <1333 / * (CALL ↑); <1334 <1345
* SPOT ✓ E/M; <1341 / * E/M ↑; <1344 / * PREP. FOR RFO;

* PROV^S; → BCE BJ BOAL: 1) I'M LV^G FOR RFO: TO LOOK FOR P.E STAMP FOR GINA R'S P.E APPL^G..; 2) HADN'T RCV'D MY T/S - SENT ~½ HR AGO!; GOT ROMAN MG'S ALREADY: LAST TO GO IN!; 3) I'M LOOKING @ ADDIT'L TIME OFF 1^ST WK AUG. — HAD SENT HIM E/M A FEW

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

**JOB STAMP**

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

| | |
|---|---|
| REPORT NO. -6/ | DATE 07 11 08 M T W T F S S (Circle Day) |
| SHIFT HOUR: START STOP | TEMPERATURE MIN MAX |
| WEATHER | |

(CONT'D)

→ DAYS AGO; PROB. HADN'T SEEN...; 4) I'LL BE IN MOST OF NEXT WEEK — WHILE HE'S OUT; 5) (B/SCOUTS - ?) CAMP;

4349

* CHC #5553 MI. = 41; → LVE. SAS; <1350

* (CALL T); → IN RTE R.F.O.; <1416

* R.F.O.: LOCATE P.E. STAMP, ETC. - WENT THRU ~25 → 30 BOXES!;

→ ASR KAZ M.: 1) KEY (FRONT DOOR) SAME; 2) ALARM CODE: EA. INDIVIDUAL HAS OWN UNIQUE PIN; 4547 NO LONGER WORKS - (?);

<1527

* GINA R. 867-0122 T (N) P,C 1527 - 1529

1) GOT MY [illegible] ?!; 2) I'M LVE RFO: W/ PE STAMP!; 3) IF NOT STILL THERE, I'LL LEAVE @ DESK;

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

**JOB STAMP**

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

| | |
|---|---|
| REPORT NO. -7/ | DATE 07 11 08 M T W T (F) S S (Circle Day) |
| SHIFT HOUR: START — STOP — | TEMPERATURE MIN — MAX — |
| WEATHER — | |

* (CALLS ↑) → EN RTE BACK TO SAS / < 1558
* (CALL ↓) → RTE SAS / < 1603 / * (CALL ↓: CONT^N) / < 1604
* "62" T_P/C ("1606"): CHC #5553 NTE; → RTE SAS / < 1607
* ROB F.: ["MORE CLUTTER?"]; THINKS HE FOCUSES ON... / VERY OBSERVANT INDIVIDUAL... /
⋮
→ (c) WARREN S.L.: SF/OBB "HANDBOOK"...; (CABLE T↑) / < 1610
* SPOT ✓ E/M: 922 U/R, +11↓ / < 1611 / * E/M↑ / ~~< 1614~~ < 1616
→ ROB F.: APOLOGY... /

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

**JOB STAMP**

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 80

DATE 07 11 08 — M T W T (F) S S (Circle Day)

SHIFT HOUR: START ___ STOP ___

TEMPERATURE MIN ___ MAX ___

WEATHER ___

* GINA R. 9-867-6022 1678
LFT. V/M: SENT HER E/M) I'M BACK - TO BE @ DESK WHEN I'M DONE...

* U/D ~~1628~~ RPT.) → ANDREW G.: 1) ADOBE PHOTOSHOP REGISTRATION POPUP? NO: HE STILL USES ACROBAT!!
2) I RECALL HE'D SUGG. MS PHOTO EDITOR... - STILL HAVE: ON MY OLD INTERIM P/C (BELOW DESK...)
3) ~~ED~~ HE'S CLEARING HIS CUTICLE...

<1638

~~1639~~
* U/D RPT.) → NO "X"-OR !?) → (1) WARREN S.C.: AWAY FR DESK) → BOB R.: 1) HAS OK) 2) OFFERS HIS) → RNG: TO ✓) → NO... → MGV: 1) LVG) 2) CALLS...) TOM S.: RINSED C/ CLUB CARAFES - !?!) THX...) THREW OUT CONTENTS...) <1671

<1639

* U/D RPT.) → DAMON MB: 1) TOM S. w/) 2) M-80 E/M...) <1655

SIGNATURE ___ TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

**JOB STAMP**

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

| | |
|---|---|
| REPORT NO. 9 | DATE 07 11 08 M T W T (F) S S (Circle Day) |
| SHIFT HOUR: START STOP | TEMPERATURE MIN MAX |
| WEATHER | |

A/D RPT. → SPOT / E/M → DAMON MR: LV 2 → E/M T 1650

A/D RPT. → (E/M T) / 1702 / A/D RPT. → BOB D: (1 WK? — ONLY SAW HIM WHEN I RT'D) W/ SAS DET 1700? / MTS W/ DJV (1) TYL ?)

1718

A (CAL T) / 1719 / A (SUPP S) / 1722 / A (CAL J) / 1723 / A (CAL J) / 1735
A BOB B: 1) HAND-OVER? : NOT MUCH / 2) IM "HERE" NEXT WK /
3):

→ + (1 WARREN SCI) "THX." — KTA-TATOR RPT.) HE TOOK GUYS OUT...)
2) + 3BB B) 3) 3BB '35 CABLE VARIANCE?)

→ E/M (CONT T) 1749

A/D RPT. / 1752 / A E/M T / 1753
A H2O / → CUSTER DAN: "NO MIDDLE NAME (AUERBACH)" — 1) FUEL → 2) RAIL 3) SPECIAL LANGS...) → (1) → CLUB: + 1 + 1 (T.N.) of 100 @ BUCKET) 1759

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# RESIDENT ENGINEER'S DAILY REPORT
# ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

**JOB STAMP**

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

| | |
|---|---|
| REPORT NO. -10/ | DATE 07 11 08 M T W T F S S (Circle Day) |
| SHIFT HOUR: START ~~STOP~~ | TEMPERATURE MIN MAX |
| WEATHER | |

* CLUB: LOG (X) < 1802 / * ENR'S PE APPL.N: CO: → RMG: HIS L/N HAD STOPPED WK'G - OK W/ REBOOT; YET TO RECHECK "X"-DR. < 1806

* (CALL ↑) < 1807 / * P.E. FORM, O/L RES → P/CS → RMG: T/S ... < 1823

* P.E. STAMP RES → (1) WARREN S.C.: 1) JUST GOT CAN FALL PROT.N HARNESS... CHEAP! 2) WILL TALK TO FD.R L.N 3) + ROB F < 1843

* (CALLS ↑) < 1902 / ~~APPR~~ FOR T/COMMITE < 1905
* G/N: (1) WS/ RB < 1906

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501