STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 1

DATE 09 11 08 M T W T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE MIN ~50°F ± MAX

WEATHER
8' CAST (FOG), COLD A.M.

* (0000 – 0004 = 1°04') 0841 – 0844 → 1711 "–" 1°04 = 1607 1537 (N'L)
W: (2239 – 2400 = 1°21') ∴ (+1°02 + 1°21) = 2°23' "–" 0728' → 1°55' → 1639 → +1°02'
→ AZ ~
(L): (1239 – 1248 = 9), (1331 – 1346 = 17), (1348 – 1355 = 7) → N'L.
: (0045 – 0052 = 7), (0851 – 0855 = 4), (0946 – 0948 = 2), (1028 – 1029 = 1), (1102 – 1104 = 2), (1128 – 1147 = 19), (1217 – 1218 = 1), (1223 – 1228 = 5), (1248 – 1249 = 1), (1324 – 1325 = 1), (1355 – 1356 = 1), (1443 – 1446 = 3), (1521 – 1522 = 1), (1544 – 1546 = 2), (1636 – 1638 = 2), [1540 – 2259 = 539], (2246 – 2255 = 9), (2356 – 2356 = 1), (2306 – 2350 = 44), (2350 – 2352 = 2), Σ (W) = 9149 F58. "–" 30' (≈ 0828) → +28'

* CONT^R < 09 10 08 W) < 0000 / * ↑ < 0004 / * S/U ↑/D RPT) < 0006
* H/C CAR TAGS) < 0011 / * d/L CAR BOOKS) → MISC) < 0031
* U/D RPT) → SPOT ✓ E/M) < 0045 / * (N) < 0052
* MISC) → 1215 < 0104

(0104 – 0841 = 7°37')

* RT^R < 0841 SAS: DW/PN/Y/MISC CONTRACT ADMIN, ETC) < 0841
* UL W/STA^R) < 0844 / * E/M: U/N = 800 (RS + 4L) < 0845
* SPOT ✓ E/M) < 0850 + < 0851 / * (CALL 1) < 0853 / * (CALL 2) < 0855
* ✓) < 0857

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-6410 or TDD (916) 653-4086 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 09 11 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

SAV.: 1) MK FR. POT - W/ (c) JEFF D.F.; 2) MK 2ND POT W/ MARKER; 3) R/S COFFEE TUR; 4) R/S SUGAR; 5) C/U: HOT RM COUNTERS; 6) (c) + BELL: DONT BUY CHOC CR: LITTLE + THICK...) OTHERS:
→ C/U → PROV.) → M.C.: S/M...) → (c) J. HILL: S/M...)
→ + BERZAD H.: LOST TRACK OF PAYMENTS - I'LL CHECK + E/MAIL...)
→ + (c) MARTA T.C.: 1) DID I KNOW PAY $20 @ A TIME, I'LL CHECK + SEND E/M...) 2) KNOWS S/O COMES ON EA DAY + DOESN'T PAY...)
⋮
→ 1ST AID KIT → DORIS J.C.: 1) (c) + BELL W/; 2) DUNK TANK - W/ SUPE...)
→ FOUNDRY: S #151 (W/BD TRAILER - PR...) FOUND SEAL WELD REPT. ON C/RANS (RE: DISCR YESTY W/ DIV (c) & COVER) I'LL CALL SOON TO GET REPT + THEN CONTACT DIV (c) TYL...)
⋮
→ MISC.) 0926

* JD TOP → REPT ✓ E/M) < 0938 / * E/M) < 0940 / * JD REPT) 0940

SIGNATURE | TITLE: Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -3/	DATE 09 11 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* (CALLOT) / <0948 / * CNB: RES. (c) MARTA T.C + BEHZAD PMT 3/ <0958 /

* CNB: E/M <1011 / * SPET ✓ E/M → B/M (CONT) <1008 / B/M / * (CALLOT) / <1029 / * CNB: E/M T / <1055 / * MBL: E/M <1102

* (CALLOT) / <1108 / JN / <1109 /

* DJV (c) DAVID C 9-1-415 205-8290 (c) 1110 HW! ⇔ S 751 (W/BD. TRAV) "SEAL WELD" @ CHORD GUSSETT SPLICE (@ LOCATIONS) F&M HAS PLANS SHT. REF.) WE'RE THERE!;

* MET W/ DJV (c) DAVID C.: W/ F&M; HELL DOUCKS PLANS INTENT W/ DJV (c) G. BAKER — THIS P/M CONN AT ≈ < SF. APP'T.);

→ F&M: WILL REP. TOP CHORD T/P + ("O.D." SAME) ⇔ 13 mm (1/2" ⌀) CORE + STICK OUT..) ~~TOOK~~ GAVE HIM BACK HIS REMAINING P/LS...) <1128

SIGNATURE	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
— 9	09 11 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* W/D RPT.) → (E/M:) <1217 / (ACAUST.) <1218 /
* S# 762 (: DRAFT CT SL) → (E/M:) <1223

* S# 762) → OSM (c) RYAN T.S.: NEED 18" STEEL PL SHIELD ↔ R# 1287-1 DRAFT → TEAM CHANA'S PETE & S. NO WORKING; RTS SPOKE TO YPS — NO HAT. STOPPING FROM CHANA) FEDEX ?: "(LAST) CERT", CALL FEDEX CHANA REP. — HAT. SPAN, ETC.) NO ONE'S RESPONDED TO ARCM ROCK TM'S N 12 DOT PT. E/M) T.C.'S (c) KEITH D "PRO LAB"...) TALKING W/ STEVE (?) REG POSTING OSM REPF TO R# 1287-1...)

→ W/D RPT.) <1239

→ M(L: PROC) <1242 / (ACAUST.) <1249 /

* S# 762 DRAFT CT SL) → MARK G.V.: TEMP. TOWER DESIGN?! TTD (WNR "#" EAST ½ TOO?! — YISD) 2½ X 11 COLOR → 1 & W W/ GRAPHIC (CC:) ← RICH SNATN: WD PAPER...)

→ W/D RPT.) 4302

SIGNATURE	TITLE
	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 5	DATE 09 11 08 — M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

<1320

AS #762 → (C) STAT O.: E2/EB B/P TRAV. LIMITS OF TRAV. RAIL?) E2/E3 ONLY) "NEW TRAV" E/3 TRAV. HAS ACTUATORS W/ FLIP DOWN LANDINGS FOR B/P ACCESS..) HAD FORGOT THAT DETAIL..)

<1320

A/D RPT.) → S #762: DRAFT..) <1324 / A(CALST.); <1325
A S #762 DRAFT) <1338 / AS #762 / → N(L) <1348
N (L) / → N / <1355 / A(CALST) / <1356

<1448

AS #762 DRAFT..) → BOB B.: LAST TIME (& WARREN S.C STUCK ARROUND ?!) N/NO. ?!) RESPONDING TO SOME B/MS — NOT TO "VACATION" [ACCUSATIONS])

<1448

A A/D RPT.) → S #762 DRAFT) → ADM S.: CHOC S..)
→ + RMG: NOB S/MART ?!) < FU/CB'S BAHAREN (SFTY.)
→ BCR KS RAIL: NOTHING IMPNE — NO PASS..) <1543
A PMT: S #762 DRAFT — P/O (S) → ACTIONS ↑ <1543

SIGNATURE

TITLE: Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. E/	DATE 09 11 08 M T W T F S S (Circle Day)
SHIFT HOUR: START ___ STOP ___	TEMPERATURE MIN ___ MAX ___
WEATHER ___	

→ BCE DJB's)

*(CALS N.) <1446 / * P/OS; <1448

* DJV (c) CAROL C 91-415-205-9153 (c) 1447
1) ETD SUNDAY!) "ACTUAL"!)
2) MOMENTS VARY @ E-2, NOT W-2!?!)
3) ORG MT$: BOB K, KEVIN S.) VS HUMANGOUS DUC'T, ER^N PLAN < CSPS. MATRIX...
"23," "24," RFI: < (c) HAYAT T.
BREAK UP ER^N PLAN
→ TOM HO... → JON DENIS...
~2 WEEKS AGO (RFI)
B-1: (c) JON D.) ⊕
⋮

→ UD TOP'T; <1450

* DJV (c) TOM H. 9-808-4546 1456-1458
OR TO CALL JON D. DIRECTLY RE: ~~#~~ 762, ORG ER^N PROC, 61→6.

SIGNATURE	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -7/	DATE 09 11 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

1506

* DJV (c) TYL'S JON D. 9-1-650-863-2785 1500-
1) MTG FOR MTG(S) BACK TO BACK; CAN TALK WHILE WAITS @ DJV (c) F.O.
2) S#804 - SXN. 3 OF MATRIX

* V/D RPT. <1508~

~~<1535~~

* BCE BJ BOAL: 1) S#762 DRAFT CT SL COMMENTS; 2) → TO ARRANGE COMMENTS...; 3) CAT. B1 → CAT A, OR, CAT C ?!
↑ WATCH FORTHCOMING DOC'T. ?
4) I'VE DISC'D W/ DJV (c)'S CAROL C & JOHN D.
5) SIGNIFICANCE OF STATING 5,260 KN ?
6) SHOWED HIM SLIDING SEQ. PPT...

→ (CALLS): (≤1521 - 1522)
→ V/D RPT. → 2MTG → PMIV: S#762 DRAFT 4585

* V/D RPT. <1544 / *(CALLS↑); <1544

(x2) 1554
* MDC BCE GJL 9-88-4542 1546-
HAS S#762 DRAFT CT SL OPEN ?! LOOKING @...

SIGNATURE	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 8/	DATE 09 11 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

(CONT'D)
SNAP

5th SOF - FR PLAN - VERT JACKING JACKING LOAD MONITORING

* DIV (c) JOHN D. 9-1-650-863-2785 @ 1558
[HAVE V/M - ?!] LFT. V/M: I'M TOLD MT DONE - CAN COME BY TO F/U ON 5th 762?

* ✓ V/M: SAS = +1 (+85) < 1603

* PNEU 5th 762 "T/LS": P/O/ < 1606 / * P/OS/ < 1608

* DIV (c) JOHN D. 650-863-2785 "1605-1606"

SIGNATURE	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -9/	DATE 09 4 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* MET W/ DJV (c) JOHN D. — "F.O." / BAYVIEW...;
JP S #762...!

→ WDC: BCE GARY J.L.? — (c) SANDY K / PHE — LEFT 5' AGO;
→ DJV (c) HAYAT T.: R #1397?
→ ID RPT.! < 1636

* (CALLST!) < 1638 / * G/N: DM ROZSAY — ! (c MGV's) → (c) SANDY M.!
→ BCE BJ BOAL: 1) I MET W/ DJV (c) JOHN D.: TO F/U ON E-2 (VS W-2) MOMENTS; 2) AGREES CAT. B FOR MONITORING; 3) ETC.; 4) WDC BCE GARY J.L. OR W/ CT SL AS IS, THOUGH I'M LEANING TOWARDS BCE BJB'S PROP'D CHANGES...!
→ G/N: BOB B; < 1640
(1640 - 2239 = 5°59')

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 10/	DATE 09 11 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* RT^N SF/OBB: GUARD = "ABI" / ~2239
* SAS: 1) W/POV / 2) MISC CONTRACT ADMIN, ETC / <2241~
* U/L WK/STA^N / → MISC / <2244 / *(CALLS↑) / <2252~ / ~(D) / <2255
* ✓ V/M: SAS = +1 ↓ ($ 8S) / <2254 / *(E/N) / <2304

~ (D: C/U) → ALI — ! : 1) NIGHTSHIFT: T.T. "C" (FOUNDATIONS) / 2) TYP. NOT IN, BUT DINNER... / 3) TYP. @ YBI TRAILER / 4) COLDER WEATHER... / → CLUB: + $ 1 ↓ + 100 ¢ ↓ ($ 100 ¢, @ BUCKET)
~ / → U/D RPT / → (E/N) / <2350 / *(CALLS↑) / <2352 / *(E/N) / <2401
→ CLUB: LOG

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.