STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-1	09 22 08 (M T W T F S S) (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~54°F± MAX
WEATHER CLEAR, COLD- 4/M	

(0000 - 0029 = 0°29')) 0648~0655 ⇒ 1578. + 198' = 1836 1606 (4 NML)

(1): (1356 - 1324 = 33)

[(0715-0903 = 1048)], (0024-0026=2), (0702-0703=1), (0721-0724=2), (0740-0741=1),

(0911-0935=24), (0935-0941=6), (0951-0952=1), (1007-1005=2), (1013-1014=1), (1055-1056=1), (1107-1107=3), (1131-1132=1), (1209-1210=1), (1310-1312=2), (1342-1351=3), (1528-1530=2), (1608-1609=1), (1710-1718=1), (1726-1729=3), (1801-1806=2), (1829-1855=10), (1903-1905=2),

⇒ Σ(1) = 72 ⇒ 30' (= 2 BRKS.) ⇒ (+42')

CONT'D FR 09 20 08 S/O / <0000 / ✱ S/N, +1)D RPT.] → RECV'D: CC'S (DRY)

✱ PREP. FOR O/L T/S: 1)D RPTS (CONT'D) → CC'S / <0008

✱ L&I / <0011 / ✱ O/L T/S: R/S RW... - P/O / <0013

✱ O/L T/S: SWPT] → P/O / <0022 / ✱ P/OS / <0024 / ✱ (ALL ↑) / <0026

✱ S/D: (E/N), (E/M)] → DOCK WK/STA'N / <0029

(0029 - 0648 = 6°19')

✱ STR F.O.: MISC CONTRACT ADMIN, ETC.] <0038

✱ O/L WK/STA'N / <0051 / ✱ E/M: L/N = 77/N, +1) / <0054

✱ SPOT ✓ E/M] → E/M ↑ / <0059 + <0100

✱ 1)D RPT.] → (2) WARREN S.C.: E/M... - 1) / <0102 / ✱ (ALL ↑) / <0103

✱ CWR: W/ DOC MAKER'S CRAFTS W/ LDR, BASKET] → RECV'D / <0114

✱ RWEN: CT SL DRIFT - 5TH 751 (CONT'D) / <0127 / ✱ (ALL ↑) / <0129

✱ L&I / <0139 / ✱ E/M ↑ / <0140 / ✱ (ALL ↑) / <0141

SIGNATURE

TITLE: Assistant Structure Representative/ Leadworker

'12 DEC 26 AM10:45 24231

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

4e.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -21	DATE 09 22 08 (M T W T F S S) (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

*(c) WARREN S.C.: ET "R" NO900/0930) <0940
LW (0915-0903 = 12 MT) / *RCE RJ BOM: (c) WARREN SC W/ [illegible]
*RJM SAS/ <0905 / *G/M: SAM P. J W/L WL/ "R" <0904
*RCE RJ BOM 622-5971 PIC 0744-0745
D (c) WARREN SC. MANUAL LOCKING DEVICE.. J 2) ET "R" ~0900
(*A D/O S...) J
→ SPOT ✓ E/M J
*A/D SPT. J <0908 / *R&B F.: PERT'S TANANDA KOMANJAR6 J
*(E/M) J <0955 / *(CALS) <0935
*(E/M) J → DAVID BRADD: "BY THE BAY" VS. TOWER DATA <=>?
5'ISH WAY / KEM / CT CNTRL DATUM VS. (ARBITRARY) CHOP DATA
2) LAST WEEK'S ARFN "AS BUILT" (SIC) ARFN'S DAVE ADAMS MONUMENT INFORT..., IN E/MAIL: CHECKED Δ W DIAGONAL + SHOWS ["SQUARE"] → ORIG NOT "TWEAKED"..) SIM. W/ LAST YEAR'S DATA..)
3) DOING SPREADSHEET COMPARING ALL 3 DATA SETS -!
4) ARFN'S DAVE ADAMS (TERRY DENNIS?) HAS ASKED W/ TOUR WHAT CORRESPONDING THEOR. COORD'S TOWER THOSE 60 POINTS OUGHT TO HAVE..) NOT ONLY MAY

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-31	09 22 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START ~~STOP~~	TEMPERATURE MIN ~~MAX~~
WEATHER	

(CONT'D.)

(C) CHAD H. HAVE THAT OUT DOT (C) TYLER/M/N SURELY DOES (SKYWAY DESIGN TEAM ~~SIDE~~ OF THEIR "HOUSE"...) BOTH DOT (C)'S PATRICK M. & BAKER HAVE BOTH STATED THAT (C) PAUL CHAN (SP?) IS ON THAT...)

<09??

X W/D RFI / <0951 / X (CALLS ↑) <0952

X DRAW'G. → W/ → WORK W/ PAT M., ETC.) → (C) BART N.: LIKE FOR PAD OF PAPER) 2) GAVE HIM ~ 4 CHANGES... TOOK 8/22 W/... <1002

X W/D RFI / <1003 / ~~X (W)~~ / <1005 / X 3 ~~RFI~~'S: DRAFT OF 32) <1013

X (CALLS ↓, ↑) <1014

<1024

X BCE TO BOAL. (A) TEMP. TOWER JACKS/GAS JETS ⇔ MTFJV'S DAN H.: 1) "LIFT" OF ARCH. LABS?/ 2) OR TO HAVE GAS INTERCHANGEABLE?! SAME) BORE DIAM ≈ 200/1000-ft 2) CSPS OF 1.7 / TEMP. TOWERS) 3) @SM (C) RYAN T.S.: ASKS

SIGNATURE	TITLE
	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -4/	DATE 09 22 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N).
~~[illegible]~~ FOR AN ~~RFI~~ (ICE DIR: ~ "20 QUESTIONS"...);
CALLING AROUND...)
⋮
(B) + (C) WARREN S.L.: 1) DIV (C) RAFAEL M. EN RT^E TO DISCUSS
JPW; 2) HAS PAINT ITEM - DEFERRING...) 3) DIV (C) RM!) <1033

* O/L T/S: ONLY LAST WEEK'S T/S N/APPV'D) <1035
* S# 751 DRAFT CT SL; → SNAFU SH# 119: MS^E DIV (C)
FED LINE CORR^N...!?) <1043

* GLEN WELDON, STRUX MATL^S 9-1-916-227-7251 1050 1043
1) LIST?: NO) ⇐ CT CALIBRATES
NOT P-T) TIE-BACKS: O/S LAB.)
2) 100 JACKS) 60 GAS) 430^T...)
2) JACK/EA. "PAIR" IS SPEC.) "BUT" (← CONTRACTOR)...:
"SAME" BORE DIAM^R... ("200/1000^THS - IN.)
3) TO CALL ME BACK) PERSON THAT WORK ON ~~[illegible]~~
THIS BEFORE PROMOTED...) (1051)

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -5/	DATE 09 2208 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* U/D RPT.; <1055 / A(CALL↑); <1054

* S #751: SHT. #119; <1057

* GLENN E.F. FR 916-227-7251 1057-1102
1) NO LOST; UNDER DEVELOPMENT...; "LOST OF CALIBRATORS / CALIB'D. / ACCREDITED CALIB'N / LOAD FRAMES
2) DON'T BUCKLE ON JACK / GAUGE PAIRS / ⇔ MONITORING LOADS...

(<1103)

* U/D RPT.; <1107 / *(E/M); <1107 /

<1131
* BOB B.: ORG JACKS; ARFJV DAN H. QUESTION (S...); #1) T/LAB FACILITY?; #2) INTERCHANGE GAUGES W/ ANY JACK-?!; S #80F (<RMG): NARRATIVE JACK SETUPS; IN-HOUSE CT LAB CALIB'N ⇔ P-T...; (OR, WITNESS / OVERSIGHT?);

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -6/	DATE 09 22 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N.)

* RYAN T.S. 9-1-858-232-6799 (C) 1133
LFT. VM: F/U TO CALL BACK FRI, I SPOKE TO GLENN
NO "T/LAB LIST" (YET) ⇒ MAY ASK FOR RFI; ALSO
JACK/GA. PATRING;

* VID IP'T; <1137 / * (CALLS ↑); <1138

~~<1147~~

* WDC BCE GARY J.L.: 1) S# 807: "ERC PLAN (BOX GR) - VERT. JACKING & LOAD MONITOR PLAN"; WDC RESPD R.;
2) "T/LAB FACILITY LIST" ABFJV QUESTION (DAN H.);
3) "PATRING UP" QUESTION..; ALSO RFI?;

4) S# 751 — INCOMPL R/LS..; SAYS JUST SEND..;
5) S# 766 — WDC PUT "ON HOLD"; 6) NO OTHER R/LS..; <1147

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -7/	DATE 09 22 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* OSM (c) RYAN T.S 1147 - 1151
I'LL BE ASKING ARFJV TO RFI PROV. LAB. APPROVAL
GLEN WELDON @ HQ LAB. SAYS "LOST" IS UNDER DEVELOP-
MENT - NOTHING TO SHARE; I'VE DISC'D W/ BCES B.J. BOAL
& GARY I.L. (WDC) ALSO NOW "PATRONS-UP" QUESTION..
RFI THAT TOO..; 100 JACKS, 60 GAUGES..; SET UP
IS 1 GA/PAIR OF JACKS ⇒ NEED 50 GAS, MIN.; ⇒
10 EXTRA..; S# 804;

* U/D RP'T; < 1209 / * (CALLS ↑); < 1210

~~< 1215~~
* FOM: S# 751 SAT. 119 SNAFU - DIV (c) TYL/MSN
DIDN'T PICK UP ON REDLINES RE: GROUND FLUSH..(?)
I'LL COVER ON LT SLUMP @ LEAST;

< 1215

* U/D RP'T; < 1217

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -8/	DATE 09 22 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START ___ STOP ___	TEMPERATURE MIN ___ MAX ___
WEATHER ___	

* RFI'S DANIEL M. 9-808-4562 1217
LFT. V/M: NEED TO DISCUSS ~~THE~~ QUESTION(S) RE WELDS/GAS.

* J/D RPT'D < 1215 / ~~S~~ 751 → E/M: SFG V, JT.) < 1239
~~1215~~ ~~1255~~

* S 751 DRAFT OF SZ → GONA R.: 1) SAMANTHA TURNER-PCE W. HOWE ⇒ OTD @ OLD SKYWAY TR. 2) DEBBIE K. NEWS? - NONE) ED RCV'D E/M < LEFT FOR I'LL FWD.) 3) RACHEL CAN HELP TRANSLATE..) BURN.) IN 4-9 DAYS..)

< 1245

* J/D RPT'D.) → GONA R.: 1) W/ RACHEL..) 2) LET-LETS E/M..) CH./BURN.) CUSTOM..) 3) ~20 TORCH'D @ ~~TA~~ DOWN / BURN..)

< 1253

* J/D RPT'D + E/M (CONT'N.) < 1259 / * J/D RPT.) 4310 / < CAUSE 1312

SIGNATURE ___ TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 09 22 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP — 9/	TEMPERATURE MIN — MAX
WEATHER	

* DANIEL H. 1312 - 1324

* Cd WARREN S.C.: 1) ANAY S w/ 2) + BOB B. 3) 4,348

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -10/	DATE 09 22 00 (M) T W T F S S (Circle Day)
SHIFT HOUR: START ← STOP ←	TEMPERATURE ~~MIN~~ ~~MAX~~
WEATHER	

*(CALST!); <1351 / *SPOT ✓ E/M) <1353

*DANIEL H. 9-800-4562 1352
RON CROCKETT E/MS N5 NOS AGO INSTRON: 925-698-0031. SHYAM MISTRY ↔ WEIGHING (OBG) CAPACITY? OLD E/MS) W-2 RODS TEST LOC^N?

<1429
*V/D RPT) <1356 / ↓ (L: PROC) / → S#751 CT SL DRAFT) / ↓ (L)

*S#751 DRAFT CT SL) → (C) WARREN SC: BOB R E/M (FWR PDF) — LOWER CAP., AND, FOR LOAD CELLS — NOT JACKS) MAY BE A REFERRAL THOUGH...)

<1500

*ROB F.: PMIV DRAFT CT SL — "SAVE"... <1501
*S#751) → ROB F.: POP UP — "HAVE WORK?!"...)
→ AJAY S.: 1) HG-"A" TO DO? CLO CONC MEMO!) 2) → CL LOOK @) 3) ← AFTER S#[751...] 4) NCRs? — NOT ME ON THIS JOB...) → V/D RPT) <1504

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 11/	DATE 09 22 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START ___ STOP ___	TEMPERATURE MIN ___ MAX ___
WEATHER ___	

* WPC BCE GJ LAT 9-8-08 T5K2 1506
S#751: PLS. TAKE LOOK @ CT SL.

* P/O/ → BCE BJ BOAL: TRYING TO PUSH OUT (S#751) CT SL - REVAMPED DRAFT...) <1510

~~<1528~~ CHECK SHOP DWGS (S#751) ⇔ "ALL" REPLIES?...
→ WPC BCE GJ LAT: 1) "C.F." = ?...) 2) MOVE CL → A(S)!) (⇔ S#751 CT SL)
→ BCE BJ BOAL: 1) S#751 CT SL DRAFT OK.) 2) (W/ (C) WARREN SL)) 3) WPC BCE GARY JL: 4) TOOK TIME TO GET OUT... ⇔ DJV (C) UPDATES...) I'VE MANUAL TO MAKE-STILL...) <1528

* (CALL ↑)) <1530 / * WPC BCE GJ LAT: 1) (S#751) OUT!? - W/ (C) AS...) 2) I'M MAKING CHANGE TO DWGS PER DJV (C) D. CLOVER...)
⋮

~~[illegible]~~
<1539

* S/ROOM

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -12/	DATE 09 22 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

A SAS DCT (c) S BURKS: 1) 65 PAGES COLLONG...: S#751)
S #766: NO STILL ON "WDC HOLD"...)

→ (c) APRIL S.: I'D ACTIONED HER ON S#751 EARLIER)

<1535

A U/D RPT; < 1546

A (c) APRIL S. TR. 1510715 6968 1546-1547
HAS QUESTIONS [RE: S#751 CT SL DRAFT].

X1557

A (c) APRIL S.: 1) REFORMATTING...; 2) (N) FAB R...)
3) I'D GIVEN CHRIS P. A HEADS-UP...) 4) LATE...)
5) S #766 ON HOLD FROM WDC STILL...)

→ (c) SHELLEY B.: 1) (c) JOY C. W/; 2) S#751 - CT SL DRAFT BEING FINALIZED; BUT - I'VE SHUFFLING DW 2 U/DS STILL.)
SO DON'T "SPLIT"!)

X1551

A U/D RPT; < 1600

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -13/	DATE 09 2208 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX
WEATHER —	

*(c) APRIL S. ; FR. 1510 7156968 1600-1601
1) (N) N/G!; 2) I'M EN RTE.;

*(c) APRIL S. 1) W/ ARCM RTM; 2) ← WAY "RFE"?!: SHTS. ALL "ABN"!? ← I'M STILL DOING SURGERY ON THE SHOP DWGS DIV (C) 3 U/DS...!; FO'M'D REVIEWED...;

→ U/D IPT.; < 1608 / *(CALLS ↑); < 1609 /

*S # 751: ATT S...; 4614

*(c) S BURKS 4690

* 1700

* U/D -3...;

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE	
- 14 /	09 22 08	M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX	
WEATHER		

* @ SHELLEY BURKS 1712
FILE'S SAVING

* ARFON'S CHRIS B. 9-808-4564 1714
LFT. V/M: S#751 DIDN'T GO ⇔ "U/D" DWG'S/
CT SL READY/ ~26 "U/D" SHT'S.

* U/D RPT./ <1717 / * (CALL ↑)/ <1718 / * SPOT ✓ E/M/ <1719
* PMTV: U/D ATT'S..) <1726 / * (CALL ↑)/ <1729

* ~~1733~~ CUSTODIAN: NEED HELP INTERPRETING NOTE LEFT BH'D (BY DORIS J.C.?): 1) CHANGE OUT BURNED OUT LIGHT BULBS) 2) IF LIGHTS STILL N/G AFTER CHANGE ⇒ BALLAST ⇒ "ELECTRICIAN" TO REPAIR THAT..)
⋮

<1733

* U/D RPT./ <1736 / * VERIFY S#751 DT'M DET'L: OK!/ <1743

SIGNATURE	TITLE
[signature]	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -15/	DATE 092208 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

<1804

* JAV.: 3 + $1 + 200¢ (+ 100¢ @ BUCKET)
→ (c) WARREN S.C.:

* (CALL 1) <1806 / * V/M: SAS = + 1 L (+ 83); <1808

* CHRIS B. 9-808-4566 (RT 2 CALL BACK @ 1750) 1807
LFT. V/M: THX FOR RT 2 CALL — RIGHT !: TALK TURN.

* U/D RPT.) <1810 / * CALLB: LOG) → (TOW) <1814 / * MISC.) <1818
ROB F PRESENT

~~<1839~~
* IRENE K. CARDS) → CUSTODIAN: 1) LK 2 FOR LADDER) I FOUND @ STORAGE ROOM) 2) I & R LIGHT BULBS...) 3) + (c) WARREN: BALLAST BAD WHEN 2 OUTER BULBS OUT...) $5 BET ?!) 4) ← PROVING TRUE...) 5) SHOWED BALLAST PK 2 TO CUSTODIAN (< THEIR ROOM) ← NEED ELECTRICIAN...) <1839

* SUPPLIES/1858

* (CALL 1) <1855 / * (c) WARREN S.C.:

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -16/	DATE 09 2258 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

→ WST.D S.

* I/D RPT. / <1903 / * (CALLS ↑) / <1905 / * G/N: ROB F. / <1905

~~[illegible]~~

<1908

* WSTODDANS: ASKED ME TO WRITE NOTE.

* NOTE / → ROB F; 1) W2 / 2) SPAN. / <1924

* RAFAEL BERENICE; P/O (NOTICE) 4915
I/D RETURN ~2 HRS. [← DIRNT, UNABLE].

SIGNATURE	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.