STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -1/	DATE 10 20 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START 0100 STOP 1530	TEMPERATURE MIN ~35°F +/- MAX
WEATHER O'CAST (FOG), COLD - A/M	

* (0000 - 0307 = 3°07'); (0710 - 0711 = 1'); 0939 - 0942 → 1809 = (3°08') → 1501. → 2046 → +5°45' < 5°56' > ⇒ < 0°11' > ⇒ V'/4"

- W (L): (1301 - 1312 = 11'~), (1222 - 1257 = 34'), (0000 - 0035 = 35'), (0035 - 0116 = 41'), (0119 - 0211 = 52') STAY 40', (0211 - 0307 = 56'), (1214 - 1301 = 45'), (1312 - 1328 = 16'), (1328 - 1342 = 14'~), (1345 - 1355 = 8'), (1400 - 1426 = 26'), (1403 - 1426 = 23'), (1545 - 1555 = 9'), (1718 - 1726 = 7'), (1731 - 1735 = 4'), (1735 - 1739 = 4'), (1739 - 1742 = 3'), (1747 - 1756 = 9'), (1828 - 1831 = 3'), (1857 - 1858 = 1'), (1901 - 1902 = 1'), (1954 - 1956 = 2'), (2023 - 2024 = 1'), (2045 - 2046 = 1'). ⇒ Σ(W) = 356' (= 5°56') ÷ 4 BRPS = 89' (ML)

* CONT'D FR 10 19 08 SJ: TRI-FOLD STUFF → PROV S → U/D RPT. < 0035

* (VMT): < 0116 / W < 0119 / * (VMT: MOVE) → (A) P/C: ADD HPLS + BOLT → C/U → (W) → U/D RPT. < 0211

→ GUARD: TRISHA (C. DOOR) JAMIL'D TOLD HER AROUND...! HAD TRIED TO REACH NO ONE

* (VMT: P/O) W < 0307

- W

* ROE RJ ROM 622-5791 W P/C 0710-0711

W/M: ETA ~0930 / 0000 ⇒ D/O + [ORTHO]

* SF/OBB SAB: D W/ROV 2 MORE CONTRACT ADMIN, ETC. < 0939

* W/M: DOE M. ANZIOL; HARON P; DAMON M.B. → TO P/C < 0942

* S/U + U/D RPT → LOG → W → E/M: L/N = 1299 U/B, +5 U/B < 0948

* SPOT W/ (E/M) < 0950 / * PNEV: ST. → AVERY TCAN!? < 0952

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

'12 DEC-26 AM10:47 24257

4w.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -7/	DATE NOV 20 08	(M) T W T F S S (Circle Day)
SHIFT HOUR: START ___ STOP ___	TEMPERATURE MIN ___ MAX ___	
WEATHER		

A (E/M) / <0955

<1012

A JAN.: 1) TOP CRATE MT.; 2) ... & OFF...; 3) BOTT. ~1/5 FULL..) 4) CLEAN HOT ACE, CRATES; 5) MK. TR. POT - W/ BCE & P. FOLEY/ 6) MK. 2ND TR. POT - W/ R.P. FOLEY/

→ D. GRADD: MTS @ 1000? - 1030, PER ATS 2ND E/M; (TIME) VTC TOOM..)

→ BCE R.P. FOLEY: 1) (DAVES: BOCELER, HORSE TAIL)...
2) SAP ~23% # ↑ & TIME..)
3) T. CHANG ATMOSPHERE; (C) COMMENTS..)
4) 6 MRS BRAND SCHED.; 5) TEMP TOWERS ~ 4/SR EAST..)

<1012

A (SPOT ✓ E/M) <1013 * W/D RPT. <1021 A (C) WARREN J.C.: E/M..) <1025 * (CALW↑) <1032

A BOB B.: ROV @ KETCHEN..) <1027 * SPOT ✓ E/M) <1032

A BCE B. ROAD: 1) MTS @ 1030 (1000 FROM N/A..) / NO L/N "INVITE" 2) (NO BOD CAT TH.) (HNYS YESTY.) CANDELET..) <1038

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-3)	10 20 08 — (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

* HQ - HAY SURVEYS MT^G — "1000" "1030" / 1042 → 1131
→ SEE FILE FOR RESULTS & NOTES.

* SPOT ✓ E/M / @ 1132 / * JD RPT. / @ 1136 / * (CALL T.) / @ 1139
* PLAN: 1) D., STOW → MGV: 1) (c) USC COMMENTS..; 2) (OSC: YEST ↓) DOWN; 3) E/MS... ← 1151

* DORES J.C. TO 415-264-XXXX (H.C. P.C.) 1140-1142
ON) V/M: (CAL #5552) / WHERE'S ?!

* JD RPT. → 1158 RTC M.: 1) FOW'S TEAM CAMP^S MT^G..;
2) 65% (1924-S1) DESIGN: "I WAS AWAY @ FUNERAL ALL DAY FRI, I'LL WORK ON COMMENTS BACK THIS P.M..;" SAYS JUST DO 65%, PROB 35% NOT CAUGHT..; HE'D TOLD THEM (THANKS) "AMEN"; NOT DESIGN, ISSUES..;

3) ALERTED HOM RE: DJV (c) T. HO E/M NOW ⇔ 10/31 F MTG — IN SACTO.)

4) JOB ~~1/3~~ - 1/3 TIME..; "203"..; 5) 6 MOS ORG DELAY; T. CHONA..; ← 1158

SIGNATURE | TITLE: Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 41	DATE 10 20 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* VID RPT. / <1203

* PROVS: STOW / → DCE W. STEDP: 1) BCE BJ ROAL W/ 2) "ALL?" 3) (L/OVERS..) / ~~AAAA~~ → DJC: NOTE - WHEELS ?! /

→ BCE BJ ROAL: 1) TO VSRS / RTC ASAP / 2) T/S UPON RTC / 3) LOOKING.. / 4) 4924-81: "65%" DESIGN / I'LL COMMENT ON THIS P/M / YET TO POST MY "35%" COMMENTS.. / STILL APPLIC? RTC M. ASKENS.. / DJV (c) TON # M B — 10/31 FRI: @ SACTO /

5) (c) CHAD # "UPDATE".. / ABCM RTM SAYS POSSIBILITY OF DISTRICT CONTRACT.. / 6) "WHAT SL # TO" CT SL DRAFT: WHY NOT ASK FOR TROLLEY WEIGHTS ?! /

→ # (c) JOY C.: 1) (c) F.B OUT TODAY (⇔ FAM.) / 2) PROVS.. /

<1211

* VID RPT. / <1216 / *(CALL T) / <1217 / *(CALL T) / <1218 / *(CC: OSL) / <1220 / *(CALL T) / <1223 / *(VSRS) / <1257 / *(CALL T) / → PATRONS NOTE ON LATE <1258

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 5	DATE 10 20 00 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

*(PME); <1301 / Ar (L: FREP); Ar | <1312 / Ar (L) → (RN) | <1328
Ar (RN) → U/D RPT | <1342 / *SPOT ✓ E/M, PME V... | "10/20"? | <1345
<1355
Ar (L: C/J) | → SAFAN W: 1) HE DIDN'T WORK THIS W/END / 2) I SAW RE ROMA (& NICK) SAT A/M / 3)... & THAN'L YEST'Y. P/M...) 4) T/TOWER "F" DRIVING TRAILER ART TO HAUL-OFF TR. & ↑; "1230"?: ONLY DIS-SV SANE... / I'D OVERHEARD MG VELCHECK: STAB POLES TURN., DRIVE THURSDAY... ⟹ ARE JV'S OPTEMISM... / 5) RCE RESBAR SAT'Y.: NO FOB / VAR CAUS / MG VELCHECK (S): SEONG H. TOVE COORD'N... / <1353

*U/D RPT. | <1400 / *(CALTRANS) | <1403 / *E/M: PME | <1425 / *(CALT) | <1426
*SPOT ✓ E/M | <1429 / *PREV: ARTCON ↓ ✓ #667-2 ⟹ OT SL (⟹ WMO SL #10...) | <1430 / *SPOT ✓ | <1431 / *AV. | <1441

*PREV: 1) S #667-1: NO DIV (L) PROBLEMS; 2) S #268-2: ONLY DIV (C) MAX T- (!) COMMENTS... / NO DIV (L)...; 3) S #667-2: NO DIV (C)... / <1443

SIGNATURE	TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -6	DATE 10 28 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

* (JANONE-?) [MAR!] TR. 1510 JBS 6764 "1443-1444" "CONCRETE TESTS FOR TMFN" — ?!; LK'D FOR ALEX (STOUDENMIRE)...

* E/M (OT) / C 1447N

* BCE BJ ROAL TR. 1510 7470A "1444-1445" AVAIL TO DISCUSS HG "A" LOWERING NOW @ HOT OFC.?) ASAY S. W/ ADM NOW...)

* FOLLW M.G.: 1) (MY) R #1515 ⇔ VERT L KINK — US (HOS) & #1516 ⇔ HORIZ L KINK: (?) ISSUE...) HE'S RESEARCHING 2) I'm TO MEET W/ BCE BJ ROAL NOW...)

C 1449N

* BCE BJ ROAL: 1) ASAY K.S. W/ 2) HG "A" "TO DO"?: NEVER MET...) ① I SAY, SNG SKYWAY CLO DWGS.) "N/A" STATUS/ AKS. TO CALL HQ STRUX/LEGAL RE "OWNERSHIP" OF DWGS; "GIVE"/DIRECT ARFN? VS: DJT(C) ADOPT →

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -7/	DATE 10 20 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'D)

→ ① "TOPUK" VIA CLOSHT...? ABFJV BRAN P. ENBETZEN @ 12-PT. SURVEY KICK-OFF MTG: "WHO "OWNS" SMG SHOP DWG?" NO ☑ APPV'L; SKYWAY DJV (c) COMENTS BCE BJ REQ TO ASK ARCM BACK T.M...! I'LL F/U W/ DJV (c) FAFABL M.: GOT CC: OF SMG CME?) "OK W/ CHANGE?"

② DJV (c) "LOWERING PROCED." ≠ INTRICATELY INVOLVED W/ SMG TEMP. REARING SWAP OUT; DJV (c) RM'D PROT @ T. CABLE (LAST WK.?) THAD SKYWAY DJV (c). SEPTEMBER - HAD EXPECTED BACK BY (LAST WK.) FRI...! (WK BAT?) ⇒ THE SKYWAY DJV (c) STILL "AROUND"! EXCEPT (c) PHOL L. - @ CANADA...!

③ "NEED" TO SWAP OUT / REVERSE JACK VS. SPAN COE'N? ⇒ THE SKYWAY DJV (c)'S (NAMELY: (c) SAJED A.) ⇒ VERT'L STIFFNER: RMV'D → HPB INSTALLATION...! INCORRECT STATEMENT @ OPEN MTG: NOT "INSTALLED WRONG" POINTED OUT: PRE (APPV'D BY DJV (c)) SHOP

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 8

DATE 10 2008 (M) T W T F S S (Circle Day)

SHIFT HOUR: START ~~STOP~~

TEMPERATURE MIN MAX

WEATHER

(CONT'D.)
DWG FOR TEMP. TOWER "A"...! "REVERSE" MAY BE OK IF NEEDED: "HAVE" TO REMOVE SAM STACKS PIECE MEAL ANYHOW...!

+ (i) WARREN S.C.: 1) "EXCEED" E/M..; 2) (NPR?) "ALT." PROPOSAL...?; 3) NO TEAM CARE TMRW.: FORTNIGHTLY NOW..! 4) THIS NO LONGER FOR: "EAST END" TOWER MTG..!

+ TCE GARY P.: WMC SL "LO-CT SL RESP.": "FINALLY" STILL ARGUE: HAVE WMC DO CALC. "PER PLAN" MEANS EQUIP I ...!; HE'LL LEAVE CT SL AS DSN BUT ASK "WMC" TO RUN "Δ"...!

+ BCE GEL K.: HIS POUR MOVED, SO NOW CAN MEET W/ BCE BSS BAIL (+ BCE MP WOODS ~~BCE BSR~~ YET TO REPLY) <1594 <1555

* J/D RPT.! → E/M (CONT'D) <1570> + MISC. <1594> + (CALLS) → DCE BSL S.: 1) W/ MARK G.V. + AARON P.; 2) TOASTER OVEN WATER, MOP KITCHEN..!

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -91	DATE 10 20 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* (c) S. BURKS: OT SL #284(?) (WNTO SL #10") OPEN IN PNEU ?:- NO; I'D CHECK W/ BCE TJ BOAL & GET BACK W/ ASR; SAYS NOT RE CAPY P.: OTC DOOR SHUT..)

<1558

* BCE RJ BOAL: 1) PNEU INSPECTION - HTS NOT OPEN TO OT SL..; 2) ARCM RTM ?: JUST WALKED BACK/AWAY;

→ BCE BILL S.: 1) THX FOR MOPPING O.J. SPILL @ KITCHEN EARLIER..; 2) TO PUT NOTE ON TOASTER OVEN RE: BURNS BLACK & DECKER DEFECTIVE BUTTON...; OLDER AS ALSO IDENTICAL MODEL; TOASTER LEVER (S) N/G..; WON'T THROW OT..;

→ 2) ARCM RICK TM.: 1) RCE MP WOODS W/ (!: SLR?); NOT "CULPRIT" - W/ OT SL OPEN ON PNEU..; FLY WDC (c)S TJM D. & JOHN P.L...;

→ (c) S. BURKS: 1) (c) SCOTT F. W/; 2) NEITHER RCE RJ BOAL NOR ARCM RT MORROW HAVE OPEN..; WDC (c)S TJM D.?: "LEFT"

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -10	DATE 10 20 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

(CONT'N.)

→ (c) JOHN P.L.: SAYS NOT "OPEN"...; 3) I'LL BREAK INTO RE GARY P'S OFC. ...; 4) SHE STARTED TALKING W/ PNTN (c) S JLM & J.H. ...;

→ WDC BCE GARY J.L.: 1) W/ (c) WS COLLINS (c (FM) VTC CONF/RM); 2) CAN OPEN RE GARY P'S OFC ? ⇒ (c) SF: PNTN OPEN TO CT SL ?!;

→ RE GARY P'S OFC.: 1) W/ BCE GJ LAT; 2) LIGHTS ON! (BUT DOOR CLOSED / LOCKED): SO IN ?! - KNOCKED ON GL...; 3) ON PH.; → HE'LL CLOSE PNTN ...;

→ (c) S BURKS: 1) (c) SCOTT F/ W/; 2) RE GARY P. TO CLOSE;

4608

* WDC BCE GARY J.L.: 1) W/ (c) WSC STILL; 2) SAS DET (c) S BURKS THOUGHT R.E. GARY P. GONE...; 4610

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -11/	DATE 10 20 08 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX
WEATHER —	

* U/D RPT/ <1718 / *(CALLS↑)/ <1720 / *(CALL ↑)/ <1725 / ↑/ <1731
→ CUST. BERENICE/ → CUST. RAFAEL/
→ SAMAN S./

* U/D RPT/ → (E/N)/ <1735 / * (E/N)/ → (d) W.S. COLLINS: LV E/ <1739
* (E/M)/ <1742 / * BOB B.: ABF JV KARSTEN B. 1606M
E/M – NEITHER HE NOR (d) WARREN S.C. EVER
GOT: ASKS I FORWARD THEM...)
→ E/M (ST.)/
<1743
→ SPOT ✓ E/N/

* E/M↑/ <1744 / * U/D RPT/ → MARK GV: LV E/ <1747
*(CALLS↑)/ <1748 / * (E/M↑)/ <1754 / * PREP. FOR O/L T/S INPUT:
→ U/D RPT E/ <1828 / *(CALLS↑)/ <1831

* PREP. FOR O/L T/S/ → U/D RPT E/ → BOB F.: LV E/ <1833
* " " " " " " / <1857 / *(CALL ↓)/ <1858
* U/D RPT/ <1901 / *(CALLS ↑)/ <1902

* PREP. FOR O/L T/S INPUT: U/D RPT E/ → BOB B.: 1) LV E/ 2) TO ✓ E
WING: T/O LT E/ 3) WILL ONLY T/O W. WING IF I INSTT: DO...)
<1936

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -12/	DATE 102008 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

* PREP FOR O/L T/S INPUT: U/D TRPT^S / <1956 / *(CALLS ↑) / <1958
* " " " " " " " / <2023 / *(CALLS ↑) / <2024
→ W / <2029 / * S/D: PMOV / → E(M↑) / <2030

* O/L T/S: INPUT / → SAVE; → SUBMIT: P/OS; <2039 / *P/OS; <2040
*(CALLS ↑); → S/D: L/N... / (E(M); T/N) <2045 / *(CALLS ↑); <2046

SIGNATURE	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.