STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -1	DATE 11 05 08 M T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~45°FF MAX

WEATHER CLEAR, COLD - A/M

*(0704-0705 = 1); 0923; 0926 → 1753 1723 (W2) → 1615 ?

→ N:

* BCE BJ BOAL 622-5191 0704-0705
V/M: ETA ~0900

* SAS F.O.: 3) MDC CONTRACT ADMIN, ETC.; 1) W/ BJV) <0923 ~
* T/O P/C; <0926 / *S/U + U/D RPT.; → LOG W/ 2 <0922
→ E/M: L/N = 1224 V/R, +8 V/A <0931 / *E/M (CONT'D) <0932 / *CALLS
→ MCV: S #598-2..)

~~0950~~ ~~0955~~
* E/M; △ TOM S.: NELDAM'S -!) TDP?)
→ BCE BJ BOAL: 1) S #599-2 — ACTIVE VOICE SJ PART FROM VERB'Y; YET TO GO OUT.; MAY NOW BE "AAN," NOT "WC," PURSUANT TO T. MDC VERB'Y.) DJT (c) TPL COMMENTS PENDING...)
2) SIGNED ITM FOR R/, RE-DRAFT (W/ MDC BCE SJT'S EDITS) (W) S #598-2 (PRINTED) 3) I'LL FOLLOW RESOLVED VIA E-MAIL <0950
ADDENDUM → CAT. 8?

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -2	DATE 11 05 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* (E/W) < 0955 / * J/D FPT / ⇔ MISC. / < 0955 / * (ALL) / < 0955
* MISC: S. #598-2 P/O; → J/D FPT / < 0958 / * MISC. / < 1002

* 1) JAN.: 1) + #12 ↓ + 60¢ ↓ (+ 100¢ @ BUCKET) + #7 ↓ (< (1) TAKE V/E)
MISC. C/U: HOT PLS, COUNTERS)
→ + DEE W. SHEDD: 1) #30 ~ T/ONEN @ C/C REMAND YEST'Y.)
BUY + COLLECT FUNDS? OR, (1) TO BUY?)
2) (⇔ ARETJ'S S. RANCH: SAW EA OTHER @ C/C YEST'Y.)
LONG LINES)
⋮
→ + (1) E. BELL: 1) DON'T MAKE MORE COFFEE (TIL. UNTIL 1100!)
2) WASTED YESTERDAY!) 3) WASHED MT. (CARAFE) 4) CLEANED COUNTER
5) I'LL BUY JAN; OR (DOWN TO: Ø #/N 1 F/V, 1 M/N)
6) "SMALL" C/FILTERS < DORIS J.C (< CAFÉ S/L!), "10 × 12":
THINKS CAN MAKE WORK!)
7) (1) PRESIDENT CAN PUT TWO SENTENCES TOGETHER!)
8) HOW "WON" 8 YRS AGO? ... VS. GORE IN '04?)
9) "POPEYE'S TUESDAYS" #1 DEALS: DORIS J.C. 'D BOUGHT YEST'Y.
10) RUNS → FREE!) < 1014

* MISC.: MAKE EPT / ⇔ (HN) / < 1023

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 3/	DATE 4 05 88 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

X FOR R.: 1) ON PH (a) W/ (c) WARREN S.C.) 2) MTG W/ OM (c) JAMES M. RE: HOCHANG SUBM.. 3) ME TO GO?: I'VE ONLY S# 599-2, (S) KEY FAB PROCED. SQ. NO.../ 4) FOR R. TO GO (HAS S# 599-2 (GR 4 TP. 4 4 ?)

<1025

X DN: BURT LANG / 4028 / IN / → DORIS J.C.: 1) CELEBRATED @ BURT LANG'S LAST NIGHT ?! — @ FEC HALL @ HANGING FOOD "+"! 2) SECRETARY — P.D. POSITION!; ~~BACK~~ @ "YES WE CAN"; 3) FUNDRAISER CATALOG — ORDER!; 4) VS. GWB: CAN'T STAND 2 EVENTS TOGETHER.) 5) ~~BACK~~ @ 4 J 30 (4. NO MESSAGE WKR.)

→ + C/S F. BELL + S. BURKS: ORDER! ok /

<1643

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 4 05 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

* V/D RPT. / <1047 / *(CALC'D) / <1049 / *E(M) / <1051 / *E(MT) / <1057
* V/D RPT. / <1059

* R.O.P. R.: 1) HAVE I PICKED UP SHEAR KEY SHOP DWGS / ANOTHER HOCHANG SUBM'L ? → NO / ← PMCV YES (SP?) OUT
2) S 693-2 (SHEAR KEY) HAS !; 693-0: AKS ("RFC") / 693-1: AKS ("
3) S 692-2 / 692-3: HAS (WDC); 692-0: AKS ("RFC") / 692-1: AKS ("RFC
LD AKS ("HAM")
4) MAYBE REV'D. INCORRECT H/C SHOP DWGS — ?: TO CHECK / GOT "BEARINGS" — NOT "SHEAR KEYS" ?)
5) C/ WARREN S.C. MTG w/ OSM (C) JENEFF M.; <1104

* V/D RPT / → PMCV: REQ. / VERIFY) / → ROP V&M / <1114
* (E/N) → (E/N) / <1118 / *(CALC'D) / <1120 / * 0.7 mm / <1122

* V V/M: SAS = +1.1 (+1.4") / <1124 / *E/M'T / <1128 / *(CALC'D) / <1129
*(E/N) / <1133 / * V/D RPT / <1153 / * CC:S (DAILY RPT.) / <1157

* (CALC'D) / *1155 / * ATT.: LOG (S) / → MOW') / <1158 / *(E/N) / <1203

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -5	DATE 4 OCT 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

E/M (ST); <1209

~~2-1210~~

W/ → SAS CONF. RM. CALENDARS (5): ALL 3 BOOKED THRU W.!

→ M/RAY: 1) (c) ELAINE S.: ① W(L)?! ② TO REG. W/ PRESTA 10-12 THRU W.; JUST ~3 FOLKS...! ③ SHE'LL E/M ME..! ④ (c) CHARDAY M.: 8TH BDAY!; R/E W ~1 MO..? ⑤ (c) E.S.: KNOWS [illegible] + NANA B.: ① LONG TIME/NO SEE..! ② DRESSING, MARP!— MADE DECISION...! ③ GHANA TRIP (2 AD + 2 KIDS) ~ $8K!! ④ (SLIM!)?! ~~DRESS~~ DRESS...!

→ DCE W. STEDR: TRACKET/B...!

→ FO'M: 1) W(L)...! ② AVAIL. @ 1000 THRU W TO MEET ARTJV RETRNS.!

→ (c) WARREN S.C.: ① W/ AARON P.; ② OPEN R/E ~~RE~~ SCOUGAL RUBBER)!

→ RCE NP WORDS: RUMOR?. BABY?!; GIRL, DUE @ 3-10!; <1218

← (c) WARREN S.C.: ① SAT OUT OF 1420 MTG W/ ARM (1) JOSEPH M. TODAY ON HACHANG — I'VE ONLY TAS. PROJ.! ② "WORKING W/ 9... BOX A ON HOS...! ③ +AARON P.: BEHALF! WORD-CHOICES...! <1219

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -6	DATE 4 05 08 M T (W) T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

* (ALST) / <1221 / * UD TRT. / <1229

* WPC RCE GARY J. L. 9-888-4542 1231
1) OK TO BORROW FORMALLY TMP N. 10 12 ⇔ ROUTE 4 "WME" SHOP DWGS W/ ARCHIVE CHRIS B. / (CONFIRM # ON DT.)
2) S #599-2: ON HOLD ⇔ DJV (i) COMMENTS... / (S/K E.P. ANDREW SEAN W.)
3) S # 661-2: UPDATE <WPC ?! / DJV (i) DAN T. ⇔
4) S # 24-7: AFTER... 2 :/
5) S # 28 J: GOT WPC R/S TODAY.
→ HV & L.? / RAD LINE: the SOUNDS V.

* E/M (CONTD) / → RCE TJ ROM: AWAY FR DESK / <1238 1242 1238-
* WPC RCE GJL 9-888-4542
→ SEE ABOVE... (5 ITEMS).

* E/M ↑ / <1245 / * HP 282 NV: P/O / <1252 / * (CONTD) / <1250
* P/O's ?! / <1251 / * E/M (CONTINUED) / <1259 / * E/M (CONTD) / <1300
→ AHEAD P: DMG P/O's / 2/2 SET: W/ RCE MP WORKS ?/

SIGNATURE	TITLE
	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 11.05.08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

A/D RPT. / <1302 / A/M / <1305 / A/M (CONT'D) / <1313 (N) P/C
A/D RPT. / <1320 / A(CALS T) / <1322 / A (CONT'D) / <1324 / A(CALS T) / <1327
A(CALS T) / <1330 / A (WPCP) / <1334 / A SPOT ✓ F/M / <1338 <1350
M / <1350 / A(CALS N) / <1354 / A(CALS T) / <1354 / A STOP - 3: PREP /
1) 3: PREP) / A (WPCS) / <1405 / A(CALS T,U) / <1408
M (3: PREP) / RCE RJ BOA: 1) "405" M/WAVE... /
2) MIDPT VOTE? 3) UNBROKEN RECORD... / + (c) DOUGLAS.
NIXON, OR, A BUSH... /
3: ELECTRONIC / <1415
A/D RPT. / <1423
A BOE GARY J. L, WDC: D 5 #2 T. REV. 2 NOT BS? / YET TO LOCATE / F.E.M FOR LEFT 13 & 14 ("HEAVIEST," <DOUG D.) 2 WAY "RAID"? / ETC.
2) 5 #2 RJ 1ST THOUGHT... / NEED TO LEAVE ON ~1/4 HR TO P/O KIDS...

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 11 05 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

≠ EM (cont'd) / < 1426

≠ BCE RJ = 1459 BOAL: 1)

≠ EM T / < 1441 / ≠ MISC. / → E/M T (ST) / < 1446 / ≠ (CALL D) / < 1455

≠ E/M T / < 1502 / ≠ MISC / → D/D T / < 1504 / ≠ (MISC) / < 1505

≠ (CALL T) / < 1507 / ≠ V V/M: SAS = + 1 V (# 115) / < 1510

≠ (CL: 40) / ≠ (RW 2:) / + JAPAN W.: "CLEAN FRIDGE FRIDAY"

→ TH from out ... ! / < 1515

SIGNATURE	TITLE
	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE	
-9/	4 OCT 08	M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN —	MAX —
WEATHER —		

* S#28-3: PWTN - CT SL DRAFT (SI) / ACTION ST // → P/O/ → ATT 2 / <1529 / * ATT 2 (cont'd): P/O/ <1552

* S#28-3: ATT 2 / → E/MT / <1539 / A&E/M / <1551
* P/O (S) / → S#28-3 DRAFT → REC'D DRAFT: (c) S WSC & VENKATESH - w/ .. / <1554 / A&E/MT / <1557
* S#28-3: J/D IM DET / + P/U / <1558 / A... ACTION / (c) AS <1559 <1551

A JAS DCT (c) S. BURKS! (SAW MY F/U) - I'M HAVING PROBS STEEL w/ ATT 2 W/C P/U'S TR (E) D/BASE...
2) THEY'D JUST BEEN TALKING ABT IT, 3) SHE'D FIXED IT NOW & WORKED! / WILL FIX MORE... / 4) CT SL &: DRAFT → (c) APPR'S.)

→ SAS DCT: 1) LOG W/C P/U: S#28-3 / 2) (c) F.B.: PB (c) MTR T. - PWTN ACPT - ANYONE USING?!

→ (c) APPR'S: 1) RE ORY. P W / 2) S#28-3 THEIR WAY... SHOULD BE SIMPLE... / <1557

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 10	DATE 11 05 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

* JD PAT. / <1600 / * (ALLS T/) / <1601 / * JD PAT. / <1605
* (ALLS T/) / <1602 / * PLS: S 708.3 IN OBT'L — RCE OBS (DS VD & WSE SOIL W/) / <1609 / * JD: U/J / <1609

* LOCK W/ HALL ⇔ SOFTWARE UPGRADE PUSH 9 / — 1610
* T/O (N) R/C... / <1611

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.