STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -1	DATE 11 20 88 M T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~ 54°F ± MAX
WEATHER O'CAST (FOG), COLD AM	

~~0814 / 0815 / 0816~~ ~~1644~~ → 1554 ⊕ + 1°10?

N: (0435 - 1029 = 54°),

* SAS: 1) W/ PM / 2) MISC. CONTRACT ADMIN, ETC.) < 0814~

* U/L WK/STA N) < 0815 / * E/M: L/N - 1,380 JR, TBL) < 0816

* S/U + J/D RPT.) → PMCV: ST.) + ROB F: 1) 50¢ 4 4 CF E - NO NEED GET SELF FREE OUT OF SAN. NEXT TIME) 2) "ON BELLE MOH" - AFTER ~ 2 YRS.)

< 0820

* J/D RPT) < 0822 / * ROD ✓ E/M) < 0824 / ~~A E/M~~) < 0832 ~~0832~~

* (CAL L) < 0835 / ~~A (CAL B)~~ < 0836 / ~~A E/M~~) < 0840~

~~< 0859~~ "ANOTHER" (?) ONLY!

* C/ JEFF OCAMPO: REASON FOR FOUR(4) YOUNG E-2 ~~ROB~~ ADD'N ~~TS~~ ADDED (SMALLER ~~SD~~ CASTING SITE ~~ALLOCATION~~ REASONS...) S/KEYS IN MIDDLE...) ONCE AGAIN

SIGNATURE	TITLE
	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

4 of 20

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -2	DATE 11 20 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

(CONT'N).

I MENTIONED RSC REBAR CREDIT ON 49.23: DESPITE OUR SIL ATTEMPTS TO HAVE THEM REMOVE @ QTY. TAKEOFF (& CRYPTIC...), SHOWED HIM AT SLS... MY 12-2700 E/M TO ALL (BEFORE (& S. OCAMB ONSITE) SHOULD BE IN 49.23 BINDER (← ALL CLOSED → MOVED TO MAIN FILES); TO CHECK CCO #25 PLAN SHEETS: SHALL BE CLEAR ON ALL SHEETS THAT VOID(S) WERE FILLED IN (NOT JUST ADD #S SHT. SHOWING "+" S/KEY(S) ~ #45K FORMING COST: IN ESCROWED ISD DOCS. (ARTN)... WAS $4,700~/CM PCC UNIT COST? (OR $1,700~/CM PCC UNIT COST ~ DELETED MOCK-UP...?) (& S. BENNETT HELPING) DSV (1) J.P. DARBY E/M EXPLAINING 49.23 ⇔ E-2 & W-2 (LEFT FROM MY COPY) ← SHOULD BE IN/FILED... ARTN SAYS "FORGOT"... — RE. GARY P. SURELY "INTENTIONAL", TOO...)

A (E/M) < 0902~ / AE/MS (SF.) < 0915 / A (ALL) < 0915 / A/D RPT < 0919 < 0859

X E/M → DOUG ≥ C.: 1) KEYS... 2) ENCH²?) 3) + MARK SV. EMP², 4) + ROB F.: TAM²?) < 0922

X E/M TJM < 0926

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -3/	DATE 4 20 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX

WEATHER

RCE @ BOAT: 1/M...;
JAN.: 1) @ TOP PAT; 2) MR. PR. POT...)
→ C/I APPR'S: 1) W/ TOM S. 2) LOOKING GOOD! CONF AM. S/U FOR POTLUCK; 3) "GOOD WORK!" - THA.)

0929

C/I JEFF O: RTE MY E/M PKG ⟺ 4925)

0930

CARLOS N DUNCAN
1) "HARDEST WORKING C/T"!?: "HUNTS ANSWERS PA."!
2) SAYS GOT ME + C) PAONE (+ SON CALL); JUST COME BACK UP; 3) ALSO HAS REPLACEMENT FOR RCE @ BOAT: COME GET TOO...) 4) I'LL CALL IN ~1½ HRS...)
RCE @ BOAT: 1) W/ RCE MTWDRS; 2) NEED TO D/O, EX WIDE RETURN & ABAT)

0935

W/ (0935 - 1029 = 54 M)

DENCH SAS (W/ PAT); 1029
PCPAS I.C.: 1) DIDN'T NEED OIC #5532 - HAD A "RUNNER" FIND ILEM; 3) LOOKS/SMELLS GREAT!) → TOM S.: STAYS...)
SAT W/ S/E M/ → EM) 1034 / W/D EPIT; 1053 / A (CANCEL) 1054

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -4/	DATE 11 20 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* DORIS J.C.: OHC #5532 AFTERALL.. / ME TOO! / <1047
* (CALL 1) / <1049 / * V/D RPT. / → I/N / <1055 / * V/D RPT. / → I/N / <1104
* V/D RPT. / <1105 / * (CALL 2) / <1110 / * V/D RPT. / <1115 / → W / <1119

<1121
* (N) / → WDC BCE GARY J.L.: (#214-7 STATUS - NO WORD
<DIV. (C) (TO ME..))

<1121

* (N): RESET (STG 2") / <1123

* SAS 622 5187 ↑ W (N) 1123
"SRVC. RESTRICTED" → N/G..

<1126
* WDC BCE GARY J.L.:

→ DORIS J.C. FTR MY OHC KEYS..)

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

- [ ] RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45
- [x] ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. —5		DATE 11 20 08	M T W T F S S (Circle Day)
SHIFT HOUR:	START — STOP —	TEMPERATURE	MIN — MAX —
WEATHER —			

* E/MT/ <1131

*

*

*

*

* W/L WL/UTA / <1200 / *UPOT E/M <1209

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -4/	DATE 1/20/08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

1335

* CYNTHIA W. —! 1322—
1) LONG TIME!; 2) CARMEN; LOA..;
3) BY MONDAY — PREF. TMRW. (OVER W/ END);
4) EXH. HER LV.; NO MED, NO SDI; COLON CANCER — SURG.;
MRI: 4 SPOTS LIVER + BR. CANCER; MASTECT. + LIVER;
NEUROLOGIST; TO DO BRAIN SCAN..;
5) (c) KATHY S. — CHADBOURNE; NOT W/ HARRIS..;
6) +VE..; 7) 12 Y.O.; S/D^R — H.S.!

(<1336)

* ROMAN M.G.: 1) DONE W/ T-OBG MTE W/ R KISK ARFJV, ET AL; 2) TOLD HIM TO MEET W/ ME @ 1400 — @ WRC!..;

<1337

* E(MT) <1344 / *(CALLS T) <1345 /
<1353

* PREP.

SIGNATURE	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 7	DATE 11 20 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX
WEATHER	

*RTN SAS) → PORTS J.C.: ENCHE GONE!) THOUGH LATE..)
→ (C) F.B.: SORRY UNABLE TO HELP C/U: MTE) <1539

*N/L WK/STAN) → E/M L/N = +80, ~1,375 V/R) ↔ SPOT V E/M)
→ (E/M) → V/D RPT.) <1546 / *(CALLS!)) <1548

*WDC BCE GARY J.L. 9-1-650 222-7520 (C) 1547
1) MET W/ ABFJV KEVIN S.) 1000 CRM TMRW.)
2) SHARING DJV DRAFT W/ ABFJV?) "AGREEMENT GOING FORWARD"..)
3) I'LL CHECK DJV (C) TYL AVAILABILITY..)

(<1558)

*DJV (C) GEORGE R. 9-1-415 205-8763 (C) 1557
1000 CRM TMRW.?) TO CALL ME BACK) B-F BJB GOES ON VAC^N..

*V/D RPT.) <1601

SIGNATURE	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 7 -8	DATE 11 20 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START ___ STOP ___	TEMPERATURE MIN ___ MAX ___
WEATHER	

* [RCE <1615 RJ BOAL) → JAV.) → DJC, (c) FB, (d) FB]

* ✓ V/M: +1 ↓ (+98 → 105) <1617

* WDC BCE GJ CAT 9-80 F5F2 1617
1) DJV (c) G BAKER - NO WORD / CONFORM)
2) EDIT (d E/M → ABFJV'S KS...) DOESN'T KNOW WHERE TO BEGIN...

SIGNATURE	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 9?	DATE 11 20 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* SCAN / → H2O / <1635 / * MTSC W/O; 4635

* CAROLYN D. 9-886-6154 1634
LFT. V/M: LATE FR MTE / NOW, E/M FOR MTE TMRW / MEET @ 0700 ?! / I'LL CALL HER CELL

* C.P. 9-714-7058 1634
TMRW @ 0700 O.K.

* E/M (ST.) → (C) WARREN S.C.: 1) COKE (<(C) FB) / 2) 10 PG. < DJV (C) / FOR ABTJVS REVIEW S / CRM TMRW / <1649

* (CALLS!) / <1656

* DORIS J. C.: 1) THX. FOR POT/L. ! / 2) CONF. RM SNAFU / (C) JOY C.: THX. FOR (CATERING) STUFF! / <1655

* U/D TPT / 4656

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 10?	DATE 11 20 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

* DJV (c) KATYE S 9-1-415-205-8944 (c) 1650
DJV (c) F.O. CONF. RM AVAIL TMPW. @ 1000?
→ VM: ~~[illegible]~~

* E/M ↑) → BOB B: 5* 2147 ORTG'L @ COPTER
+ @ PR ≠ !) < 1737 / * E/M ↑) < 1748 / (CALLS ↑) < 1750 ~

→ W/ → SAMAN S: 1) (W. SOCC ≠) 2) COMMUT E(c) < 1754

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.