STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-1	11-26-08 M T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~540FT MAX

WEATHER

OVCAST, COLD - ANV

0723 N/ 0726/0727 1585 1523 (@ N"L) → 183 | @ +3°0.8'?

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 32

DATE 11 26 08 M T (W) T F S S (Circle Day)

SHIFT HOUR: START STOP

TEMPERATURE MIN MAX

WEATHER

* S/M/ → SJD FPT./ <0913 / * E/MT/ <0915

* ARE's S&W r. 9202 - 4565 0919 0914

* E/M/ <0931 / * HCAUS LJ/ <0936 / * SJD FPT./ <0939 / * E/MT/ <0950

* E/N/ → (N): OD CORD/ <0953 / * MARK P.: LVE MONDAY/ <0957

* H/C S S: 4154 (R/LS) 803-1 (R/LS) 599-3 # 739-1 <0959

* SPOT ✓ E/M/ → E/MT/ <1009 / * HCAUS T./ 4010 / * V/M. SJ =+1/

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker (485) 4012

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 3	DATE 11 20 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

1024

*WPC SCE ⇔ LAT 9808 4842 1012-

1) "CONTRACTUAL" RE: L/LUGS ON DRG ?!) ⇒ "MOVING" DECK CUT-OUTS, TACK WELDS WERE RFI's..) ASBS Rfi #302 "EARLY" RFI...)
2) NEED DESIGNER-OF-RECORD "OK" (I.E., KCB)
3) I'll COURTESY CALL ARFI'S SEAN W/ THAT & I WANNA CALL ARFI'S SCOTT T. ON THIS; S.T. DEALT W/ KCB..)
4) "PRECEDENT" SET, W/ ARFI'S THOMAS'N. CONSENT, REV KCB STAMP & ⇒ STAMP FLOOR DOCS.)
5) R4 PROB SHOULDN'T'VE BEEN STAMPED: LEFT UNCLEAR..)
6) 2 RFI SUBMITS: S.T. 4154 & 8031) 7) I'll DEAL W/ 2148 1ST: ONLY STARTED 1ST) ARE "I"NCOMP.? ⇒ "SPIKE" TODAY ?!)

(<1025)

*NO RPT.) <1034/ *MISC.) <1037

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 3/4	DATE 11 26 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

1052

* ABFJW SEAN W. 9-808-4565 1076
COURTESY CALL:

* ABFJW SCOTT T. 9-808-4596 1043
LFT. V/M:

* ABFJW KEVIN L. 9-808-4594 1025
LFT. V/M:

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 5?	DATE 11 26 02 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX
WEATHER	

4059

+ S/MT/ 4050 → W → ABF SJ'S SEAN W.: !:
→ NWA B.:

+ (S/W) → S (c) F. BELL:

+ WPC (c) JR CEW/

-1116

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 6 / 7	DATE 4 26 08 M T (W) T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(cont'd.)

A(E/M1); C1122 & C1125

* WPC RCB ~~EJR~~ EJ AT 9:00 - 4572 1126 1123 -
1) ABSENT JEAN W.: CALLED HOME, CAME BY - ADVISED, TO GET RCB STAMP

A(P) RP (E/M) - ARRIVE P: DON'T NEED TO CLEAN! C1151

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 11 26 08 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

A.P.: TOM S. SNACK E-1) <1132 / MOS C) 1154

AARON P. PLANT - 1) → (E/M) / <1159 / PMEV (E/M): SNAFU...? <1140

PMEV: SNAFU...) → C) WSE? HTS OK...? 2) CW (N) → SR/P) <1147

PMEV: LOOKING BETTER...) → S4TS: ATT 3...) <1147

S4TS: CT SL DRAFT...) <1154 / ← PMEV: ACTIONS, ATT 1) 1156

S4TS: CT SL DRAFT) → P/O) → ACTIONS ↑) → PMEV SAVE (S) <1209

LS: NO ITEM OF ATT 1...) → RFI, H/C PLUG FOR SAS DCT) <1208 / ACCESS ↑) <1209 / N/A <1214

→ MARK S: 1) SCAFFOLDING? / CNT-SRM L... 2) + REC MP WORDS, ASCN W/ CWAR;

ALID RPT.) → MARK LV: 1) AP'S GOING AWAY?! 2) NOODLE HOUSE FOR LAST TIME! 3) ← WOULD BE IN NOW!) <1246

S4 203-1: PMEV ATT 2 → "X"-DR / S 1220 1223

S4 203: CLOSED BY WPC (d SL-) → P/OS: CT SL, PLG)

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

REPORT NO.	DATE 11 26 08	M T W T F S S (Circle Day)
SHIFT HOUR: START ____ STOP ____	TEMPERATURE MIN ____ MAX ____	
WEATHER		

8?

<1235

[(C) WARREN S.C.) → RAR B.]

<1240

S# 803-1 : + S# 803-0 - PMLV ACTION ↑ / + SPOT ✓ F/M /

LB: DRAFT CT SL) → ACTION ↑ / <1245 / PMLV ATT 8) <1245

P/OC) → SNAFU: RICOH - BLK. TONER: SHOOC..) <1256

S# 415-4: NO PMLV RESP <WDL!) <1251 / RICOH: SNAFU /

→ TAYLOR L: 2LV E) 2/ AARON P. - TO CHINA L.) <1255

S# 803-0: P/O) <1250 / (C) WARREN S.C. LV E) → P/O) <1250

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

REPORT NO. 9

DATE 11 26 08 M T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

A S # 803-1 DRAFT CT SL / < 1319
→ WPC BCE CJ CAL

AS # 803-1 DRAFT CT SL / < 1328 / ACTUAL / < 1330
A WPC RCE CJ LAT 1332

AS # 803-1 DRAFT CT SL / → P/O / → ACTUAL SL / < 1339
A L: PLAN H/C P/O / < 1340

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. ~~—~~ 10? /	DATE 11 26 08 M T (W) T F S S (Circle Day)
SHIFT HOUR: START ~~—~~ STOP	TEMPERATURE MIN ~~—~~ MAX
WEATHER ~~—~~	

~~A~~ WDE RCE GARY J-L. 980-4542 1339
~~SHOULD~~ HAVE THAT LETTER / ~~HAVE~~ A GOOD ONE

~~1338~~
~~A~~ SAS DET (1) C. BURKS - 1) [LAST MONTH?] 2) ~~HAVE~~ TO LEAVE BY 1400 HRS. - 3) S ~~#~~ 203-1: ① LOS / ② M/C RLG / ③ SAYS (1) APPR S GONE: WDE RCE GJ LAT SAID WOULD BE "EVALING" / ④ (NOT FAR TO DRIVE FOR HOLIDAY)

~~A~~ (1: PREP.) / ~~A~~ /

1335

~~A~~ SPOT ✓ E/M PKG) → J/D RPT. / → WDE MP WOODS: 1) ANYTHING TO GET OUT? NO LONGER — 2) RCE GARY JL ON MY 2ND ONE / (3 RE NOT NEEDED) / 3) LATE RETURN: ~~HWY~~ TRC W ~~T~~ E / BD 80 (LUNCHEON ⇔ A.P.) / ~~A~~ (LO) ~~LEN~~ / ~~LAN~~ / ~~4~~ 404

~~A~~ MISC: S ~~#~~ 813 - ? / → (1 WARREN S.C: ① STATUS OF MY ~~4~~ SL ? — TO WDE RCE GJ LAT 22' AGO... / ② ~~HAS~~ DRAFT ~~RFIS~~ — ACTION WDE/RCE ~~GARY~~ ? : PROB STILL THERE — MY ~~4~~ 2 NOT OUT... / ③ I (WE) JUST ~~GOT~~ RESPONSES TODAY ! / ~~KIAT~~

SIGNATURE	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 11	DATE 11 26 08 M T (W) T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

HAUL DJ < 1417 / ✱ < 1421 / ✱ W/D RPT. + PROVE DJ < 1429
✱ SPOT ✓ E/M / < 1430 + < 1439

✱ PWD ACTIONS ↓: S# 779-1 (779-0: RAR B's CT SL.) /
T12-0, 913-0) / < 1449

✱ S# 2031: CT SL NOT FINALED!?) → ER: LVE) / < 1450
✱ ↳ WDE RCE GST COOKED a PT. / a 451 / ✱ W/D: MISC. < 1452

✱ E/M) / < 1454 / ✱ (CALLS) / < 1457

✱ (c) WARREN S.C.: MSG ?- N 1 3/8" ?) " 1 1/2" ?) → 2) + SAGS, CHECK CSPS)
B) ✱ M&V FOUND...

→ W/D RPT.) → WDE RCE GST LAT -:) HELD BACK S# 2031 / ✱ "RUE" CLOUD REF. MODIFY CONTRACT PLANS SAT.!) HE QUERIED DOT (c) TOM H.: HAD THOUGHTS RE, BUT, TURNS OUT RE: ATP NOT ISSUED / HELD BACK ⇒ I COULD'VE TAKEN L- ON TOME...! WHEN HE CALLED - I WAS CHECKING THAT DET. 3: CLOUDS TO DETAIL PLAN DWGS
2) W/S / PLENTY TIME FOR REVIEW.)

< 1503 / ✱ W/D RPT. < 1510

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 12	DATE M 26 OCT M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

< 1518

→ C: c/w j → COLD DOZERS: 1) RFS VD & MAIN j 2) 20 Y. w/ c/c j AS PREV. DOZ'D j 3) NO BAIL OUT... j 4) ON SURFACE PTS - OK. j 5) SIG-ALERT EARLIER (@ 80 ?) j

→ AAREN P: 1) W/ TOM S j 2) TP's POT... j

< 1518

* O/D PPT. j < 1522 / * E/M (CONT) j → C) WARREN S.C.: 1) + AAREN P. & NLV j 2) "TEAM" CHINA... j ...WATER TORTURE... j

→ A.P.: LV'S ! j < 1537

* E/M (CONT) j → Cd DAN R.: (SIZE HERE ?!) NO FAM. ?!) j < 1549
* E/M ST j < 1552 + < 1559 / * E/M: T/N j < 1600 / * MORE j < 1610

→ LTS OUT: M'S R/R, KITCHEN, DSL'S, LOBBY (SAS E ½ PARK) → NO P/TOWELS... j < 1616 / * DIARY < FN... j < 1619

* CALLS T j < 1621 / * E/M / → MARK G.: 1) LVE j 2) H. T/G j 3) UNK IF'L MAKE IT TO C/K TMRW... j < 1627

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 137	DATE 11 26 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP	TEMPERATURE MIN — MAX
WEATHER	

A- E/N / + TOM S: / LVS / ↓ H/HOLIDAY / EMP. RANGE CHANGE VS Id WPC.? / <1628

A- MPC W/V (S S 4754 + 807-1) / → PLAN <1648
→ (c) WSC: ALMOST DONE? / <1645 / * PLP PLE & FAL PLE
→ (c) TREV P.: LVE / H/H / * (E/N) <1657
* PLGS + SCE OR's OFC / → AP's PLANT / <1658 / * (CALLS) / <1658
* (CALLS) <1702 / + 1710 / * (CALLS) / <1712 / * (CALLS) / <1717

↓ <1722 / * J/D RPT. <1727 + <1751 / * (CALL) / <1754
* (CALLS) / <1755 / * J/D RPTS / <1759 / * (CALL) / <1800
* J/D RPT / <1809 / * S/D: PLEV / <1812 / * E/N / <1813

* (CALLS) / <1827 / * CUSTOMER / + TOM 4.5 / <1828 / * C/C: / <1831

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.