STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -1

DATE 12 18 08 M T W (T) F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE MIN ~ 48°F MAX

WEATHER O'CAST, COLD – A/M

* 0810/0812/0814/ 1610 (N'L) → 1612 → 1510 MAX? ⇒ "4" ZERO

IN:

* SAS F.O.: 1) W/ PON / 2) MISC. CONTRACT ADMIN, ETC. / <0810
* (CALL) / <0812 / * E/M: ALEX D.C.; RE BOR → A / → T/OFF (!) P/C) <0814

* T/O P/C / → S/U + J/D PPT. / → LOG IN / <0814 / * (CALL) / <0817
* E/M: L/N = 1,223 J/R, +7 L / → SPOT / E/M / <0820 / * MLN: ST. / <0821

* S# 214-8: STAND-BY / → E/M: DRAFT (LOST ONE TO PLL) / <0823
* (CALL) / <0824 / * (CALL) / * E/M / <0830 / * (E/M) / <0834 / * C/CLUB: → LOG, (S) STAT / <0838
→ C/CLUB: LOG

* E/M T / <0835 / * E/M / <0207 / * PPON S. / → SAMAN S.: (E/R/R.) FLAT ON CHAIR / <0910
* JAV.: 1) TOP POT ~ MT / 2) BOTT. POT ~ 2/3 FULL ONLY... / 3) MT TOP POT / 4) MK. TR POT / (5) C/S: HOT TLS, COUNTERS /

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-2041 or TDD (916) 653-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -21	DATE 12 18 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'D)

→ + MARK G.V.: 1) FMR. BCE (NOW (c)) D.V. FRANCO COMMENT RE: MNT CHALLENGING JOB — NOT JEALOUS!: GOOD!) 2) SORTING HIS ROLE...) 3) C/CLUB: ① PAYING/RENAULT...) ② HELPED MK FOR POT...) ④ MGMT/LACK THEREOF...) 5) BCE GIL R.: AWAY @ SACTO.-MGMT TRN'G...)

⋮

→ + FOR M: C/M)

→ + SAS DCT (c) F. BELL: 1) ALEX P.C W/ 2) (c) TAKE W/E) 3) (SCARE N/G FOR ME...) VS. CHAP'G...)

⋮

<0928

*PE RORA: MTT (c) (J. HILL) → DORF J.C.: 1) MARLEN T. W/) 2) + (c) F. BELL) 3) CUSTODIAN RAFAEL LAST NIGHT — ASKED ME TO LET HER KNOW HE'D TAKEN — HIS OWN.: KEYS BACK...) HAD BEEN FOUND IN PARKING LOT ~1 WK AGO...)

⋮

→ ALEX D.C.: PD. UP THRU END OF YR (?)

<0936

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -3/	DATE 12 18 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

*(E/M) <0946

(2) SHOWED ADM S# 762-1 APP (OFF CD <SAS DCT FILE BINDER (S)) MAY BE REV'S...) (9) HS CRM RE: S# (OOF-X?) OBG ER'N LIFTING (FRAMES? SPREADERS?) (10) SURVEY PLAN REQ'D? DRFT PNS COMPLETING SPLICES.) (11) VS OVERSTRESSING SEAN RE (S) W/ JACKS, ETC.; (12) VS HANGING OFF SUSPENDERS...) (13) "FINAL SURVEY" TO BE DONE BY ARTJV (AS THEY STATED...) (14) (EXCH FOR) <1020

→ SPOT ✓ E/M)

*UD RPT → SPOT ✓ E/M <0955 CALD (2) <0958 → HUMAN M.G.: (1) THANKS FOR EM I SENT (S# 762-1 #871); (2) JUST DONE W/ CRM; (3) MET W/ WDC ACE STAFF (3) DSV (c) GRAKEL REPLIED TO ARTJV KEVIN S. THE DSV COMPLETING UPDATED RESPONSES; (4) SHARED C CODE WITH (1) THERMAL GRADIENT (2) SURVEY PLAN (3) "100% COMPLETE (BOLTED/WELDED)" SPLICES VS (ENOUGH FOR) "CONTINUITY" (5) BOB B. (+ (c) WDC) W/ R #(F99-?) SURVEY PLAN!! ARTJV STATES "NONE" FOR OBG ER'N!! (6) HELL GO BACK BOB B. NOW; (7) WE'LL MEET W/ BCE BRIAN J.B. TO DISCUSS POSITION, CONTRACT REQ'S, ETC.)

SIGNATURE	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -4

DATE 12 18 08 M T W (T) F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER

*U/D RPT. / <1049 / *E/MT / <1103 / *U/D RPT. → S/D: U/N FILL / E/M / <1115
*U/D TCP'T. / → R/S P/C ⇔ UPDATE. / <1116 / *U/D RPT. / <1118
*(CALL) / <1119

*SPOT ✓ E/M / <1031 / *E/MT / <1033

*(RE-SCH-NN) / <1120 / *E/M: L/N = 121 U/D, +2 D / <1121

*TCE IS REAL! 1) DISCUSSION / INTEREST IN RESOLVING 49.24-SD W/ GLOBAL ZMC [ACCELERATION?..] SETTLEMENT; 2) "CONTRACTOR HAN'T SEEN" - ?!! FALSE! TWO (2) ATPS HAVE BEEN ISSUED!!! 3) DIV (C) REVAMPED ⇔ (HEARSAY:) ARTSV ASKED RE GARY P. TO "REMOVE" ALL NON-"PURE REAL" CHANGES...; AVOID "NOISE" OVER "CLOUDS" HIGHLIGHTING "EXCLUDED" CHANGES / THOSE "COMING LATER" (49.24-S?...)
4) MY REVIEW QUEUE: #1) "49.24 S? NONE - PUT" BACK TO DIV (C): SO CAN FINALIZE & INCORP. INTO (LARGER 49.24-S?) #2) THEN, 49.24-SD 5) COST EST. IN ?: UNDER SAF CLO TEAM "COST" GROUP...

<1127

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -5/	DATE 12 18 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

AND RPT / → PREV: S #239-1 STATUS? → MARK G.V.: OVERHEARD HIM EARLIER - RECOH [COLOR] WORKING: YES.)

→ & WDC MEP (C) N. TRAILS: S #239-1 - REPORTED LAST TUE (12-12)...) WDC ICE GUY'S IMPRESSION: PB(C) F/LS TARCALY "BLUE LINES"! SO, ISSUE WHOLE OF 49.55 TO ATP 1ST, OR, ANOTHER SELECTED-SHEETS "PERENIAL ATP" - AHEAD OF RTE THIS SUBMITTAL...) (+ R/LS WOULD NEED TO CAPTURE SAID MEETING) HELL GO FAST + LOOK @ POMEF NOT AWARE WDC BCE GUY NOT 100% W/ (N) R/LS...)

<1157

AND RPT / <1155 / A(CONST) / <1156 / A P/OS (ST.) / <1158
A S #239-1: ACCEPT; <1156

A P/OS) → ROMAN MCG: 1) TRYING TO GO SEE BCE BUT BE: SURVEY PLAN...) 2) BUT ROB R. W/ 3) I'M WANTING TO GO SEE DON (C) STRUCTURY - SAW ON OFF ~15' AGO)

<1201

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 6 /

DATE 12 18 88 — M T W (T) F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

<1207

* J/D TPT. / <1202 / W / → DCE BILL S.: PLUMBER WORKED (@ NIS D/D) YEST'Y.?! / → TANK LOD ACROSS W/C #2 / TANK EMPTY.. / → JOHNNY BOLTS MORE SECURE @ H/C STAC? /

→ WDC (c) TOM D.: D/O H/C? / DID! /

<1207

<1223 <1234

* J/D TPT. / → H/C SS 205-1, 244-1, 252-1, 256-1) 4210~ RAR B.: 1) ↑ OUTGOING?!: NO, INCOMING..: SORRY... / 2) ORG ISRAEL TACKED OUTS: (c) DIN & IDEA — TACKED BOLTS?! / 3) THREADS DAMAGE & (2) STICK-OUT CONCERNS PROPOSE TO ARTS'S CHRS B. FOR COMMENT —? / WILL DISCUSS W/ RCE RJ BOAL / 4) ONLY CEO SHTS TO CHANGE: NOT REQ'D NEEDING "CHAMPION" FOR ~~SHORT~~ I SAY... / 5) NEED TO INVOLVE OT NTCE, ~~T~~ SUPS / 4) HADN'T FIN'D LATEST DIN (c) THO PEC 49.24 SO

→ & ROMAN MG: 49.88 STATUS? / → ROLLED INTO ~~[illegible]~~ (RENAMED) / 2) #88 — HAD JOKED TO USE AN "LUCKY" CEO FOR EMC SIGNING SUCCESS / NOT FOR GLOBAL THINGS / 3) HD'2 TO T-ORG MTG / RAR B. TYP. GOES IN / 4) SAVED UP ON DISC & S/PLAN W/ RCE RJB FOR NOW /

<1223

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -7/

DATE 12 18 88 M T W (T) F S S (Circle Day)

SHIFT HOUR: START ___ STOP ___

TEMPERATURE MIN ___ MAX ___

WEATHER ___

*W/D RPT. / → ROD D.: 1) TSCE TSJ MAY CONCURS ABOUT IDEA N/G KP THREAD DAMAGE W/ REPEATED RAP BY OF MTCE. / 2) USE THREAD STICK-OUT FOR EYE BAR PLACEMENT (W. PAD EYES...) ⟷ CONTAINMENT ROPE, NOT PERSONNEL...) 3) (MPK & BR COMMENTS) / 4) (→ FOR F. ST E/M?) / 5) LOOKED @ HS. E/M POC(S): "TACK"-SIDE (NON-TRAFFIC) INSTALLATION... / 6) STAYING W/ TACKED-NUT ~~OPTION~~ AS PER CCO ~~#~~ ~~TAC~~ /

<1254

*W/D RPT. / → SPOT V E/M / <1248 / *(CALL T) / <1249 / *NOSC. / <1250 / *(CALL V) / <1253 / *W/D RPT. / <1255 / *NOSC / <1256 /

*DIV (C) JP DURBERY 9-1-475-215-2434 (C) 1256 ON: V/M (W/PG.) — NEED TO DISCUSS FENCE ATOP W-2 (5'...) / I'LL HEAD OVER NOW.

W/ → CONT REC: CALL S. — CONT W/ CORE MACH. / <1302

SIGNATURE ___ TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-8/	12 18 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

~~≈1319~~

* MARK G.V.: CATCH ~1700/1730) TOB B'D SHARED) MAY DO ⇒ M/S COMMITMENT) > 1730 FOR ME..)

→ + JIM B.R.: ↑ UNABLE — HOSTING VISITORS..)

→ BLE BJR: AWAY FR OFC — T/OFF LIGHTS)

→ SAMAN S.: GOT FR/R^R — TO PAY LATER..) NOT SHORT OFF HIS BACK..)

→ DJV (c) "F.O.": 1) CAROL C. — !) 2 WK "VAC^N" — BUT HERE!) 2) LIKING SHANGHAI) 3) DIFF'T. THAN 2 YRS. AGO) 4) SAW AARON P's ARRV^L + CH VISIT)

→ 5) JAMES P.D.: ① LV^L) ② S[#803-] ⇒ FENCE @ W-2: ATP CT SL DRAFTED..) NOW SEES DIAG^L/BRACE MAY BE NEEDED) WHO'S "FENCE GUY"?!) PURPOSE OF FENCE: PREVENT FALL INTO PIT..) ALL I NEED IS REVAMPED MODIFIC TO DET. "B"..) REV'D PLAN SHT. FOR CCO CAN COME LATER) ATP HOLDING UP S[#803-1] RESP.)

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -01	DATE 12 12 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

(CONT'N)

(c) SCOTT F.: 1) (DISTRICT & GHI MAC'S: X/M PRSNT?)
2) HEADS-UP: JUST SPOKE W/ DJV (c) JAMES P.B. — LOOKING INTO MODIFN / IMPRVT TO "DET. B" (CPS #452/12?) YET ANOTHER ⇒ CT SL DRAFT "ATP" ON-HOLD / I'D REFERRED TO HIS ACTION A FEW DAYS BACK: DIDN'T KNOW ⇔ PREV DOESN'T "NOTIFY" IN THAT CASE... / "ATP" CT SL "1st" — THEN CAN ISSUE S #803-1 RESP. (R/L NEEDS TO REF CT SL "ATP"...) / WANTS TO DISCUS W/ BCE GIL K. — ANY MORE CHALLKS C W2 THERE!? — VS. "STAND-ALONE" CCO FOR THIS — V. MINOR CHANGE! / SL DIFFT. CT SL (DRAFT) ⇔ NO CCO # OTHER (TYP. DOES): RJ "OK" W/ IT...)

⋮

BCE TJ. KOAL: 1) CATS < MARK G.V. / I'LL B/M DLR'S / JUST DONE W/ DJV (c) JAMES P.D. ⇔ ATP B-T SUBMITTAL RETURN...) [ADS #803-1]
2) SAW HIS B/M — ADAY KS.: HIS "A" ATP...)
3) I'VE SENT B/M RESPONSE COMMENTS...)

4:39

SIGNATURE	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 10	DATE 12 18 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

* W/D RPT. → SPOT ✓ E/M < 1332 / * E/M: P/OS → (c) LG. "THX." < 1334
* W/D RPT. → S #803-1: PMOV ACTION (ST.) → SPOT ✓ E/M
→ (c) ST. SHIFT CHOC. DOWN HAVE TO.) "LO.D.") / → N. CHUE: P/K COOKIE ≠ P/B...) < 1401

* W/D RPT. → SPOT ✓ E/M → E/M (ST.) < 1409
* W/D RPT. → " " " < 1413 / * (CALTN) < 1415

* NOTE: P/OS (S #248) STY. MUE SCHED. → SPOT ✓ E/M < 1420
* E/M T/ < 1422 / * NOTE < 1429 / * P/O → RCE DWG < 1430

* S #803-1 ACTION T/ < 1432 / * PMOV: CRASHED! < 1433
* RE BOOT PMOV → FOR F: C9.5 X 9 "Q" < 1435

* PMOV: S #803-1: → CT SL DRAFT (< 1/2 VE)
→ MARK G.V.: 1) "COVERT" CATO'S E/M.. 2) PMOV CRASHED
→ W/D RPT. → S #739-1: NO ACTION T.L (< NOC RCE GSL < 1444)

* PMOV: 1) S #667-1 - STAYS ("OPEN")!? 2) 667-4: DN (c) PDE/
3) 667-5: DN (c) PDE/ 4) QR2 ∅: "DUE DATE" ≠ 01-14-08

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -11/	DATE 12 18 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

(CONT'D.)
5) 917-Ø : SBOD.) 6) 205-1 ALTION ↓; (205-Ø CLOSED BY WDC'S CH) 7) 244-1 ALTION ↓) (244-Ø CLOSED BY WDC (C) SK)
8) 252-1 ALTION ↓) (252-Ø CLOSED BY WDC ASR PH)
9) 256-1 ALTION ↓) (256-Ø CLOSED BY CH)
→ SPOT ✓ E/M) < 1456

~~<1514~~ ~~(1)~~ <1518
* (c) WARREN S.C.: 1) MACTEC "LATER" - TIE-IN FOR PREV. E/Ms?!)
2) ARFJV'S BOB K.: LAST GAME TMRW.-!) CHRIS B'D. SAID SO YESTY. @ CT X/M P/L..)
3) ARFJV H/L GALA LAST SAT'Y.) + PICS...)
4) LAN'S ↑ AS WELL) MISSED ⇔ ORIG. NOT DUE BACK 'TIL SAT'Y...)
5) MY SCHED LATER "+/-") MAY SEE..) HE'LL TALK TO BOB B. + POV ?!)

<1516

* CALL ST. <1518 / AUD RPT / <1522

SIGNATURE	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -12/	DATE 12 18 08 M T W (T) F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* WDC RCE GJ LAT 9-808-4542 1523
S#2148 UPDATE ← OSM (c)?

* WDC RCE GJL 9-1-650 220 7520 (c) 1524
w/ J.T. (c) CONTACT:

~~1547 O/W 1553 (A) 1553~~

* (c) WARREN S.C.: 1) GR @ DEK ⇒ 2) TURN. NIGHT..!
TN → JAN.: +#3 - L +#10 (!) (← MGN) + ϕd↓ (+ϕ @ BUCKET)
→ WDC RCE GJ LAT: 1) U/P ON S#2148?: NO WORD ←
OSM (d) (R. MERTZ?) ALSO, DJV (c) T. HO SAID TO
COMMENT..! WAY NOT TIMELY: (+ WAIT UNTIL AFTER
WE'VE KEB, STAMP!?) 2) OSM (d) R. MERTZ: SWITCHED
COMPANIES... ⇒ NO LONGER MATTER? HAS DOT ON-CALL
CONTRACT STILL?) + 4 MORE MCS (ONLY)? (BY RENEWAL)

2) S#762-1 (+ 771): CAME UP, @ #(9?-X?) ARM THE
T/M, AS ROMAN MCI'D SAID..! I TOLD REFERED TO ABJV!
3) DJV (c) TH E JPB SNAPPY IN EMS LATELY?
4) SURVEY PLAN, E.G.! → 4) ANALYZING DATE w/ RCE BY BAT
+ ROMAN M.G.! 5) S 803 1 ALSO ON HOLD / I SPOKE TO →

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -13

DATE 12 12 08 M T W T F S S (Circle Day)

SHIFT HOUR: START STOP

TEMPERATURE MIN MAX

WEATHER

(CONT'D)

→ DSV (c) JAMES P.R. – TO LOOK @ DET. B FOR MODIFY.
5) S#739-1 ALSO ON HOLD ⟷ PB(c) R/L W/DSV.

→ + B(c) WARREN S.C.: DAN CHOC'S → WDC BLK CJTL
2) DCE CHRIS M.; RW R/S & L/N F/M END-OF-VEH
LOCK-OUT STATUS; BLK SOL TO DISC W/ MARLYN T.

→ + DCE BILL S.: S#739-1 / 19:55 – TO SET UP MTG
W/ PB(c) SICK K. TURN NOON AFTER HIS
CLO MTG / @ WDC; "PARTIAL" ATP TO CANCEL S#739-1,
FULL ON 4/25 PROB. NOT READY FOR ATP; DO SKS
INCLUDED? PB(c) DRAFTING STAFF: DIVIDED (ATP,
DOYLE DR, ETC) + OFF-SITE (VC, DIN & TYL'S...)

<1547

* W/D RPT / <1552 / A(CALS) / <1553 / A W/D RPT. / + (c) WARREN SC
I'VE YET TO LEAVE... / <1604 / + C/CWB: LOG (S, STOW)
* S/D: PATTY / + (N, F/M), <1608 / A MAN: ?!) → PROS / <1610

SIGNATURE TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

* REB: ALAN W/D / <1611 / * S/D: L/N, P/C) 4:00